



RALEIGH
PRESENT

THE SPEED RANGE THAT'S THE GREATEST!

Built to race-ace requirements at realistic prices

A new, vivid version
of cycling's most
famous mark!

NOW



All over the world, the famous Raleigh Heron's Head symbol is known as the mark of supreme quality in bicycles . . . now, on the new **Raleigh Gran Sport** and **Raleigh Sprite** models, it appears in a new, vivid form – more colourful, more in keeping with the new age of speed that these cycles are brilliantly designed and built for!

Raleigh bring you the
greatest speed range ever!

*Brilliantly new from headcrest onwards
and built to race-ace requirements . . .*

They're here! . . . the most exciting speed-cycles that ever happened. Right from the vivid new headcrest, all the way through from stem to stern, these new Raleigh sports models are the greatest – in design, in equipment, in sensational value! Read their specifications, check their features and fittings, carefully, critically . . . you'll agree these machines would satisfy a racing ace. And yet, in spite of all this, and their lithe, lively lines, their sparkling eye-compelling colours, their prices are realistic . . . well within your means though in everything else they're way, way out of this world!

*. . . out-of-this-world in design and equipment,
down-to-earth in price!*

The Raleigh Gran Sport

Never before has any Sports Cycle been so excitingly new!



SPECIFICATION MODEL 74

Frame Set Built with finest quality high tensile steel tubing – cutaway lugs and bottom bracket in clean contemporary style. Styled front and rear fork ends. Fine taper seat stays incorporating wrap over with scalloped seat lug. Oval to round chainstays and front fork blades. Fork crown forged and machined.

1. Sizes: 21½", 22½", 23½". Gent's only.
2. Top tube length 22½" c/c.
3. Wheelbase 41 5/8" normal.
4. Bottom Bracket height 10½".
5. Head and Seat Angles 72° parallel.
6. Front Fork rake 2½".
7. Wheel size 27".
8. Brazed on fittings: Fork lamp bracket boss, Gear change cable tunnel at bottom bracket with eyelets on down tube and chainstay. Stop on down tube to locate derailleur gear change levers.
9. Pump clips – Campagnolo on seat tube.

Wheels and Tyres: Dunlop H.P. rims with 27" x 1½" Dunlop Sprite tyres. Airseal tubes with Presta valves. Racelite hubs 14/16-gauge double butted spokes.

Handlebar: Maes pattern G.B. alloy, 1½" taped and plugged. G.B. solid forged light alloy stem, 2½" extension on 21½" and 22½" frames, 3½" on 23½" frame.

Brakes: G.B. 'Coureur 66' with Superhood Rapide levers and quick release.

Mudguards: Bluemel 'Classique'.

Gears: Campagnolo Gran Sport 5-speed 14T, 16T, 18T, 21T, 24T freewheel block. Campagnolo 2-speed chainwheel changer.

Chainwheel: 49T/46T x 3/2" or 46T x 3/2".

Chain: Brampton 3/32" riveted.

Saddle: Brooks' B15N. SPF perforated. Chromium chassis.

Equipment: Polished alloy inflator – 18" on 23½" frame, 17" on 22½" frame, 15" on 21½" frame. Coloral single bottle in carrier on down tube.

Finish: Flamboyant Venetian Blue, Firecracker Red, or Sunset Yellow. All with – Black head tube and Gold lined head lugs. Black mudguards with silver centre. Front fork ends chromium plated. Black handlebar tape and brake cables. Contemporary sports style head crest and transfers.

The Raleigh Sprite

It can challenge expensive, exclusive machines on any ground



SPECIFICATION MODEL 73

Frame Set Built with finest quality high tensile steel tubing – cutaway lugs and bottom bracket in clean contemporary style. Styled front and rear fork ends. Fine taper seat stays incorporating wrap over with scalloped seat lug. Oval to round chainstays and front fork blades. Fork crown forged and machined.


1. Sizes: $21\frac{1}{2}$ ", $22\frac{1}{2}$ ", $23\frac{1}{2}$ ".
2. Top tube length $22\frac{3}{8}$ " c/c.
3. Wheelbase $41\frac{1}{2}$ " normal.
4. Bottom Bracket height $10\frac{3}{4}$ ".
5. Head and Seat Angles 72° parallel.
6. Front Fork rake $2\frac{3}{8}$ ".
7. Wheel size 27".
8. Brazed on fittings: Fork lamp bracket boss. Gear change cable tunnel at bottom bracket with eyelets on down tube and chainstay. Stop on down tube to locate derailleur gear change levers.
9. Pump clips – Campagnolo on seat tube.

Wheels and Tyres: H.P. rims with $27" \times 1\frac{1}{4}"$ Dunlop Sprite tyres – Airseal tubes with 'Presta' valves 14/16-gauge double butted spokes.
Handlebar: Maes pattern bend $\frac{1}{2}$ " steel, taped and plugged, $2\frac{1}{2}"$ extension.
Brakes: G.B. alloy – rubber hoods on levers.
Mudguards: Britton's celluloid.
Gears: Campagnolo 5-speed.
Chainwheel: 46T, option 49T/46T double.
Saddle: Lycett's L15 Swallow.
Equipment: Inflator as Model 74.
Finish: Polychromatic Silver Grey, Firecracker Red or Flamboyant Electric Blue. All with – Powder Blue head and handlebar tape, Pearl Blue mudguards. Contemporary sports style head crest and transfers.



The Raleigh Blue Streak Mark II

The cycle that altered your ideas of value—now in a brilliant new version



SPECIFICATION MODEL 72

Frame Set Built with finest quality high tensile steel tubing—cutaway lugs and bottom bracket in clean contemporary style. Styled front and rear fork ends. Fine taper seat stays incorporating wrap over with scalloped seat lug. Oval to round chainstays and front fork blades. Fork crown forged and machined.

1. Sizes: 21 $\frac{1}{2}$ ", 22 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ".
 2. Top tube length 22 $\frac{3}{4}$ " c/c.
 3. Wheelbase 41 $\frac{1}{2}$ " normal.
 4. Bottom Bracket height 10 $\frac{1}{2}$ ".
 5. Head and Seat Angles 72° parallel.
 6. Front Fork rake 2 $\frac{3}{8}$ ".
 7. Wheel size 27".
 8. Brazed on fittings: Fork lamp bracket boss. Gear change cable tunnel at bottom bracket with eyelets on down tube and chainstay. Stop on down tube to locate derailleur gear change levers.
 9. Pump clips—Campagnolo on seat tube.
- Wheels and Tyres:** 27" x 1 $\frac{1}{2}$ " Endrick rims—Dunlop White Sprite tyres with Airseal tubes and 'Presta' valves. 14-gauge spokes.

Handlebar: $\frac{1}{8}$ " steel Maes pattern bend taped and plugged, 2 $\frac{1}{2}$ " extension.
Brakes: G.B. alloy.
Mudguards: Britton's celluloid, Electric Blue.
Gears: Benelux 'Mark 7' $\frac{1}{2}$ " 5-speed or Sturmey-Archer F.M. 4-speed.
Chainwheel: 46T, option 49T/46T double chainwheel on derailleur gear model only.
Saddle: Lycett's L15 Swallow.
Equipment: Inflator as Model 74. Twin Coloral bottles in carrier on handlebar.
Finish: Polychromatic Silver with Flamboyant Electric Blue Peaks to top and down tubes. Chainstays, Backstays and Fork Blades lined Blue. Unique Blue Streak transfers.


**SEE
HOW
RALEIGH
FEATURES
AND
FITTINGS
MEASURE
UP
TO
RACE-ACE
REQUIREMENTS**

The transfer decoration,
of quiet design, effectively
blends in with a
wide choice of new colours.

3




13




5






14



8





THE RACE-ACE FEATURES AND FITTINGS

*Those marked * are illustrated*

- * 1 LUGS**
Simple and elegant in design and appearance.
- * 2 FORK CROWN**
Forged and machined in best racing tradition.
- * 3 WRAP OVER**
Wrap over seat stays.
- 4 OVAL FORK BLADES AND CHAINSTAY**
Simple, sturdy and rigidly efficient.
- * 5 FRONT AND REAR ENDS**
- 6 BRAZED ON AT ESSENTIAL POINTS**
- 7 CHROMIUM PLATED FORK ENDS**
- * 8 CHAINWHEEL AND CRANKS**
Chainwheel – refreshingly attractive in design – beautifully machined cranks.
- 9 LOW BOTTOM BRACKET**
Bottom bracket – not too low, not too high, just right.
- 10 DOME NUTS**
- 11 ANGLES 72° parallel.**
- 12 BLUEMEL CLASSIQUE GUARDS**
The best in the world.
- * 13 CAMPAG PUMP CLIPS**
- * 14 CAMPAG GEAR**
With Raleigh Disc Protector.
- * 15 CAMPAG CHANGE LEVER AND STOP**
- 16 G.B. ALLOY BEND**
G.B. Alloy Maes pattern bend with centre liner.
- * 17 G.B. ALLOY STEM**
- * 18 G.B. 66 BRAKES**
G.B. Alloy Brakes (Coureur 66) quick release centre pull.
- 19 BROOKS' B15N SADDLE - PERFORATED**
- 20 RACELITE HUBS**
Racelite large flange alloy Hubs.
- 21 COLORAL BOTTLE AND DETACHABLE CARRIER**
- 22 POLISHED ALLOY INFLATOR**
- 23 DUNLOP HIGH PRESSURE RIMS**
Size 27" x 1½"
- 24 DUNLOP SPRITE TYRES**

The design and equipment which is featured on these pages covers the range of machines – but each and every item does not apply to all models. See individual specifications.

The Raleigh Sprite

For the girl who makes the pace and sets the style!



SPECIFICATION MODEL 73L

Frame Set Built with finest quality high tensile steel tubing – cutaway lugs and bottom bracket in clean contemporary style. Styled front and rear fork ends. Fine taper seat stays incorporating wrap over with scalloped seat lug. Oval to round chainstays and front fork blades. Fork crown forged and machined.

1. Size: 21½" only.
2. Wheelbase 41½" normal.
3. Bottom Bracket height 10½".
4. Head and Seat Angles 72° parallel.
5. Front Fork rake 2½".
6. Wheel size 27".
7. Brazed on fittings: Fork lamp bracket boss. Gear change cable tunnel at bottom bracket with eyelets on down tube and chainstay. Stop on down tube to locate derailleur gear change lever.
8. Pump clips – Campagnolo on down tube.

Wheels and Tyres: H.P. rims with 27" x 1½" Dunlop Sprite tyres – Airseal tubes with 'Presta' valves. 14/16 gauge double butted spokes.

Handlebar: 7" steel Maes pattern with 2½" extension.

Brakes: G.B. alloy – rubber hoods on levers.

Mudguards: Britton's celluloid.

Gears: Campagnolo 5-speed.

Chainwheel: 46T, option 49T/46T Double.

Saddle: Lycett's L15 Standard.

Equipment: Inflator 17".

Finish: Polychromatic Silver Grey, Firecracker Red or Flamboyant Electric Blue. All with – Powder Blue head and handlebar tape, Pearl Blue mudguards. Contemporary sports style head crest and transfers.



The Raleigh Blue Streak Mark II

Smartest bicycle-buy you can make-greatest value you can get



SPECIFICATION MODEL 72L

Frame Set Built with finest quality high tensile steel tubing - cutaway lugs and bottom bracket in clean contemporary style. Styled front and rear fork ends. Fine taper seat stays incorporating wrap over with scalloped seat lug. Oval to round chainstays and front fork blades. Fork crown forged and machined.

1. Size: 21½" only.
2. Wheelbase 41 1/8" normal.
3. Bottom Bracket height 10½".
4. Head and Seat Angles 72° parallel.
5. Front Fork rake 2 1/8".
6. Wheel size 27".
7. Brazed on fittings: Fork lamp bracket boss. Gear change cable tunnel at bottom bracket with eyelets on down tube and chainstay. Stop on down tube to locate derailleur gear change lever.
8. Pump clips - Campagnolo on down tube.

Wheels and Tyres: 27" x 1½" Endrick rims - Dunlop White Sprite tyres with Airseal tubes and 'Presta' valves. 14-gauge spokes.

Handlebar: 7/8" steel Maes pattern with 2½" extension, option 'All-Rounder'.

Brakes: G.B. alloy.

Mudguards: Britton's celluloid, Electric Blue.

Gears: Benelux 'Mark 7' 3/8" 5-speed or Sturmey-Archer F.M. 4-speed.

Chainwheel: 46T.

Saddle: Lycett's L15 Standard.

Equipment: Inflator 17". Twin Coloral bottles in carrier on handlebar.

Finish: Polychromatic Silver with Flamboyant Electric Blue Peaks to top and down tubes. Chainstays, Backstays and Fork Blades lined Blue. Unique Blue Streak transfers.



Experts go enthusiastic over...

The Raleigh Gran Sport

Before the Raleigh Gran Sport was put on the market we invited several well-known cycling journalists – men with a real knowledge of ‘race-ace’ requirements, and whose judgements are followed by millions of readers – to say what they thought of this new cycle.



BOB RODNEY

of the *Daily Mirror* said –
“Every design point, every piece of equipment, every fitting makes you enthusiastic about the Raleigh Gran Sport!”



BILL MILLS

of the *News Chronicle* said –
“I’ve never known a ready-made bicycle to have so many tailor-made features before.”



SIDNEY SALTMARSH

of the *Daily Herald* said –
“Obviously everything has been thought about, and thought about again to make the Raleigh Gran Sport the greatest ever.”



ANY **RALEIGH** CAN BE YOURS ON EASY TERMS

ANY RALEIGH CAN BE YOURS on EASY TERMS
FOR A SMALL DEPOSIT AND PAYMENTS
SPREAD OVER 9, 12 or 18 MONTHS.

ASK YOUR RALEIGH DEALER for full details
of the attractive terms available which include
insurance cover against accidental damage,
fire or theft of your Raleigh and your weekly
instalment paid for you in the event of
ACCIDENT, SICKNESS OR UNEMPLOYMENT

(We regret that Unemployment Cover is not available
in Northern Ireland)


TAKE ADVANTAGE of the RALEIGH EASY TERMS
incorporating the
NO WORRY PAYMENTS PROTECTION PLAN

RALEIGH *special easy terms*

include insurance!

CAMPAGNOLO


GEAR




CHAIN SHIFTER




GEAR
LEVERS



CHAIN SHIFTER




BENELUX



GEAR
LEVERS

GEAR



CAMPAGNOLO AND BENELUX GEARS FOR THE DISCRIMINATING RIDER

CAMPAGNOLO GRAN SPORT GEAR

The finest gear of its kind
fitted to the renowned
Raleigh Gran Sport
and Raleigh Sprite

CYCLO BENELUX MARK 7 GEAR

This superb chain gear
is fitted to the Raleigh
Blue Streak

**NOW
MORE THAN EVER
YOU REALLY
WANT
A**

RALEIGH

—the name you know best in bicycles

A Product of Raleigh Industries Ltd.

You can rely on your Raleigh dealer for every cycling service →

