

RIDE WITH THE WINNER.
TEAM RALEIGH



Raleigh bicycles. Rampal bicycles. Parts and accessories.



Contents

Derailleur drop bar	2-12
Tourist	13-18
Action/BMX/Juvenile	19-25
Frame sets	26
Exercisers	26
Bicycle sizing chart	26
Technical specifications— 10-speeds	27
Parts and accessories	28-29

Specifications

Frame Size: 20½", 21½", 22½", 23½", 24½", 25½".

Colors: Steel Blue.

Frame Material: Reynolds 531 double butted tubes, forks and chainstays with Campagnolo fork ends.

Lugs: Hand profiled Haden lightweight lugs with window cutouts.

Fork: Reynolds 531 taper gauge with Vagner Crown Campagnolo fork ends.

Handlebar: Raleigh Italiane alloy.

Stem: G.B. Biba forged alloy.

Brakes: Campagnolo Record side pull.

Crankset: Campagnolo Nuovo Record cotterless 42/51T.

Freewheel: 13-24T.

Chain: Regina Oro.

Pedals: Campagnolo Super Leggera Strada.

Rims: Mavic Sprint with reinforcing ferrules.

Hubs: Campagnolo Nuovo Record small flange Q.R.

Tires: Raleigh Imperforable Seta.

Saddle: Brooks Professional Team Special.

Seat Post: Campagnolo Record 27.2mm.

Derailleur: Campagnolo Nuovo Record 12 sp. (rear), Campagnolo Nuovo Record (front) with down tube controls.

Cables & Tape: Black cloth tape and Campagnolo Cables.



RALEIGH®

Professional Mark V

The team leader. It has the latest racing frame geometry. It's made with lightweight Reynolds 531 tubing for the ultimate in performance.

A short wheelbase for maximum maneuverability.

And fully Campy equipped.

It's a pro in every detail. Right down to the Team Pro saddle featuring large copper rivets for comfort as well as durability.

Its extras include a Silca Impero pump, Christophe toe clips and straps, brazed-on down tube tunnel clip, stop and bottle cage bosses, chrome-plated fork tips front and rear. The wheel base is 39¼"—21½" frame; the frame angles are 73° head, 75° seat—21½" frame. Its approximate weight is 23 lbs.—23½" frame.



RALEIGH®

Competition G.S.

The ultimate in style and comfort. For racing or touring.

Micro adjustable Campy Gran Sport seat post positions leather saddle for custom comfort.

Lightweight frame and Campy Gran Sport transmission for fast, easy riding.

Skinside tires and concave narrow section rims add to the efficient ride of this outstanding member of Team Raleigh.

Its extras include Competition pump, Brooks toe straps and Christophe toe clips, brazed-on rear gear stop, chrome-plated stays and fork blades. The wheel base is $39\frac{3}{8}$ "— $21\frac{1}{2}$ " frame; the frame angles are 74° head, 74° seat— $21\frac{1}{2}$ " frame. Its approximate weight is 24 lbs.— $23\frac{1}{2}$ " frame.



Specifications

Frame Size: $21\frac{1}{2}$ ", $23\frac{1}{2}$ ", $25\frac{1}{2}$ ".

Colors: Black or Pearl Silver.

Frame Material: Reynolds 531 double butted tubes, forks and chainstays with Campagnolo fork ends.

Lugs: Bocama Professional hand profiled lugs.

Fork: Reynolds 531 Taper Gauge with Vagner crown and Campagnolo ends.

Handlebar: Raleigh Italiane alloy.

Stem: G.B. Biba forged alloy.

Brakes: Weinmann 605 alloy side pull with wheel guides.

Crankset: Campagnolo Gran Sport cotterless 42/52T—170mm.

Freewheel: 14-22T.

Chain: $\frac{1}{2}$ " x $\frac{3}{32}$ ".

Pedals: Campagnolo Gran Sport.

Rims: Weinmann 700c alloy concave A124 narrow section.

Hubs: Campagnolo Gran Sport small flange Q.R.

Tires: Raleigh 700c x 25c skinside.

Saddle: Brooks Professional.

Seat Post: Campagnolo Gran Sport 27.2mm.

Deraillleur: Campagnolo Gran Sport (rear), Campagnolo Gran Sport (front) with down tube controls.

Cables & Tape: Black cables and cloth handlebar tape.



Specifications

Frame Size: 21½", 23½", 25½".

Colors: Pearl Red or Gold.

Frame Material: Reynolds 531 main tubes.
Raleigh 20-30 high tensile steel forks,
chainstays with Sun Tour forged fork ends.

Lugs: Bocama Feature Cut.

Fork: Raleigh 20-30 high tensile steel with
forged Vagner Crown and Sun Tour forged
fork ends.

Handlebar: Raleigh Italiane alloy.

Stem: Raleigh/SR with allen key.

Brakes: Raleigh/Weinmann Short Reach
alloy center pull.

Crankset: Raleigh/SR Alloy 5 pin cotterless
42/52T with allen key bolts 170mm (6¾").

Freewheel: Raleigh/Sun Tour Perfect 14/28T.

Chain: ½" x ¾".

Rims: Weinmann 700c alloy concave A124
narrow section.

Hubs: Atom small flange Q.R.


Tires: Raleigh 700 gumside 90PSI.

Saddle: Suede.

Seat Post: Raleigh/SR 26.8mm.

Derailleur: Sun Tour Cyclone GT (rear).
Raleigh/Sun Tour Compe V (front) with
handlebar end shifters.

Cables & Tape: White cables, cloth tape
colored to suit.



RALEIGH®

Super Course

The sports car of bicycling. Sleek and racy from its short wheel base to its suede saddle.

The short reach centerpull brakes ensure safe, reliable stopping power.

The derailleur and freewheel designs make this the perfect bicycle for the aspiring racer.

Its extras include a Valve Adaptor, Brooks toe straps and Christophe toe clips, brazed-on cable eyes, arch, guides, down tube stops and chrome-plated fork tips front and rear.

The Super Course has a wheel base of 39⅞"—21½" frame; its frame angles are 74° head, 74° seat—21½" frame. Its approximate weight is 26 lbs.—21½" frame.



Technical Specifications

Model Page No	Professional 3	Competition G.S 4	Super Course 5	Super Grand Prix 6	Grand Prix 7	Record Ace 8	Record FFS: PPS 9	R-Four 11	R-Two 11	R-1027 12
FRAME SIZE	20 ¹ / ₂ "", 21 ¹ / ₂ "", 22 ¹ / ₂ "", 23 ¹ / ₂ "", 24 ¹ / ₂ "", 25 ¹ / ₂ "	21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ "	21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ "	20 ¹ / ₂ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ "	Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " Ladies Mixte: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "	Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " Ladies Mixte: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "	Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "", 25 ¹ / ₂ " Ladies Mixte: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23 ¹ / ₂ "	Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23" 25" Ladies with Touring Handlebars: 19 ³ / ₄ "", 21 ¹ / ₂ "	Gents: 19 ³ / ₄ "", 21 ¹ / ₂ "", 23" 25" Ladies Mixte: 19 ³ / ₄ "", 21 ¹ / ₂ "	19", 21", 23"
COLORS	Steel Blue	Black or Pearl Silver	Pearl Red or Gold	Pearl Green	Midnight Blue, Bronze, or Pearl Silver	Space Blue, Royal Carmine or Black	Horizon Blue or Brilliant Orange	Ice Blue	Flamboyant Blue, Gold, Tangerine	Red, Blue
FRAME MATERIAL	Reynolds 531 Double But- tled Tubes, Forks and Chainstays with Campa- gnolo Fork Ends	Reynolds 531 Double But- tled Tubes, Forks and Chainstays with Campa- gnolo Fork Ends	Reynolds 531 Main Tubes Raleigh 20-30 High Ten- sile Steel Forks, Chain- stays with Sun Tour Forged Fork Ends	Raleigh 20-30 High Tensile Steel	Raleigh 20-30 High Tensile Steel	Raleigh 20-30 High Tensile Steel	Raleigh 20-30 High Tensile Steel	High Carbon Steel	High Carbon Steel	Carbon Steel
LUGS	Hand Profiled Haden Lightweight Lugs with Window Cut Outs	Bocama Professional Hand Profiled Lugs	Bocama Feature Cut	Bocama Feature Cut	Bocama Feature Cut	Bocama Feature Cut	Bocama Feature Cut	Custom Cut	Custom Cut	Lightweight Feature Cut
FORK	Reynolds 531 Taper Gauge with Vagner Crown Camp- agnolo Fork Ends	Reynolds 531 Taper Gauge with Vagner Crown and Campagnolo Ends	Raleigh 20-30 High Ten- sile Steel with Forged Vagner Crown and Sun Tour Forged Fork Ends	Raleigh 20-30 High Ten- sile Steel with Vagner Crown Forged	Raleigh 20-30 High Ten- sile Steel with Vagner Crown Forged	Raleigh 20-30 High Ten- sile Steel with Pressed Box Crown	Raleigh 20-30 High Ten- sile Steel with Pressed Box Crown	High Carbon Tubular Blades with Box Crown	High Carbon Tubular Blades with Box Crown	Carbon Steel
HANDLEBAR	Raleigh Italiane Alloy	Raleigh Italiane Alloy	Raleigh Italiane Alloy	Raleigh Maes Alloy	Raleigh Maes Alloy	Alloy Maes	Alloy Maes	SR Chrome Plated Steel	SR Chrome Plated Steel	Chrome Plated Steel
STEM	G.B. Biba Forged Alloy	G.B. Biba Forged Alloy	Raleigh SR with Allen Key	Alloy with Allen Key	Alloy with Allen Key	Alloy with Allen Key	Alloy with Allen Key	SR Alloy with Allen Expander Bolt	SR Alloy Stem with Allen Expander Bolt	SR Alloy
BRAKES	Campagnolo Record Side Pull	Weinmann 605 Alloy Side Pull with Wheel Guides	Raleigh/Weinmann Short Reach Alloy Center Pull	Raleigh/Weinmann Alloy Center Pull with Q.R. and Extension Levers	Raleigh/Weinmann Alloy Center Pull with Q.R. and Extension Levers	Raleigh/Weinmann Alloy Centerpull with Extension Levers	Raleigh/Weinmann Alloy Centerpull with Extension Levers	Diacombe Alloy Centerpull with Extension Levers	Diacombe Centerpull with Extension Levers	Rampar Centerpull
CRANKSET	Campagnolo Nuovo Rec- ord Cotterless 42-52T	Campagnolo Gran Sport Cotterless 42-52T- 170mm	Raleigh/SR Alloy 5 Pin Cotterless 42-52T with Allen Key Bolts 170mm (6 ³ / ₄ inches)	Raleigh SR Alloy 5 Pin Cotterless 42-52T with Slotted Spider and Allen Key Bolts 165mm (6 ¹ / ₂ inches)	Raleigh/SR Alloy 5 pin Cotterless 42-52T 165mm (6 ¹ / ₂ inches)	Raleigh/SR Alloy 5 Pin Cotterless 42-52T 165mm (6 ¹ / ₂ inches)	Shimano FFS 40 52T 165mm (6 ¹ / ₂ inches)	Shimano Front Free Wheel System 40 52T with 6 ¹ / ₂ " Steel Cranks	Forged Steel Five Pin, 42-52T with Disc	Sugino 3-Pin Steel 6 ¹ / ₂ " Crank
FREEWHEEL	13-24 T	14-22T	Raleigh Sun Tour Perfect 14-28 T	Raleigh Sun Tour Perfect 14-34 T	Raleigh Sun Tour Perfect 14-34 T	Raleigh Sun Tour Perfect 14-34 T	Shimano 14/28 T	14-28 T	14-28 T	14-28 T Sun Tour
CHAIN	Regina Oro	1 ¹ / ₂ " x 3 ³ / ₃₂ "	1 ¹ / ₂ " x 3 ³ / ₃₂ "	1 ¹ / ₂ " x 3 ³ / ₃₂ "	1 ¹ / ₂ " x 3 ³ / ₃₂ "	1 ¹ / ₂ " x 3 ³ / ₃₂ "	Shimano Uniglide	1 ¹ / ₂ " x 3 ³ / ₃₂ " Gold Uniglide	1 ¹ / ₂ " x 3 ³ / ₃₂ "	1 ¹ / ₂ " x 3 ³ / ₃₂ "
PEDALS	Campagnolo Super Leg- gera Strada	Campagnolo Gran Sport	Atom 440	Raleigh Ball Bearing with Reflectors	Raleigh Ball Bearing with Reflectors	Raleigh Ball Bearing with Reflectors	Raleigh Ball Bearing with Reflectors	MKS Chrome Plated Steel with Reflectors	MKS Chrome Plated Steel with Reflectors	Steel
RIMS	Mavic Sprint with Rein- forcing Ferrules	Weinmann 700c Alloy Concave A124 Narrow Section	Weinmann 700c Alloy Concave A124 Narrow Section	Raleigh Alloy 700c PV	27" x 1 ¹ / ₄ " High Pressure Steel	27" x 1 ¹ / ₄ "	27" x 1 ¹ / ₄ "	27" x 1 ¹ / ₄ " Chrome Plated Steel, 36-Hole	27" x 1 ¹ / ₄ " Chrome Plated	Chrome Plated Steel, 36-Hole
HUBS	Campagnolo Nuovo Rec- ord Small Flange Q.R.	Campagnolo Gran Sport Small Flange Q.R.	Atom Small Flange Q.R.	Normandy Large Flange Q.R.	Normandy Large Flange Q.R. Front and Rear	Large Flange Alloy	Shimano Alloy Small Flange	Chrome Plated Steel Semi High Flange	Chrome Plated Steel, Semi High Flange	Chrome, Semi High Flange
TIRES	Raleigh Imperforable Seta	Raleigh 700c x 25c Skinside	Raleigh 700 Gumside 90 psi	Raleigh 700c Gumside 90 psi	Raleigh 27" x 1 ¹ / ₄ " Gumwall High Pressure	Raleigh 27" x 1 ¹ / ₄ " Gum- wall High Pressure	Raleigh 27" x 1 ¹ / ₄ " Gum- wall High Pressure	27" x 1 ¹ / ₄ "	27" x 1 ¹ / ₄ " Raleigh Gumwall	27" x 1 ¹ / ₄ " Gumwall
SADDLE	Brooks Professional Team Special	Brooks Professional	Suede	Simulated Suede	Simulated Suede Top Panel on a Padded Nylon Pan	Brooks CR3	Brooks CR3	Rampar Padded Vinyl with Nylon Base	Rampar Padded Vinyl with Nylon Base	Padded Quilted Vinyl
SEAT POST	Campagnolo Record 27.2mm	Campagnolo Gran Sport 27.2mm	Raleigh SR 26.8mm	Alloy 25.4mm (1 inch)	Alloy 25.4mm (1 inch)	Chrome 25.4mm (1 inch)	Chrome 25.4 (1 inch)	Chrome Steel	Chrome Steel	Steel
DERAILLEUR	Campagnolo Nuovo Rec- ord 12SP (Rear) Campa- gnolo Nuovo Record with Down Tube Controls (Front)	Campagnolo Gran Sport (Rear) Campagnolo Gran Sport V with Down Tube Controls (Front)	Sun Tour Cyclone GT (Rear) Raleigh Sun Tour Compe V with Handlebar End Shifters	Raleigh Sun Tour VGT (Rear) Raleigh Sun Tour Compe V with Handlebar End Shifters	Raleigh Sun Tour VGT (Rear) Raleigh Sun Tour Compe V with Handlebar Stem Power Shifters	Raleigh Sun Tour 7GT (Rear) Raleigh Sun Tour Compe V with Handlebar Power Stem Shifters	Shimano Positron (Rear) Raleigh/Shimano 400 with Positron Stem Shifters	Shimano EL 400 Front Freewheel System	Sun Tour Spirit Front and Seven GT Rear	Sun Tour Spirit Front and Honor Rear
CABLES & TAPE	Black Cloth Tape and Campagnolo Cables	Black Cables and Cloth Handlebar Tape	White Cables, Cloth Tape Colored to Suit	White Cables and Cloth Tape Colored to Suit	White	White	White	Black	Black	Black
EXTRAS	Silca Impero Pump, Chris- tophe Toe Clips and Straps. Brazed on Down Tube Tunnel Clip, Stop and Bottle Cage Bosses. Chrome Plated Fork Tips Front and Rear	Competition Pump, Brooks Toe Straps and Christophe Toe Clips Brazed on Rear Gear Stop, Chrome Plated Stays and Fork Blades	Valve Adaptor, Brooks Toe Straps and Christophe Toe Clips. Brazed on Cable Eyes, Arch. Guides, Down Tube Stops and Chrome Plated Fork Tips Front and Rear	Valve Adaptors, Brooks Toe Clips and Straps. Brazed on Cable Eyes, Arch. Guides and Down Tube Stops	Brazed on Cable Eyes, Arch. Guides and Down Tube Stops, Chrome Plated Front Fork Blades	Brazed on Cable Eyes, Guides and Down Tube Stops	Brazed on Cable Eyes	Touch Up Paint Brazed on Cable Stops	Touch Up Paint Brazed on Cable Stops	Brazed on Cable Stops
WHEEL BASE	39 ¹ / ₄ "-21 ¹ / ₂ " Frame	39 ³ / ₄ "-21 ¹ / ₂ " Frame	39 ⁵ / ₁₆ "-21 ¹ / ₂ " Frame	39 ¹ / ₂ "-21 ¹ / ₂ " Frame	41 ¹ / ₈ "-21 ¹ / ₂ " Frame	41 ¹ / ₈ "-21 ¹ / ₂ " Frame	41 ¹ / ₃₂ "-21 ¹ / ₂ " Frame	41 ³ / ₈ "-21 ¹ / ₂ " Frame	41 ¹ / ₈ "-21 ¹ / ₂ " Frame	41 ¹ / ₈ "-21 ¹ / ₂ " Frame
FRAME ANGLES	73° Head, 75° Seat- 21 ¹ / ₂ " Frame	74° Head, 74° Seat- 21 ¹ / ₂ " Frame	74° Head 74° Seat 21 ¹ / ₂ " Frame	74° Head, 74° Seat- 21 ¹ / ₂ " Frame	73° Head, 73° Seat- 21 ¹ / ₂ " Frame	72° Head, 72° Seat- 21 ¹ / ₂ " Frame	73° Head, 73° Seat- 21 ¹ / ₂ " Frame	73° Head, 73° Seat- 21 ¹ / ₂ " Frame	73° Head, 73° Seat- 21 ¹ / ₂ " Frame	73° Head, 73° Seat- 21 ¹ / ₂ " Frame
APPROX. WT.	23 lbs - 23 ¹ / ₂ " Frame	24 lbs - 23 ¹ / ₂ " Frame	26 lbs - 21 ¹ / ₂ " Frame	26 lbs - 21 ¹ / ₂ " Frame	29 lbs - 21 ¹ / ₂ " Frame	30 lbs - 21 ¹ / ₂ " Frame	32 lbs - 21 ¹ / ₂ " Frame	33 lbs - 21 ¹ / ₂ " Frame	31 ¹ / ₂ lbs - 21 ¹ / ₂ " Frame	33 lbs - 21 ¹ / ₂ " Frame

Specifications subject to change without notice. Actual colors may differ slightly from printed photographs.