

**WELCOME TO FUJI BIKES**

Picking the right bike for you. Here are a few ideas that may help you decide on the bicycle that best fits your needs:

First, decide where you are going to do most of your riding

- Around the neighborhood on paved roads? Our Leisure series is probably the best fit. Maybe a cruiser?
- Rugged mountain trails and paths? You can't beat a mountain bike here.
- Bike paths, both paved and unpaved? Once again, our Leisure series, if upright seating is important, or take a look at the slightly more performance oriented models, Sagres, Supreme or Crosstown.
- Hour(s) long rides on the road? Can't beat the Fuji Road series here.
- What's my budget?
- Am I going to frequently transport the bike in my car?
- Any special considerations?

Second, decide which Fuji model bike is the right height for you from the chart below:

| Model        | Regis, Cambridge, Palisade and Monterey |
|--------------|-----------------------------------------|
| Height       | Frame Size                              |
| 4'10"-5'6"   | Small                                   |
| 5' 7"- 5' 11 | Medium                                  |
| 5' 11"- 6'+  | Large                                   |
| Ladies       |                                         |
| under 5' 7"  | Small                                   |
| over 5' 7"   | Large                                   |

| Model          | CrossTown, Supreme, Sagres |
|----------------|----------------------------|
| Height         |                            |
| under 5' 4"    | 17"                        |
| 5' 5" - 5' 8"  | 19"                        |
| 5' 8" - 5' 11" | 21"                        |
| Over 6'        | 23"                        |

| Model          | Road Bicycles |
|----------------|---------------|
| under 5'       | 46 cm         |
| 5' -5' 3"      | 49 cm         |
| 5' 3" - 5' 5"  | 52 cm         |
| 5' 5" - 5' 7"  | 54 cm         |
| 5' 7" - 5' 10" | 56 cm         |
| 5' 10" - 6'    | 58 cm         |
| 6' - 6' 2"     | 61 cm         |
| over 6' 2"     | 64 cm         |

| Model          | Mountain Bicycles |
|----------------|-------------------|
| Under 4' 10"   | 13"               |
| 4' 10"- 5' 4"  | 15"               |
| 5' 4" - 5' 8"  | 17"               |
| 5' 8" - 5' 10" | 19"               |
| 5' 10" - 6' 1" | 20.5"             |
| 6' 1" - 6' 3"  | 22"               |
| over 6' 3"     | 24"               |

| Model            | Kids Bikes       |
|------------------|------------------|
| Sandblaster (DX) | age 6 - 9 years  |
| Blaster (DX)     | age 9 years plus |



# Something went wrong :(

Ruffle failed to load the Flash SWF file.

Access to fetch has likely been blocked by CORS policy.

If you are the server administrator, please consult the Ruffle wiki for help.

[View Ruffle Wiki](#)

[View Error Details](#)

# Aloha

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                                     |
|---------------|--------------------|-----------------------------------------------------|
|               | Color              | Red/Black Two Tone                                  |
| Main frame    |                    |                                                     |
|               | Top tube           | Kinesis 7005 Aero Alloy, Double Butted, 45/23mm     |
|               | Seat tube          | Kinesis 7005 Aero Alloy, 62/31.8mm                  |
|               | Down tube          | Kinesis 7005 Aero Alloy, Double Butted, 65/35mm     |
| Rear triangle |                    |                                                     |
|               | Chain stays        | Kinesis 7005 Tapered Alloy, 22.2mm                  |
|               | Seat stays         | Kinesis 7005 Aero Alloy, 29/14mm                    |
|               | Dropouts           | Kinesis Aero Road w/replaceable hanger              |
|               | Fork               | Kinesis 6061 Alloy Aero Road, 650c                  |
|               | Details            | water bottle mounts                                 |
| Drivetrain    |                    |                                                     |
|               | Crankset           | Sugino RD-5000, 44/54                               |
|               | Bottom bracket     | Shimano BB-UN52                                     |
|               | Pedals             | Speedplay X-3 clipless                              |
|               | Front derailleur   | Shimano 105, FD-5500, Braze-on                      |
|               | Rear derailleur    | Shimano 105, RD-5500-SS, 9-speed                    |
|               | Shifters           | Shimano DuraAce, SL-BS77, 9-speed                   |
|               | Cassette/freewheel | Shimano CS-6500-9, 9-speed, 11/23                   |
|               | Chain              | Shimano CN-HG72, 9-speed                            |
| Wheelset      |                    |                                                     |
|               | Front hub          | Formula Superlite Road, 24H                         |
|               | Rear hub           | Shimano Ultegra Casette, FH-6500, 28H               |
|               | Spokes             | Stainless, Bladed, 14g                              |
|               | Rims               | Velocity Deep-V Aero, 24/28H, Black w/CNC sidewalls |
|               | Tires              | Michelin Axial Pro, 650c X 23c, UltraLite tube      |
| Features      |                    |                                                     |
|               | Brake set          | Shimano 105, BR-5500                                |
|               | Brake levers       | DiaCompe 188 Reverse for Aero Bars                  |
|               | Headset            | FSA Road Alloy, Sealed                              |
|               | Handlebar          | Profile Design Split Second/Air Wing                |
|               | Stem               | Profile Design H2O w/removable clamp                |
|               | Tape/grip          | Profile Bar Wrap                                    |
|               | Saddle             | Velo Supelite Racing                                |
|               | Seat post          | Zoom Superlite Micro Adjust alloy, 250mm            |
|               | Seat clamp         | Fuji superlight alloy, 31.8mm, Lazer etched         |

| specifications | dimensions | back to top

|                          |           |           |           |           |           |           |
|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Seat Tube C/T            | 490.0     | 520.0     | 540.0     | 560.0     | 580.0     | 610.0     |
| Seat Tube C/C            | 437.3     | 467.2     | 486.6     | 507.1     | 526.6     | 556.6     |
| Actual TT Length         | 500.1     | 522.0     | 534.6     | 541.0     | 554.6     | 556.6     |
| Level TT Length          | 520.0     | 540.0     | 550.0     | 560.0     | 570.0     | 590.0     |
| Chain Stay Length        | 375.0     | 375.0     | 375.0     | 375.0     | 375.0     | 375.0     |
| BB Drop                  | 46.5      | 46.5      | 46.5      | 46.5      | 46.5      | 46.5      |
| Fork Offset              | 35.0      | 35.0      | 35.0      | 35.0      | 35.0      | 35.0      |
| Head Tube Angle          | 72.0      | 72.0      | 73.5      | 73.5      | 73.5      | 74.0      |
| Seat Tube Angle          | 78.0      | 78.0      | 78.0      | 78.0      | 78.0      | 78.0      |
| Wheel Base               | 964.9     | 986.9     | 984.9     | 998.1     | 1008.2    | 1025.8    |
| Stand Over Height        | 728.9     | 752.9     | 765.6     | 794.5     | 804.7     | 834.1     |
| BB Height                | 264.0     | 264.0     | 264.0     | 264.0     | 264.0     | 264.0     |
| Fork Steerer Length      | 165       | 185       | 185       | 225       | 225       | 255       |
| Fork Length              | 338.5     | 338.5     | 338.5     | 338.5     | 338.5     | 338.5     |
| Head Tube Length         | 130       | 150       | 150       | 190       | 190       | 220       |
| Seat Post Diameter       | 28.0/26.6 | 28.0/26.6 | 28.0/26.6 | 28.0/26.6 | 28.0/26.6 | 28.0/26.6 |
| Stem Length              | 90.0      | 90.0      | 90.0      | 90.0      | 90.0      | 90.0      |
| H-Bar Width              | 400.0     | 400.0     | 400.0     | 420.0     | 420.0     | 420.0     |
| BB Axle Length           | 110.5     | 110.5     | 110.5     | 110.5     | 110.5     | 110.5     |
| Front Wheel Spoke Length | 246.0     | 246.0     | 246.0     | 246.0     | 246.0     | 246.0     |
| Rear Wheel Spoke Length  | 242/249   | 242/249   | 242/249   | 242/249   | 242/249   | 242/249   |
| Crank Length             | 170.0     | 170L      | 170L      | 172.5L    | 172.5L    | 175L      |
| Complete Bicycle Weight  | 21.8 lbs  |           |           |           |           |           |

Back

# Newest



CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                                           |
|---------------|--------------------|-----------------------------------------------------------|
|               | Color              | Yellow/Black Two Tone                                     |
| Main frame    |                    |                                                           |
|               | Top tube           | True Temper Double Butted Cro-moly, 28.6mm                |
|               | Seat tube          | True Temper Outer Butted Cro-Moly, 28.6mm                 |
|               | Down tube          | True Temper Double Butted Cro-moly, 31.8mm                |
| Rear triangle |                    |                                                           |
|               | Chain stays        | Double Butted, Tapered Cro-Moly, 22mm                     |
|               | Seat stays         | Double Butted, Tapered Cro-Moly, 16mm                     |
|               | Dropouts           | Forged Road w/Axle adjusters                              |
|               | Fork               | Triple Butted, Tapered Cro-Moly, Aero Road                |
|               | Details            | double water bottle mounts, rear carrier mounts           |
| Drivetrain    |                    |                                                           |
|               | Crankset           | Shimano Tiagra FC-4403, 30/42/52                          |
|               | Bottom bracket     | Shimano BB-UN40                                           |
|               | Pedals             | EXUS Clipless                                             |
|               | Front derailleur   | Shimano Tiagra, FD-4403, clamp-on, 28.6mm                 |
|               | Rear derailleur    | Shimano Tiagra, RD-4400-GS, 9-speed                       |
|               | Shifters           | Shimano Tiagra, ST-4400, 9-speed                          |
|               | Cassette/freewheel | Shimano CS-HG50-9, 9-speed, 12/23                         |
|               | Chain              | Shimano CN-HG72, 9-speed                                  |
| Wheelset      |                    |                                                           |
|               | Front hub          | Shimano Tiagra HB-4400, 32H                               |
|               | Rear hub           | Shimano Tiagra Freehub FH-4400, 32H                       |
|               | Spokes             | Stainless, 14g                                            |
|               | Rims               | Mavic CXP-11, 32H                                         |
|               | Tires              | Michelin Axial Bi-Sport, Black/Yellow, 700 X 23c, Folding |
| Features      |                    |                                                           |
|               | Brake set          | Shimano Tiagra, BR-4400                                   |
|               | Brake levers       | Shimano Tiagra, ST-4400                                   |
|               | Headset            | Ritchey Logic Threadless w/30mm spacers                   |
|               | Handlebar          | Ritchey Logic Road Comp                                   |
|               | Stem               | Ritchey Logic Road Comp 1" Threadless, Forged             |
|               | Tape/grip          | Profile Bar Wrap                                          |
|               | Saddle             | Selle Italia XO, MicroFibre cover, FEC alloy rails        |
|               | Seat post          | Zoom Superlite Micro Adjust alloy, 230mm                  |
|               | Seat clamp         | Fuji superlight alloy, 29.7mm, Lazer etched               |

| specifications | dimensions | back to top |

|                          |          |         |         |         |         |         |         |
|--------------------------|----------|---------|---------|---------|---------|---------|---------|
| Seat Tube C/T            | 490.0    | 520.0   | 540.0   | 560.0   | 580.0   | 610.0   | 640.0   |
| Seat Tube C/C            | 460.0    | 490.0   | 510.0   | 530.0   | 550.0   | 580.0   | 610.0   |
| Actual TT Length         | 508.6    | 530     | 550     | 560     | 570     | 590     | 610     |
| Level TT Length          | 515.0    | 530.0   | 550.0   | 560.0   | 570.0   | 590.0   | 610.0   |
| Chain Stay Length        | 410.0    | 410.0   | 410.0   | 410.0   | 410.0   | 410.0   | 410.0   |
| BB Drop                  | 69.0     | 69.0    | 69.0    | 69.0    | 69.0    | 69.0    | 69.0    |
| Fork Offset              | 50.0     | 50.0    | 45.0    | 45.0    | 45.0    | 40.0    | 40.0    |
| Head Tube Angle          | 72.0     | 72.0    | 73.5    | 73.5    | 73.5    | 74.0    | 74.0    |
| Seat Tube Angle          | 75.0     | 74.0    | 73.0    | 73.0    | 73.0    | 72.5    | 72.5    |
| Wheel Base               | 976.5    | 982.3   | 976.1   | 985.8   | 995.7   | 1000.7  | 1019.6  |
| Stand Over Height        | 740.6    | 754.3   | 771     | 790.1   | 809.3   | 836.5   | 865.1   |
| BB Height                | 269.0    | 269.0   | 269.0   | 269.0   | 269.0   | 269.0   | 269.0   |
| Fork Steerer Length      | 184      | 184     | 194     | 214     | 234     | 259     | 289     |
| Fork Length              | 365.0    | 365.0   | 365.0   | 365.0   | 365.0   | 365.0   | 365.0   |
| Head Tube Length         | 90       | 90      | 100     | 120     | 140     | 165     | 195     |
| Seat Post Diameter       | 26.8     | 26.8    | 26.8    | 26.8    | 26.8    | 26.8    | 26.8    |
| Stem Length              | 100.0    | 100.0   | 100.0   | 100.0   | 100.0   | 120.0   | 135.0   |
| H-Bar Width              | 400.0    | 400.0   | 400.0   | 420.0   | 420.0   | 440.0   | 440.0   |
| BB Axle Length           | 113.5    | 113.5   | 113.5   | 113.5   | 113.5   | 113.5   | 113.5   |
| Front Wheel Spoke Length | 293.0    | 293.0   | 293.0   | 293.0   | 293.0   | 293.0   | 293.0   |
| Rear Wheel Spoke Length  | 292/291  | 292/291 | 292/291 | 292/291 | 292/291 | 292/291 | 292/291 |
| Crank Length             | 165L     | 170L    | 170L    | 170L    | 170L    | 175L    | 175L    |
| Complete Bicycle Weight  | 22.3 lbs |         |         |         |         |         |         |

# Something went wrong :(

Ruffle failed to load the Flash SWF file.

Access to fetch has likely been blocked by CORS policy.

If you are the server administrator, please consult the Ruffle wiki for help.

[View Ruffle Wiki](#)

[View Error Details](#)

# Boulevard

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                              |
|---------------|--------------------|----------------------------------------------|
|               | Color              | Mens Only, Inferno                           |
|               |                    | Ladies Only, South Pacific Blue              |
| Main frame    |                    |                                              |
|               | Top tube           | Fuji custom PowerOval Hi-Ten, 37/27mm        |
|               | Seat tube          | Fuji Outer Butted Hi-Ten, 28.6mm             |
|               | Down tube          | Fuji custom PowerOval Hi-Ten, 44/27mm        |
| Rear triangle |                    |                                              |
|               | Chain stays        | Fuji tapered Hi-Ten, S-bend                  |
|               | Seat stays         | Fuji tapered Hi-Ten, S-bend                  |
|               | Dropouts           | Semi-Forged w/eyelet                         |
|               | Fork               | Fuji Hi-Ten ATB, 1 1/8"                      |
|               | Details            | double water bottle mounts, Seat tube gusset |
|               |                    | Rear Rack mounts.                            |
| Drivetrain    |                    |                                              |
|               | Crankset           | ProWheel composite resin/steel ATB, 28/38/48 |
|               | Bottom bracket     | VP Components ATB sealed                     |
|               | Pedals             | VP Components ATB                            |
|               | Front derailleur   | Shimano Tourney, FD-TY30, 28.6mm             |
|               | Rear derailleur    | Shimano Tourney, RD-TY22                     |
|               | Shifters           | SunRace, SR-225, 7-Speed                     |
|               | Cassette/freewheel | SunRace, SR-HG72-U, 13/28T, 7-Speed          |
|               | Chain              | Shimano CN-UG50                              |
| Wheelset      |                    |                                              |
|               | Front hub          | ATB Oversized Steel, Black, 36H, Q/R         |
|               | Rear hub           | ATB Oversized Steel, Black, 36H, Nutted      |
|               | Spokes             | UCP, 14G                                     |
|               | Rims               | Weinmann Alloy CN-520, 36H                   |
|               | Tires              | Kenda, Semi Knob ATB, 26 X 2.0"              |
| Features      |                    |                                              |
|               | Brake set          | ProMax Linear pull alloy                     |
|               | Brake levers       | ProMax Linear pull w/reach adjust            |
|               | Headset            | VP Components ATB sealed                     |
|               | Handlebar          | Fuji ATB, 30mm rise, 600mm                   |
|               | Stem               | Fuji ATB w/removable clamp                   |
|               | Tape/grip          | Fuji Kraton                                  |
|               | Saddle             | Fuji DuraFlex TushCush                       |
|               | Seat post          | ATB Steel                                    |
|               | Seat clamp         | Fuji alloy QR                                |

| specifications | dimensions | back to top |

|                          |           |         |         |         |         |         |
|--------------------------|-----------|---------|---------|---------|---------|---------|
| Seat Tube C/T            | 15"       | 17"     | 19"     | 20.5"   | 22"     | 17"L    |
| Seat Tube C/C            | 291.6     | 344.1   | 396.1   | 434.4   | 474.1   | 220     |
| Actual TT Length         | 498.2     | 524.2   | 544.3   | 561.1   | 578.1   | 514     |
| Level TT Length          | 520       | 550     | 565     | 580     | 595     | 520     |
| Chain Stay Length        | 430       | 430     | 430     | 430     | 430     | 430     |
| BB Drop                  | 31        | 31      | 31      | 31      | 31      | 31      |
| Fork Offset              | 55        | 55      | 55      | 55      | 50      | 55      |
| Head Tube Angle          | 70.5      | 71      | 71      | 71      | 71.5    | 70      |
| Seat Tube Angle          | 73        | 73      | 73      | 73      | 72      | 73      |
| Wheel Base               | 1022.2    | 1052.3  | 1068.7  | 1084.7  | 1075.7  | 1023.8  |
| Stand Over Height        | 605.9     | 634.4   | 666.4   | 696.3   | 722.4   | 584.7   |
| BB Height                | 294       | 294     | 294     | 294     | 294     | 294     |
| Fork Steerer Length      | 125       | 135     | 150     | 175     | 190     | 150     |
| Fork Length              | 393       | 393     | 393     | 393     | 393     | 393     |
| Head Tube Length         | 90        | 100     | 115     | 140     | 155     | 115     |
| Seat Post Diameter       | 25.6      | 25.6    | 25.6    | 25.6    | 25.6    | 25.6    |
| Stem Length              | 80        | 100     | 100     | 120     | 120     | 80      |
| H-Bar Width              | 600       | 600     | 600     | 600     | 600     | 600     |
| BB Axle Length           | 122.5     | 122.5   | 122.5   | 122.5   | 122.5   | 122.5   |
| Front Wheel Spoke Length | 264       | 264     | 264     | 264     | 264     | 264     |
| Rear Wheel Spoke Length  | 263/261   | 263/261 | 263/261 | 263/261 | 263/261 | 263/261 |
| Crank Length             | 170L      | 170L    | 170L    | 170L    | 170L    | 165L    |
| Complete Bicycle Weight  | 31.8 lbs. |         |         |         |         |         |

Back

# Nevada



CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                                                |
|---------------|--------------------|----------------------------------------------------------------|
|               | Color              | Blue/Red Two Tone, Black/Silver Two Tone                       |
| Main frame    |                    |                                                                |
|               | Top tube           | Fuji custom PowerOval 7005 alloy, 35.1mm                       |
|               | Seat tube          | Fuji custom 7005 alloy, 31.8mm                                 |
|               | Down tube          | Fuji custom PowerOval 7005 alloy, 44.5mm                       |
| Rear triangle |                    |                                                                |
|               | Chain stays        | 7005 tapered alloy, S-bend                                     |
|               | Seat stays         | 7005 tapered alloy, S-bend                                     |
|               | Dropouts           | forged w/replaceable hanger                                    |
|               | Fork               | RST-281R                                                       |
|               | Details            | double water bottle mounts, Down tube gusset, Seat tube gusset |
|               |                    | Rear Rack mounts.                                              |
| Drivetrain    |                    |                                                                |
|               | Crankset           | SR/Suntour, XR-180. 24/34/42                                   |
|               | Bottom bracket     | VP Components ATB sealed, 113mm axle                           |
|               | Pedals             | VP Components ATB                                              |
|               | Front derailleur   | Shimano Altus                                                  |
|               | Rear derailleur    | Shimano Acera                                                  |
|               | Shifters           | Shimano EasyFire 8-speed                                       |
|               | Cassette/freewheel | Sunrace, SR-CSX8C, 11/30T                                      |
|               | Chain              | Shimano CN-IG31                                                |
| Wheelset      |                    |                                                                |
|               | Front hub          | Alloy ATB, Sealed, 36H, Q/R                                    |
|               | Rear hub           | Shimano cassette, 36H, 8-speed, Q/R                            |
|               | Spokes             | Stainless Steel, 14g                                           |
|               | Rims               | Weinmann Alloy CN-520, 36H                                     |
|               | Tires              | Kenda Hammer/Anvil, 26 X 2.1"                                  |
| Features      |                    |                                                                |
|               | Brake set          | ProMax Linear pull alloy                                       |
|               | Brake levers       | Shimano                                                        |
|               | Headset            | Cane Creek Aheadset, 1 1/8"                                    |
|               | Handlebar          | Fuji Alloy, 560mm                                              |
|               | Stem               | Forged alloy threadless, 1 1/8"                                |
|               | Tape/grip          | Fuji Kraton                                                    |
|               | Saddle             | Fuji DuraFlex racing                                           |
|               | Seat post          | Alloy micro-adjust, 350mm                                      |
|               | Seat clamp         | Fuji superlight alloy, w/QR, 31.8mm                            |

| specifications | dimensions | back to top |

|                          |           |         |         |         |         |         |
|--------------------------|-----------|---------|---------|---------|---------|---------|
| Seat Tube C/T            | 15"       | 17"     | 19"     | 20.5"   | 22"     | 24"     |
| Seat Tube C/C            | 286.8     | 340.1   | 392.5   | 431     | 470.7   | 520.8   |
| Actual TT Length         | 507.6     | 536     | 554.8   | 571.8   | 579.9   | 589.7   |
| Level TT Length          | 520       | 559     | 580     | 597     | 605     | 615     |
| Chain Stay Length        | 420       | 420     | 420     | 420     | 420     | 420     |
| BB Drop                  | 34        | 34      | 34      | 34      | 34      | 34      |
| Fork Offset              | 38        | 38      | 38      | 38      | 38      | 38      |
| Head Tube Angle          | 70.5      | 71      | 71      | 71      | 71.5    | 71.5    |
| Seat Tube Angle          | 73.5      | 73      | 73      | 73      | 72.5    | 72.5    |
| Wheel Base               | 996.4     | 1026.3  | 1047.7  | 1065.5  | 1063.5  | 1074.4  |
| Stand Over Height        | 709.5     | 739.1   | 770.6   | 800.1   | 826.6   | 874.1   |
| BB Height                | 299       | 299     | 299     | 299     | 299     | 299     |
| Fork Steerer Length      | 184       | 194     | 209     | 234     | 249     | 299     |
| Fork Length              | 443       | 443     | 443     | 443     | 443     | 443     |
| Head Tube Length         | 90        | 100     | 115     | 140     | 155     | 205     |
| Front Fork Travel        | 63        | 63      | 63      | 63      | 63      | 63      |
| Seat Post Diameter       | 26.8      | 26.8    | 26.8    | 26.8    | 26.8    | 26.8    |
| Stem Length              | 90        | 120     | 120     | 130     | 130     | 130     |
| H-Bar Width              | 560       | 560     | 560     | 560     | 560     | 560     |
| BB Axle Length           | 110       | 110     | 110     | 110     | 110     | 110     |
| Front Wheel Spoke Length | 264       | 264     | 264     | 264     | 264     | 264     |
| Rear Wheel Spoke Length  | 263/262   | 263/262 | 263/262 | 263/262 | 263/262 | 263/262 |
| Crank Length             | 170L      | 175L    | 175L    | 175L    | 175L    | 175L    |
| Complete Bicycle Weight  | 29.7 lbs. |         |         |         |         |         |

Back

# Suncrest

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                                                |
|---------------|--------------------|----------------------------------------------------------------|
|               | Color              | Fireball/Silver Two Tone                                       |
| Main frame    |                    |                                                                |
|               | Top tube           | Fuji custom butted PowerOval 7005 alloy, 35.1mm                |
|               | Seat tube          | Fuji custom butted 7005 alloy, 31.8mm                          |
|               | Down tube          | Fuji custom butted PowerOval 7005 alloy, 44.5mm                |
| Rear triangle |                    |                                                                |
|               | Chain stays        | 7005 tapered alloy, S-bend                                     |
|               | Seat stays         | 7005 tapered alloy, S-bend                                     |
|               | Dropouts           | forged w/disc mount and replaceable hanger                     |
|               | Fork               | Manitou Magnum R, Fireball                                     |
|               | Details            | double water bottle mounts, Down tube gusset, Seat tube gusset |
| Drivetrain    |                    |                                                                |
|               | Crankset           | Shimano New Deore, 22/32/44                                    |
|               | Bottom bracket     | Shimano sealed cartridge, BB-UN40, 110.5mm                     |
|               | Pedals             | Ritchey Logic Comp Clipless                                    |
|               | Front derailleur   | Shimano New Deore, 31.8mm, top pull                            |
|               | Rear derailleur    | Shimano Deore-LX                                               |
|               | Shifters           | Shimano New Deore, Rapid Fire SL, 9-speed                      |
|               | Cassette/freewheel | Shimano MegaRange 9-speed, CS-HG50, 11-32T                     |
|               | Chain              | Shimano CN-HG72, 9-speed                                       |
| Wheelset      |                    |                                                                |
|               | Front hub          | Shimano New Deore, 32H, HB-M510                                |
|               | Rear hub           | Shimano New Deore freehub, 9-speed, 32H, FH-M510               |
|               | Spokes             | Stainless Steel, Black, 14g                                    |
|               | Rims               | Mavic X-221, NBA black, 32H                                    |
|               | Tires              | WTB Velociraptors, 26 X 2.1"                                   |
| Features      |                    |                                                                |
|               | Brake set          | Avid Linear pull, 1.0                                          |
|               | Brake levers       | Shimano New Deore                                              |
|               | Headset            | Ritchey Logic, 1 1/8", Threadless, 30mm spacers                |
|               | Handlebar          | Ritchey Logic Comp, Speedblast color, 560mm                    |
|               | Stem               | Ritchey Logic Comp, Threadless, Speedblast color, 1 1/8"       |
|               | Tape/grip          | Fuji Dual Density                                              |
|               | Saddle             | Fuji superlight racing                                         |
|               | Seat post          | Ritchey comp, Speedblast color, 350mm                          |
|               | Seat clamp         | Fuji superlight alloy, 31.8mm, Lazer etched                    |

| specifications | dimensions | back to top |

|                          |           |         |         |         |         |
|--------------------------|-----------|---------|---------|---------|---------|
| Seat Tube C/T            | 15"       | 17"     | 19"     | 20.5"   | 22"     |
| Seat Tube C/C            | 286.8     | 340.1   | 392.5   | 431.0   | 470.7   |
| Actual TT Length         | 507.6     | 536     | 554.8   | 571.8   | 579.9   |
| Level TT Length          | 520       | 559     | 580     | 597     | 605     |
| Chain Stay Length        | 420       | 420     | 420     | 420     | 420     |
| BB Drop                  | 34        | 34      | 34      | 34      | 34      |
| Fork Offset              | 38        | 38      | 38      | 38      | 38      |
| Head Tube Angle          | 70.5      | 71      | 71      | 71      | 71.5    |
| Seat Tube Angle          | 73.5      | 73      | 73      | 73      | 72.5    |
| Wheel Base               | 996.4     | 1026.3  | 1047.7  | 1065.5  | 1063.5  |
| Stand Over Height        | 709.5     | 739.1   | 770.6   | 800.1   | 826.6   |
| BB Height                | 299       | 299     | 299     | 299     | 299     |
| Fork Steerer Length      | 184       | 194     | 209     | 234     | 249     |
| Fork Length              | 443       | 443     | 443     | 443     | 443     |
| Head Tube Length         | 90        | 100     | 115     | 140     | 155     |
| Front Fork Travel        | 76.2      | 76.2    | 76.2    | 76.2    | 76.2    |
| Seat Post Diameter       | 27.0      | 27.0    | 27.0    | 27.0    | 27.0    |
| Stem Length              | 105       | 105     | 120     | 135     | 135     |
| H-Bar Width              | 560       | 560     | 560     | 560     | 560     |
| BB Axle Length           | 110.5     | 110.5   | 110.5   | 110.5   | 110.5   |
| Front Wheel Spoke Length | 264       | 264     | 264     | 264     | 264     |
| Rear Wheel Spoke Length  | 262/263   | 262/263 | 262/263 | 262/263 | 262/263 |
| Crank Length             | 170L      | 175L    | 175L    | 175L    | 175L    |
| Complete Bicycle Weight  | 26.9 lbs. |         |         |         |         |

Back

# Sundance

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| [specifications](#) | [dimensions](#) | [back to top](#) |

| Frameset      |                    |                                                                |
|---------------|--------------------|----------------------------------------------------------------|
|               | Color              | Blue/Scuba yellow two tone                                     |
| Main frame    |                    |                                                                |
|               | Top tube           | Easton Elite ProGram, Taperwall alloy, 35.1mm                  |
|               | Seat tube          | Easton Elite ProGram, Taperwall alloy, 31.8mm                  |
|               | Down tube          | Easton Elite ProGram, Taperwall alloy, 44.5mm                  |
| Rear triangle |                    |                                                                |
|               | Chain stays        | double butted 7005 alloy, S-bend                               |
|               | Seat stays         | double butted 7005 alloy, S-bend                               |
|               | Dropouts           | forged w/disc mount and replaceable hanger                     |
|               | Fork               | Rockshox, Judy XC                                              |
|               | Details            | double water bottle mounts, Down tube gusset, Seat tube gusset |
| Drivetrain    |                    |                                                                |
|               | Crankset           | Shimano Deore-LX HollowTech, 22/32/44                          |
|               | Bottom bracket     | Shimano sealed cartridge, BB-ES70                              |
|               | Pedals             | Ritchey Logic Comp Clipless                                    |
|               | Front derailleur   | Shimano Deore-LX, 31.8mm, top pull                             |
|               | Rear derailleur    | Shimano Deore XT                                               |
|               | Shifters           | Shimano Deore LX, Rapid Fire SL, 9-speed                       |
|               | Cassette/freewheel | Shimano MegaRange 9-speed, CS-HG50, 11-32T                     |
|               | Chain              | Shimano CN-HG72, 9-speed                                       |
| Wheelset      |                    |                                                                |
|               | Front hub          | Shimano Deore-LX, 32H, HB-M570                                 |
|               | Rear hub           | Shimano Deore-LX freehub, 9-speed, 32H, FH-M570                |
|               | Spokes             | Stainless Steel, Black, 14g                                    |
|               | Rims               | Mavic X-221, NBA black, 32H                                    |
|               | Tires              | WTB Velociraptors, 26 X 2.1" Kevlar Bead, Red sidewall         |
| Features      |                    |                                                                |
|               | Brake set          | Avid Linear pull, 2.0                                          |
|               | Brake levers       | Avid 1.9L                                                      |
|               | Headset            | Ritchey Fuzzy Logic, 1 1/8", Threadless, 30mm spacers          |
|               | Handlebar          | Ritchey Logic Comp, Speedblast color, 560mm                    |
|               | Stem               | Ritchey Logic Comp, Threadless, Speedblast color, 1 1/8"       |
|               | Tape/grip          | Fuji Dual Density                                              |
|               | Saddle             | Fuji superlight racing                                         |
|               | Seat post          | Ritchey comp, Speedblast color, 350mm                          |
|               | Seat clamp         | Fuji superlight alloy, 31.8mm, Lazer etched                    |

| [specifications](#) | [dimensions](#) | [back to top](#) |

|                          |           |           |           |           |           |
|--------------------------|-----------|-----------|-----------|-----------|-----------|
| Seat Tube C/T            | 15"       | 17"       | 19"       | 20.5"     | 22"       |
| Seat Tube C/C            | 290.2     | 343.4     | 395.7     | 434.3     | 474       |
| Actual TT Length         | 500.6     | 536       | 554.7     | 571.6     | 579.9     |
| Level TT Length          | 520       | 559       | 580       | 597       | 605       |
| Chain Stay Length        | 420       | 420       | 420       | 420       | 420       |
| BB Drop                  | 34        | 34        | 34        | 34        | 34        |
| Fork Offset              | 38        | 38        | 38        | 38        | 38        |
| Head Tube Angle          | 70.5      | 71        | 71        | 71        | 71.5      |
| Seat Tube Angle          | 73.5      | 73        | 73        | 73        | 72.5      |
| Wheel Base               | 996.4     | 1026.3    | 1047.7    | 1065.5    | 1063.5    |
| Stand Over Height        | 709.5     | 739.1     | 770.6     | 800.1     | 826.6     |
| BB Height                | 299       | 299       | 299       | 299       | 299       |
| Fork Steerer Length      | 186       | 196       | 211       | 236       | 251       |
| Fork Length              | 443       | 443       | 443       | 443       | 443       |
| Head Tube Length         | 90        | 100       | 115       | 140       | 155       |
| Front Fork Travel        | 63/80/100 | 63/80/100 | 63/80/100 | 63/80/100 | 63/80/100 |
| Seat Post Diameter       | 26.6      | 26.6      | 26.6      | 26.6      | 26.6      |
| Stem Length              | 105       | 105       | 120       | 135       | 135       |
| H-Bar Width              | 560       | 560       | 560       | 560       | 560       |
| BB Axle Length           | 113       | 113       | 113       | 113       | 113       |
| Front Wheel Spoke Length | 264       | 264       | 264       | 264       | 264       |
| Rear Wheel Spoke Length  | 262/263   | 262/263   | 262/263   | 262/263   | 262/263   |
| Crank Length             | 170L      | 175L      | 175L      | 175L      | 175L      |
| Complete Bicycle Weight  | 26.3 lbs. |           |           |           |           |

Back

# Tahoe-DSC

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                                                |
|---------------|--------------------|----------------------------------------------------------------|
|               | Color              | White/Gunmetal Two Tone                                        |
| Main frame    |                    |                                                                |
|               | Top tube           | Fuji custom PowerOval 7005 alloy, 35.1mm                       |
|               | Seat tube          | Fuji custom 7005 alloy, 31.8mm                                 |
|               | Down tube          | Fuji custom PowerOval 7005 alloy, 44.5mm                       |
| Rear triangle |                    |                                                                |
|               | Chain stays        | 7005 tapered alloy, S-bend                                     |
|               | Seat stays         | 7005 tapered alloy, S-bend                                     |
|               | Dropouts           | forged w/disc mount and replaceable hanger                     |
|               | Fork               | Manitou Magnum                                                 |
|               | Details            | double water bottle mounts, Down tube gusset, Seat tube gusset |
| Drivetrain    |                    |                                                                |
|               | Crankset           | TruVativ Firex cold forged, 22/32/44                           |
|               | Bottom bracket     | Tein Hsin sealed cartridge, BB-7700, 116mm                     |
|               | Pedals             | VP Components, VP-955A, Alloy/resin, w/clips and straps        |
|               | Front derailleur   | Shimano New Deore, 31.8mm, top pull                            |
|               | Rear derailleur    | Shimano Deore                                                  |
|               | Shifters           | Shimano New Deore, Rapid Fire SL, 9-speed                      |
|               | Cassette/freewheel | Shimano MegaRange 9-speed, CS-HG50, 11-32T                     |
|               | Chain              | Shimano CN-HG72, 9-speed                                       |
| Wheelset      |                    |                                                                |
|               | Front hub          | Formula disc, 32H                                              |
|               | Rear hub           | Formula disc freehub, 9-speed, 32H                             |
|               | Spokes             | Stainless Steel, Black, 14g                                    |
|               | Rims               | Alex, TD-16, Double Wall alloy, black                          |
|               | Tires              | WTB Velociraptors, 26 X 2.1", Red sidewall                     |
| Features      |                    |                                                                |
|               | Brake set          | Formula, MD-1 Disc system                                      |
|               | Brake levers       | Shimano New Deore                                              |
|               | Headset            | Ritchey Logic, 1 1/8", Threadless, 30mm spacers                |
|               | Handlebar          | Ritchey Logic Comp, 560mm                                      |
|               | Stem               | Ritchey Logic Comp, Threadless, 1 1/8"                         |
|               | Tape/grip          | Fuji design, kraton rubber                                     |
|               | Saddle             | Fuji superlight racing                                         |
|               | Seat post          | Kalloy micro-adjust alloy, 350mm                               |
|               | Seat clamp         | Fuji superlight alloy, 31.8mm, Lazer etched                    |

| specifications | dimensions | back to top |

|                          |           |        |        |        |        |
|--------------------------|-----------|--------|--------|--------|--------|
| Seat Tube C/T            | 15"       | 17"    | 19"    | 20.5"  | 22"    |
| Seat Tube C/C            | 286.8     | 340.1  | 392.5  | 431    | 470.7  |
| Actual TT Length         | 507.6     | 536    | 554.8  | 571.8  | 579.9  |
| Level TT Length          | 520       | 559    | 580    | 597    | 605    |
| Chain Stay Length        | 420       | 420    | 420    | 420    | 420    |
| BB Drop                  | 34        | 34     | 34     | 34     | 34     |
| Fork Offset              | 38        | 38     | 38     | 38     | 38     |
| Head Tube Angle          | 70.5      | 71     | 71     | 71     | 71.5   |
| Seat Tube Angle          | 73.5      | 73     | 73     | 73     | 72.5   |
| Wheel Base               | 996.4     | 1026.3 | 1047.7 | 1065.5 | 1063.5 |
| Stand Over Height        | 709.5     | 739.1  | 770.6  | 800.1  | 826.6  |
| BB Height                | 299       | 299    | 299    | 299    | 299    |
| Fork Steerer Length      | 184       | 194    | 209    | 234    | 249    |
| Fork Length              | 443       | 443    | 443    | 443    | 443    |
| Head Tube Length         | 90        | 100    | 115    | 140    | 155    |
| Front Fork Travel        | 76.2      | 76.2   | 76.2   | 76.2   | 76.2   |
| Seat Post Diameter       | 26.8      | 26.8   | 26.8   | 26.8   | 26.8   |
| Stem Length              | 100       | 100    | 135    | 135    | 135    |
| H-Bar Width              | 560       | 560    | 560    | 560    | 560    |
| BB Axle Length           | 113       | 113    | 113    | 113    | 113    |
| Front Wheel Spoke Length | 262       | 262    | 262    | 262    | 262    |
| Rear Wheel Spoke Length  | 260       | 260    | 260    | 260    | 260    |
| Crank Length             | 170L      | 175L   | 175L   | 175L   | 175L   |
| Complete Bicycle Weight  | 28.1 lbs. |        |        |        |        |

Back

# Thrill

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                                                |
|---------------|--------------------|----------------------------------------------------------------|
|               | Color              | Yellow/Red Two Tone, Red/Black Two Tone                        |
| Main frame    |                    |                                                                |
|               | Top tube           | Fuji custom PowerOval 7005 alloy, 35.1mm                       |
|               | Seat tube          | Fuji custom 7005 alloy, 31.8mm                                 |
|               | Down tube          | Fuji custom PowerOval 7005 alloy, 44.5mm                       |
| Rear triangle |                    |                                                                |
|               | Chain stays        | 7005 tapered alloy, S-bend                                     |
|               | Seat stays         | 7005 tapered alloy, S-bend                                     |
|               | Dropouts           | forged w/replaceable hanger                                    |
|               | Fork               | RST-381CL,                                                     |
|               | Details            | double water bottle mounts, Down tube gusset, Seat tube gusset |
| Drivetrain    |                    |                                                                |
|               | Crankset           |                                                                |
|               | Bottom bracket     | SR/Suntour, MD-250. 22/32/42                                   |
|               | Pedals             | Tein Hsin sealed cartridge, BB-7700, 113mm                     |
|               | Front derailleur   | VP Components ATB                                              |
|               | Rear derailleur    | Shimano Acera, 31.8mm, top pull                                |
|               | Shifters           | SRAM, ESP 5.0                                                  |
|               | Cassette/freewheel | SRAM, ESP 5.0 8-Speed, Dual SIS                                |
|               | Chain              | Shimano 8-speed, CS-HG50, 11-30T                               |
| Wheelset      |                    | Shimano CN-IG31, 8-speed                                       |
|               | Front hub          |                                                                |
|               | Rear hub           | Alloy ATB, Sealed, 32H, Q/R                                    |
|               | Spokes             | Shimano Alivio cassette, 32h, 8-speed, Q/R                     |
|               | Rims               | Stainless Steel, 14g                                           |
|               | Tires              | Alex, DM-18, Double Wall alloy                                 |
| Features      |                    | Kenda Hammer/Anvil, 26 X 2.1"                                  |
|               | Brake set          |                                                                |
|               | Brake levers       | ProMax Linear pull alloy                                       |
|               | Headset            | ProMax Linear pull alloy                                       |
|               | Handlebar          | Cane Creek Aheadset, 1 1/8"                                    |
|               | Stem               | Fuji Alloy, 560mm                                              |
|               | Tape/grip          | Forged alloy threadless, 1 1/8"                                |
|               | Saddle             | Fuji Kraton                                                    |
|               | Seat post          | Fuji DuraFlex racing                                           |
|               | Seat clamp         | Kalloy, micro-adjust, 350mm                                    |
|               | seat clamp         | Fuji superlight alloy, w/QR, 31.8mm                            |

| specifications | dimensions | back to top |

|                          |           |         |         |         |         |         |
|--------------------------|-----------|---------|---------|---------|---------|---------|
| Seat Tube C/T            | 13"       | 15"     | 17"     | 19"     | 20.5"   | 22"     |
| Seat Tube C/C            | 233.3     | 286.8   | 340.1   | 392.5   | 431     | 470.7   |
| Actual TT Length         | 512.3     | 507.6   | 536     | 554.8   | 571.8   | 579.9   |
| Level TT Length          | 510       | 520     | 559     | 580     | 597     | 605     |
| Chain Stay Length        | 420       | 420     | 420     | 420     | 420     | 420     |
| BB Drop                  | 34        | 34      | 34      | 34      | 34      | 34      |
| Fork Offset              | 38        | 38      | 38      | 38      | 38      | 38      |
| Head Tube Angle          | 70.5      | 70.5    | 71      | 71      | 71      | 71.5    |
| Seat Tube Angle          | 73.5      | 73.5    | 73      | 73      | 73      | 72.5    |
| Wheel Base               | 986.3     | 996.4   | 1026.3  | 1047.7  | 1065.5  | 1063.5  |
| Stand Over Height        | 684.6     | 709.5   | 739.1   | 770.6   | 800.1   | 826.6   |
| BB Height                | 299       | 299     | 299     | 299     | 299     | 299     |
| Fork Steerer Length      | 184       | 184     | 194     | 209     | 234     | 249     |
| Fork Length              | 443       | 443     | 443     | 443     | 443     | 443     |
| Head Tube Length         | 90        | 90      | 100     | 115     | 140     | 155     |
| Front Fork Travel        | 63        | 63      | 63      | 63      | 63      | 63      |
| Seat Post Diameter       | 26.8      | 26.8    | 26.8    | 26.8    | 26.8    | 26.8    |
| Stem Length              | 90        | 100     | 100     | 130     | 130     | 130     |
| H-Bar Width              | 560       | 560     | 560     | 560     | 560     | 560     |
| BB Axle Length           | 110       | 110     | 110     | 110     | 110     | 110     |
| Front Wheel Spoke Length | 267       | 267     | 267     | 267     | 267     | 267     |
| Rear Wheel Spoke Length  | 265/266   | 265/266 | 265/266 | 265/266 | 265/266 | 265/266 |
| Crank Length             | 170L      | 170L    | 175L    | 175L    | 175L    | 175L    |
| Complete Bicycle Weight  | 29.5 lbs. |         |         |         |         |         |

Back



# Gravity-One

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

(This bicycle is available exclusively at The Sports Authority)

## Specifications

| Frameset      |                  |                                                  |
|---------------|------------------|--------------------------------------------------|
|               | Color/Sizes      | Mens: Green/textured                             |
| Main frame    |                  | 4130 Cro-moly steel fully active dual suspension |
|               | Top tube         |                                                  |
|               | Seat tube        |                                                  |
|               | Down tube        |                                                  |
| Rear triangle |                  |                                                  |
|               | Chain stays      |                                                  |
|               | Seat stays       |                                                  |
|               | Dropouts         |                                                  |
|               | Fork             | 1 1/8" Chili suspension X-C 430                  |
|               | Details          | water bottle boss                                |
| Drivetrain    |                  |                                                  |
|               | Crankset         | Prowheel 170mm steel 28/38/48                    |
|               | Bottom bracket   | VP sealed 68x126                                 |
|               | Pedals           | VP resin                                         |
|               | Front derailleur | Sun tour 1 1/8 Top pull                          |
|               | Rear derailleur  | Shimano RD-TY40 21 speed bolt on                 |
|               | Shifters         | SRAM Gripshifter MRX 21 speed                    |
|               | freewheel        | Falco SR-HG72 14-28T 7sp                         |
|               | Chain            | KMC HP-50                                        |
| Wheelset      |                  |                                                  |
|               | Front hub        | Alloy Parallax 36H silver QR                     |
|               | Rear hub         | Alloy Parallax 36H silver nuttred                |
|               | Spokes           | Sha dar, 14 gauge                                |
|               | Rims             | Alloy 26x1.5 36H silver                          |
|               | Tires            | Innova 26x1.95 all black                         |
| Features      |                  |                                                  |
|               | Brake set        | Cstar linear pull silver                         |
|               | Brake levers     | Cstar linear pull silver                         |
|               | Headset          | VP 1 1/8                                         |
|               | Handlebar        | Black with 30 MM rise                            |
|               | Stem             | Black 25 degree rise                             |
|               | Tape/grip        | Kraton rubber black                              |
|               | Saddle           | Fuji mens                                        |
|               | Seat post        | 29.8 x 300 mm alloy w/ clamp black               |
|               | Seat clamp       | alluminuim quick release                         |

[back to top](#)

Back

# Something went wrong :(

Ruffle failed to load the Flash SWF file.

Access to fetch has likely been blocked by CORS policy.

If you are the server administrator, please consult the Ruffle wiki for help.

[View Ruffle Wiki](#)

[View Error Details](#)

# Blaster



CLICK ON IMAGE TO ENLARGE

| [specifications](#) | [dimensions](#) | [back to top](#) |

| Frameset      |                    |                                                                   |
|---------------|--------------------|-------------------------------------------------------------------|
|               | Color              | Boys, Inca Blue                                                   |
|               |                    | Girls, Plum                                                       |
| Main frame    |                    |                                                                   |
|               | Top tube           | Fuji Oval Hi-Ten, 50mm                                            |
|               | Seat tube          | Fuji Hi-Ten, 28.6mm                                               |
|               | Down tube          | Fuji Oval Hi-Ten, 50mm                                            |
| Rear triangle |                    |                                                                   |
|               | Chain stays        | Fuji tapered Hi-Ten                                               |
|               | Seat stays         | Fuji tapered Hi-Ten                                               |
|               | Dropouts           | Semi-Forged w/eyelet                                              |
|               | Fork               | Fuji Hi-Ten ATB, 1 1/8"                                           |
|               | Details            |                                                                   |
| Drivetrain    |                    |                                                                   |
|               | Crankset           | ProWheel composite resin/steel ATB, 28/38/48, 152mm, w/chainguard |
|               | Bottom bracket     | VP Components ATB sealed                                          |
|               | Pedals             | VP Components ATB                                                 |
|               | Front derailleur   | Shimano Tourney, FD-TY30, 28.6mm                                  |
|               | Rear derailleur    | Shimano Tourney, RD-MR40-7                                        |
|               | Shifters           | Shimano Tourney RevoShift, SL-MS40-7, Dual SIS                    |
|               | Cassette/freewheel | Sunrace, SR-HG72-U, 13/28T, 7-Speed                               |
|               | Chain              | Shimano CN-UG50                                                   |
| Wheelset      |                    |                                                                   |
|               | Front hub          | ATB Oversized Steel, Black, 36H, Q/R                              |
|               | Rear hub           | ATB Oversized Steel, Black, 36H, Nutted                           |
|               | Spokes             | UCP, 14G                                                          |
|               | Rims               | Weinmann Alloy CN-520, 36H                                        |
|               | Tires              | Kenda, Semi Knob ATB, 24 X 2.0"                                   |
| Features      |                    |                                                                   |
|               | Brake set          | ProMax Linear pull alloy                                          |
|               | Brake levers       | ProMax Linear pull Junior lever w/reach adjust                    |
|               | Headset            | VP Components ATB sealed                                          |
|               | Handlebar          | Fuji ATB, 30mm rise, 540mm                                        |
|               | Stem               | Fuji ATB w/removable clamp                                        |
|               | Tape/grip          | Fuji Kraton                                                       |
|               | Saddle             | Fuji DuraFlex Junior                                              |
|               | Seat post          | ATB Steel                                                         |
|               | Seat clamp         | Fuji alloy QR                                                     |

| [specifications](#) | [dimensions](#) | [back to top](#) |

|                          |           |
|--------------------------|-----------|
| Seat Tube C/T            | 15"M      |
| Seat Tube C/C            | 270       |
| Actual TT Length         | 501.7     |
| Level TT Length          | 524       |
| Chain Stay Length        | 410       |
| BB Drop                  | 25        |
| Fork Offset              | 45.0      |
| Head Tube Angle          | 71.0      |
| Seat Tube Angle          | 73.0      |
| Wheel Base               | 988.8     |
| Stand Over Height        | 587.5     |
| BB Height                | 289.5     |
| Fork Steerer Length      | 134       |
| Fork Length              | 370.4     |
| Head Tube Length         | 100       |
| Seat Post Diameter       | 25.6      |
| Stem Length              | 80.0      |
| H-Bar Width              | 580.0     |
| BB Axle Length           | 127.5     |
| Front Wheel Spoke Length | 238.0     |
| Rear Wheel Spoke Length  | 237/235   |
| Crank Length             | 152L      |
| Complete Bicycle Weight  | 26.1 lbs. |

Back

# Blaster DX

[photo not preserved in web archive]

CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                                                   |
|---------------|--------------------|-------------------------------------------------------------------|
|               | Color              | Blue/Yellow                                                       |
| Main frame    |                    |                                                                   |
|               | Top tube           | Fuji Oval Hi-Ten, 50mm                                            |
|               | Seat tube          | Fuji Hi-Ten, 28.6mm                                               |
|               | Down tube          | Fuji Oval Hi-Ten, 50mm                                            |
| Rear triangle |                    |                                                                   |
|               | Chain stays        | Fuji tapered Hi-Ten                                               |
|               | Seat stays         | Fuji tapered Hi-Ten                                               |
|               | Dropouts           | Semi-Forged w/eyelet                                              |
|               | Fork               | Chili 250 suspension                                              |
|               | Details            | Rear wheel travel                                                 |
| Drivetrain    |                    |                                                                   |
|               | Crankset           | ProWheel composite resin/steel ATB, 28/38/48, 152mm, w/chainguard |
|               | Bottom bracket     | VP Components ATB sealed                                          |
|               | Pedals             | VP Components ATB                                                 |
|               | Front derailleur   | Shimano Tourney, FD-TY30, 28.6mm                                  |
|               | Rear derailleur    | Shimano Tourney, RD-MR40-7                                        |
|               | Shifters           | Shimano Tourney RevoShift, SL-MS40-7, Dual SIS                    |
|               | Cassette/freewheel | Sunrace, SR-HG72-U, 13/28T, 7-Speed                               |
|               | Chain              | Shimano CN-UG50                                                   |
| Wheelset      |                    |                                                                   |
|               | Front hub          | ATB Oversized Steel, Black, 36H, Q/R                              |
|               | Rear hub           | ATB Oversized Steel, Black, 36H, Nuted                            |
|               | Spokes             | UCP, 14G                                                          |
|               | Rrims              | Weinmann Alloy CN-520, 36H                                        |
|               | Tires              | Kenda, Semi Knob ATB, 24 X 2.0"                                   |
| Features      |                    |                                                                   |
|               | Brake set          | ProMax Linear pull alloy                                          |
|               | Brake levers       | ProMax Linear pull Junior lever w/reach adjust                    |
|               | Headset            | VP Components ATB sealed                                          |
|               | Handlebar          | Fuji ATB, 30mm rise, 540mm                                        |
|               | Stem               | Fuji ATB w/removable clamp                                        |
|               | Tape/grip          | Fuji Kraton                                                       |
|               | Saddle             | Fuji DuraFlex Junior                                              |
|               | Seat post          | ATB Steel                                                         |
|               | Seat clamp         | Fuji alloy QR                                                     |

| specifications | dimensions | back to top |

|                           |           |
|---------------------------|-----------|
| Seat Tube C/T             | 15"M      |
| Seat Tube C/C             | 336.8     |
| Actual TT Length          | 473.4     |
| Level TT Length           | 502.4     |
| Chain Stay Length         | 420.0     |
| BB Drop                   | 15.0      |
| Fork Offset               | 45.0      |
| Head Tube Angle           | 71.0      |
| Seat Tube Angle           | 73.0      |
| Wheel Base                | 999.5     |
| Stand Over Height         | 638.4     |
| BB Height                 | 289.5     |
| Fork Steerer Length       | 154.0     |
| Fork Length               | 407.5     |
| Head Tube Length          | 120.0     |
| Rear Wheel Travel         | 70.0      |
| Rear Shock Leverage Ratio | 2.3       |
| Rear Shock Eye/Eye Length | 150.0     |
| Front Fork Travel         | 50.0      |
| Seat Post Diameter        | 29.2      |
| Stem Length               | 80.0      |
| H-Bar Width               | 580.0     |
| BB Axle Length            | 127.5     |
| Front Wheel Spoke Length  | 238.0     |
| Rear Wheel Spoke Length   | 237/235   |
| Crank Length              | 152L      |
| Complete Bicycle Weight   | 34.2 lbs. |

Back

# Sandblaster



CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                                                     |
|---------------|--------------------|---------------------------------------------------------------------|
|               | Color              | Boys, Inca Blue                                                     |
|               |                    | Girls, Plum                                                         |
| Main frame    |                    |                                                                     |
|               | Top tube           | Fuji Oval Hi-Ten, 50mm                                              |
|               | Seat tube          | Fuji Hi-Ten, 28.6mm                                                 |
|               | Down tube          | Fuji Oval Hi-Ten, 50mm                                              |
| Rear triangle |                    |                                                                     |
|               | Chain stays        | Fuji tapered Hi-Ten                                                 |
|               | Seat stays         | Fuji tapered Hi-Ten                                                 |
|               | Dropouts           | Semi-Forged w/eyelet                                                |
|               | Fork               | Fuji Hi-Ten ATB, 1 1/8"                                             |
|               | Details            |                                                                     |
| Drivetrain    |                    |                                                                     |
|               | Crankset           | ProWheel composite resin/steel ATB, 40T, 140mm, w/double chainguard |
|               | Bottom bracket     | VP Components ATB sealed                                            |
|               | Pedals             | VP Components ATB                                                   |
|               | Front derailleur   | N/A                                                                 |
|               | Rear derailleur    | Shimano Tourney, RD-MR40-7                                          |
|               | Shifters           | Shimano Tourney RevoShift, SL-MS40-7, RH side                       |
|               | Cassette/freewheel | Sunrace, SR-HG72-U, 13/28T, 7-Speed                                 |
|               | Chain              | Shimano CN-UG50                                                     |
| Wheelset      |                    |                                                                     |
|               | Front hub          | ATB Oversized Steel, Black, 36H, Nuted                              |
|               | Rear hub           | ATB Oversized Steel, Black, 36H, Nuted                              |
|               | Spokes             | UCP, 14G                                                            |
|               | Rrims              | Weinmann Alloy CN-520, 36H                                          |
|               | Tires              | Kenda, Semi Knob ATB, 20 X 2.0"                                     |
| Features      |                    |                                                                     |
|               | Brake set          | ProMax Linear pull alloy                                            |
|               | Brake levers       | ProMax Linear pull Junior lever w/reach adjust                      |
|               | Headset            | VP Components ATB sealed                                            |
|               | Handlebar          | Fuji ATB, 30mm rise, 540mm                                          |
|               | Stem               | Fuji ATB w/removable clamp                                          |
|               | Tape/grip          | Fuji Kraton                                                         |
|               | Saddle             | Fuji DuraFlex Junior                                                |
|               | Seat post          | ATB Steel                                                           |
|               | Seat clamp         | Fuji alloy QR                                                       |

| specifications | dimensions | back to top |

|                          |           |
|--------------------------|-----------|
| Seat Tube C/T            | 11.5" B/G |
| Seat Tube C/C            | 237.0     |
| Actual TT Length         | 384.1     |
| Level TT Length          | 403.8     |
| Chain Stay Length        | 385       |
| BB Drop                  | 15        |
| Fork Offset              | 45        |
| Head Tube Angle          | 70        |
| Seat Tube Angle          | 72        |
| Wheel Base               | 844.5     |
| Stand Over Height        | 534.15    |
| BB Height                | 269.25    |
| Fork Steerer Length      | 134       |
| Fork Length              | 296.8     |
| Head Tube Length         | 100       |
| Seat Post Diameter       | 25.6      |
| Stem Length              | 80        |
| H-Bar Width              | 540       |
| BB Axle Length           | 116       |
| Front Wheel Spoke Length | 188       |
| Rear Wheel Spoke Length  | 184/187   |
| Crank Length             | 140L      |
| Complete Bicycle Weight  | 26.1 lbs. |

Back

# Sandblaster DX



CLICK ON IMAGE TO ENLARGE

| specifications | dimensions | back to top |

| Frameset      |                    |                                                                     |
|---------------|--------------------|---------------------------------------------------------------------|
|               | Color              | yellow/red                                                          |
| Main frame    |                    |                                                                     |
|               | Top tube           | Fuji Oval Hi-Ten, 50mm                                              |
|               | Seat tube          | Fuji Hi-Ten, 28.6mm                                                 |
|               | Down tube          | Fuji Oval Hi-Ten, 50mm                                              |
| Rear triangle |                    |                                                                     |
|               | Chain stays        | Fuji tapered Hi-Ten                                                 |
|               | Seat stays         | Fuji tapered Hi-Ten                                                 |
|               | Dropouts           | Semi-Forged w/eyelet                                                |
|               | Fork               | Chili 250 suspension                                                |
|               | Details            | Rear wheel travel                                                   |
| Drivetrain    |                    |                                                                     |
|               | Crankset           | ProWheel composite resin/steel ATB, 40T, 140mm, w/double chainguard |
|               | Bottom bracket     | VP Components ATB sealed                                            |
|               | Pedals             | VP Components ATB                                                   |
|               | Front derailleur   | N/A                                                                 |
|               | Rear derailleur    | Shimano Tourney, RD-MR40-7                                          |
|               | Shifters           | Shimano Tourney RevoShift, SL-MS40-7, RH side                       |
|               | Cassette/freewheel | Sunrace, SR-HG72-U, 13/28T, 7-Speed                                 |
|               | Chain              | Shimano CN-UG50                                                     |
| Wheelset      |                    |                                                                     |
|               | Front hub          | ATB Oversized Steel, Black, 36H, Nuttred                            |
|               | Rear hub           | ATB Oversized Steel, Black, 36H, Nuttred                            |
|               | Spokes             | UCP, 14G                                                            |
|               | Rrims              | Weinmann Alloy CN-520, 36H                                          |
|               | Tires              | Kenda, Semi Knob ATB, 20 X 2.0"                                     |
| Features      |                    |                                                                     |
|               | Brake set          | ProMax Linear pull alloy                                            |
|               | Brake levers       | ProMax Linear pull Junior lever w/reach adjust                      |
|               | Headset            | VP Components ATB sealed                                            |
|               | Handlebar          | Fuji ATB, 30mm rise, 540mm                                          |
|               | Stem               | Fuji ATB w/removable clamp                                          |
|               | Tape/grip          | Fuji Kraton                                                         |
|               | Saddle             | Fuji DuraFlex Junior                                                |
|               | Seat post          | ATB Steel                                                           |
|               | Seat clamp         | Fuji alloy QR                                                       |

| specifications | dimensions | back to top |

|                           |           |
|---------------------------|-----------|
| Seat Tube C/T             | 13.5" M   |
| Seat Tube C/C             | 289.7     |
| Actual TT Length          | 435.9     |
| Level TT Length           | 453.6     |
| Chain Stay Length         | 380       |
| BB Drop                   | 15        |
| Fork Offset               | 45        |
| Head Tube Angle           | 71.0      |
| Seat Tube Angle           | 71        |
| Wheel Base                | 896.5     |
| Stand Over Height         | 557.35    |
| BB Height                 | 269.25    |
| Fork Steerer Length       | 154       |
| Fork Length               | 309.9     |
| Head Tube Length          | 120       |
| Rear Wheel Travel         | 61        |
| Rear Shock Leverage Ratio | 3.056     |
| Rear Shock Eye/Eye Length | 125       |
| Front Fork Travel         | 50        |
| Seat Post Diameter        | 25.6      |
| Stem Length               | 80        |
| H-Bar Width               | 560       |
| BB Axle Length            | 116       |
| Front Wheel Spoke Length  | 188       |
| Rear Wheel Spoke Length   | 184/187   |
| Crank Length              | 140L      |
| Complete Bicycle Weight   | 30.3 lbs. |

Back

[photo not preserved in web archive]

[photo not preserved in web archive]

Short sleeve pro level jersey constructed by Giordana with the latest hi-tech fabric for effecient moisture transfer and comfort. Extra long zipper for greater ventilation on those hot summer days.

Jersey: \$54.95

8 panel premium short constructed by Giordana. Anatomic cut and padded insert for the ultimate in cycling comfort and performance. Available in regular or bib.

Regular: \$54.95

Bib: \$59.95

Also available (but not shown): Fuji cycling shorts

### Order direct from Fuji.

Please complete the form below and a Fuji customer service representative will contact you shortly for payment information.

**\*Note: all fields below are required except as noted.**

|                     |                                             |
|---------------------|---------------------------------------------|
| First Name:         | <input type="text"/>                        |
| Last Name:          | <input type="text"/>                        |
| Address:            | <input type="text"/>                        |
| City:               | <input type="text"/>                        |
| State:              | <input type="text" value="Select a State"/> |
| Zip:                | <input type="text"/>                        |
| Day Phone:          | <input type="text"/>                        |
| Ext                 | <input type="text"/>                        |
| E-mail:             | <input type="text"/>                        |
| Comment (optional): | <input type="text"/>                        |

|        |                                |                                |                                |                                |                                |
|--------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
|        | Small                          | Medium                         | Large                          | X-Large                        | XX-Large                       |
| Shorts | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> |
| Jersey | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> |
| Bib    | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> |

[Send Order Form to Fuji Bicycles](#)

[Reset Order Form](#)

[Return to the Fuji Home Page](#)