



2007FUJI SIZING CHART

Road Bikes

SL-1S, SL-1C

size	effective top tube	standover height	height range	
44cm	51.0cm	71.4cm	5'0"-5'4"	152cm-163cm
47cm	52.5cm	73.4cm	5'3"-5'6"	160cm-168cm
50cm	54.5cm	75.8cm	5'5"-5'9"	165cm-175cm
53cm	55.5cm	78.3cm	5'8"-5'11"	173cm-180cm
55cm	57.0cm	79.8cm	5'10"-6'2"	178cm-188cm
58cm	60.0cm	81.7cm	6'1"-6'5"	185cm-196cm

Team Issue, Team RC, Team Pro, Team

size	effective top tube	standover height	height range	
49cm	51.9cm	74.9cm	5'1"-5'4"	155cm-163cm
52cm	53.0cm	76.6cm	5'3"-5'6"	160cm-168cm
54cm	54.5cm	77.4cm	5'5"-5'9"	165cm-175cm
56cm	56.0cm	79.3cm	5'8"-5'11"	173cm-180cm
58cm	56.5cm	81.6cm	5'10"-6'1"	178cm-185cm
61cm	59.1cm	84.3cm	6'0"-6'4"	183cm-193cm

Professional 1.0, 2.0, 3.0

size	effective top tube	standover height	height range	
44cm	51.0cm	71.4cm	5'0"-5'4"	152cm-163cm
47cm	52.5cm	73.4cm	5'3"-5'6"	160cm-168cm
50cm	54.5cm	75.8cm	5'5"-5'9"	165cm-175cm
53cm	55.5cm	78.3cm	5'8"-5'11"	173cm-180cm
55cm	57.0cm	79.8cm	5'10"-6'2"	178cm-188cm
58cm	60.0cm	81.7cm	6'1"-6'5"	185cm-196cm

Roubaix, Roubaix Pro, Roubaix LTD*, Roubaix RC*

size	effective top tube	standover height	height range	
46cm*	51.0cm	73.3cm	5'0"-5'3"	152cm-160cm
49cm	51.5cm	74.6cm	5'2"-5'5"	158cm-165cm
52cm	53.0cm	76.0cm	5'4"-5'7"	163cm-170cm
54cm	55.0cm	77.7cm	5'6"-5'9"	168cm-175cm
56cm	56.0cm	79.4cm	5'8"-5'11"	173cm-180cm
58cm	57.0cm	81.3cm	5'10"-6'0"	178cm-183cm
61cm	59.0cm	84.0cm	5'11"-6'3"	180cm-191cm
64cm*	61.0cm	87.2cm	6'2"-6'6"	188cm-198cm

Newest 1.0, 2.0, 3.0, 4.0

size	effective top tube	standover height	height range	
42cm	51.0cm	71.1cm	5'0"-5'4"	152cm-163cm
46cm	53.0cm	74.0cm	5'3"-5'7"	160cm-170cm
50cm	54.5cm	77.4cm	5'6"-5'10"	168cm-178cm
54cm	56.5cm	79.6cm	5'9"-6'0"	175cm-183cm
58cm	59.0cm	84.0cm	5'11"-6'3"	180cm-191cm

Road Bikes (continued)

Track SE, Track

size	effective top tube	standover height	height range	
43cm♦	50.0cm	69.7cm	4'11"-5'3"	150cm-160cm
49cm	52.0cm	74.6cm	5'2"-5'5"	158cm-165cm
52cm	54.0cm	76.0cm	5'4"-5'7"	163cm-170cm
54cm	55.0cm	77.8cm	5'6"-5'9"	168cm-175cm
56cm	56.0cm	79.7cm	5'8"-5'11"	173cm-180cm
58cm	57.0cm	81.7cm	5'10"-6'1"	178cm-185cm
61cm	59.0cm	84.4cm	6'0"-6'4"	183cm-193cm

♦Track SE w/ 650c wheels

Track Pro

size	effective top tube	standover height	height range	
49cm	52.0cm	76.0cm	5'1"-5'4"	155cm-163cm
52cm	54.9cm	77.5cm	5'3"-5'7"	160cm-170cm
54cm	55.8cm	78.9cm	5'6"-5'9"	168cm-175cm
56cm	56.9cm	80.8cm	5'8"-5'11"	173cm-180cm
58cm	57.8cm	82.7cm	5'10"-6'1"	178cm-185cm
61cm	59.8cm	85.5cm	6'0"-6'4"	183cm-193cm
64cm	61.8cm	not available	6'2"-6'6"	188cm-198cm

Aloha CF 1.0, CF 2.0

size	effective top tube	standover height	height range	
50cm	52.0cm	72.6cm	5'2"-5'6"	158cm-168cm
53cm	54.0cm	75.7cm	5'5"-5'9"	165cm-175cm
56cm	56.0cm	75.9cm	5'8"-6'	173cm-183cm
59cm	58.0cm	79.3cm	5'10"-6'2"	178cm-188cm
62cm	59.5cm	82.2cm	6'-6'5"	183cm-196cm

Aloha 1.0, 2.0

size	effective top tube	standover height	height range	
49cm	51.0cm	73cm	5'3"-5'5"	160cm-165cm
52cm	51.7cm	74cm	5'4"-5'7"	163cm-170cm
54cm	54.0cm	76.2cm	5'6"-5'9"	168cm-175cm
56cm	56.0cm	77cm	5'8"-5'11"	173cm-180cm
58cm	58.0cm	78.8cm	5'10"-6'2"	178cm-188cm
61cm	59.5cm	82cm	6'0"-6'5"	183cm-196cm

Touring

size	effective top tube	standover height	height range	
43cm	53.5cm	72.1cm	5'0"-5'4"	
49cm	54.5cm	74.5cm	5'3"-5'6"	
54cm	55.5cm	78cm	5'5"-5'9"	
56cm	56.5cm	80.4cm	5'8"-5'11"	
58cm	58.0cm	82.5cm	5'10"-6'2"	
64cm	59.0cm	85.4cm	6'1"-6'6"	

Road Bikes *(continued)*

Cross Pro, Cross Comp

size	effective top tube	standover height	height range	
49cm	52.5cm	75.2cm	5'1"-5'5"	158cm-165cm
52cm	53.5cm	77.2cm	5'4"-5'7"	163cm-170cm
54cm	55.3cm	78.5cm	5'6"-5'9"	168cm-175cm
56cm	56.0cm	79.5cm	5'8"-5'10"	173cm-178cm
58cm	57.0cm	82cm	5'9"-6'0"	175cm-178cm
61cm	59.0cm	84cm	5'11"-6'4"	180cm-193cm

Women's

Supreme SL, Supreme RC Rival

size	effective top tube	standover height	height range	
44cm	51.0cm	71.4cm	5'0"-5'3"	152cm-160cm
47cm	52.5cm	73.4cm	5'2"-5'5"	158cm-165cm
50cm	54.5cm	75.8cm	5'4"-5'7"	163cm-170cm
53cm	55.5cm	78.3cm	5'6"-5'9"	168cm-175cm

Finest 1.0

size	effective top tube	standover height	height range	
44cm	51.0cm	71.1cm	5'0"-5'3"	152cm-160cm
47cm	52.5cm	73cm	5'2"-5'5"	158cm-165cm
50cm	54.5cm	75.4cm	5'4"-5'7"	163cm-170cm
53cm	55.5cm	77.8cm	5'6"-5'9"	168cm-175cm

Finest 2.0

size	effective top tube	standover height	height range	
44cm	51.0cm	71.4cm	5'0"-5'3"	152cm-160cm
47cm	52.5cm	73.5cm	5'2"-5'5"	158cm-165cm
50cm	54.5cm	75.8cm	5'4"-5'7"	163cm-170cm
53cm	55.5cm	78.3cm	5'6"-5'9"	168cm-175cm

Mountain

Thrill LTX

size	effective top tube	standover height	height range	
Small	54.5cm	76cm	5'3"-5'8"	160cm-173cm
Medium	58.0cm	76.6cm	5'6"-5'11"	168cm-180cm
Large	60.5cm	78.9cm	5'9"-6'3"	175cm-191cm

Thrill 1.0, Thrill 2.0

size	effective top tube	standover height	height range	
15"	54.5cm	76cm	5'3"-5'7"	160cm-170cm
17"	58.5cm	76.6cm	5'6"-5'10"	168cm-178cm
19"	60.2cm	78.9cm	5'9"-6'	175cm-183cm
21"	63.1cm	82cm	5'10"-6'4"	178cm-193cm

Outland RC, Pro, Comp, Outland

size	effective top tube	standover height	height range	
17"	56.6cm	76.3cm	5'5"-5'10"	165cm-178cm
19"	60.3cm	79.9cm	5'8"-6'	173cm-183cm
21"	61.1cm	82.3cm	5'10"-6'4"	178cm-193cm

Panic 1.0, Panic 2.0

size	effective top tube	standover height	height range	
14"	58.6cm	72.7cm	5'3"-5'8"	160cm-173cm
16"	60.6cm	75.2cm	5'6"-5'10"	168cm-178cm
18"	62.7cm	76.1cm	5'8"-6'3"	173cm-191cm

Team Issue MTB, Mt. Fuji SL, Mt. Fuji Pro

size	effective top tube	standover height	height range	
15"	53.1cm	70.9cm	5'0"-5'7"	152cm-170cm
17"	57cm	73.1cm	5'5"-5'11"	165cm-180cm
19"	59cm	76.7cm	5'8"-6'1"	173cm-185cm
21"	60.6cm	79.1cm	5'10"-6'4"	178cm-193cm

Tahoe SL, Pro, Comp, Tahoe

size	effective top tube	standover height	height range	
15"	53cm	70.3cm	5'0"-5'7"	152cm-170cm
17"	57cm	72.8cm	5'5"-5'11"	165cm-180cm
19"	59cm	75.9cm	5'8"-6'	173cm-183cm
20.5"	60.5cm	78.7cm	5'10"-6'3"	178cm-191cm
22"	62cm	81.3cm	6'1"-6'6"	180cm-198cm

Nevada 1.0, 2.0

size	effective top tube	standover height	height range	
15"	53cm	70.3cm	4'11"-5'6"	150cm-168cm
17"	57cm	72.8cm	5'4"-5'10"	163cm-178cm
19"	59cm	75.9cm	5'8"-6'1"	173cm-185cm
20.5"	60.5cm	78.9cm	5'9"-6'2"	175cm-188cm
22"	62cm	81.4cm	5'11"-6'4"	180cm-193cm
24"*	63.5cm	86cm	6'1"-6'7"	185cm-201cm

*Nevada 2.0 only

Mountain (continued)

Nevada 3.0, 4.0

size	effective top tube	standover height	height range	
13"*	52.5cm	69.0cm	4'11"-5'5"	150cm-165cm
15"	53cm	71cm	5'-5'6"	152cm-168cm
17"	54.5cm	73.4cm	5'5"-5'10"	165cm-178cm
19"	56cm	76.5cm	5'8"-5'11"	173cm-180cm
20.5"	58cm	79.5cm	5'9"-6'1"	175cm-185cm
22"	59.5cm	82cm	5'11"-6'3"	180cm-191cm

*Nevada 4.0 only

Nevada 4.0 Ladies

size	effective top tube	standover height	height range	
13"L	52.5cm	66.8cm	4'10"-5'4"	147cm-163cm
15"L	53cm	68.7cm	4'11"-5'6"	150cm-168cm
17"L	54.5cm	69cm	5'2"-5'8"	158cm-173cm
19"L	56cm	69.9cm	5'6"-6'1"	168cm-185cm

Odessa 1.0, 2.0

size	effective top tube	standover height	height range	
13"	53.5cm	69.0cm	4'11"-5'5"	150cm-165cm
15"	54cm	71.7cm	5'-5'6"	152cm-168cm
17"	55.5cm	74.5cm	5'5"-5'10"	165cm-178cm
19"	56.5cm	77.7cm	5'8"-5'11"	173cm-180cm
20.5"	57.5cm	80.1cm	5'9"-6'1"	175cm-185cm
22"	59.5cm	82.7cm	5'11"-6'4"	180cm-193cm

Odessa 1.0, 2.0 Ladies

size	effective top tube	standover height	height range	
13"L	53.5cm	66.8cm	4'10"-5'4"	147cm-163cm
15"L	54cm	68.7cm	4'11"-5'6"	150cm-168cm
17"L	55.5cm	69cm	5'2"-5'8"	158cm-173cm
19"L	56.5cm	69.9cm	5'6"-6'1"	168cm-185cm

Police Special

size	effective top tube	standover height	height range	
17"	57.0cm	73.4cm	5'4"-5'9"	163cm-175cm
19"	59.0cm	76.5cm	5'8"-6'	173cm-183cm
20.5"	60.5cm	79.4cm	5'9"-6'2"	175cm-188cm
22"	62cm	81.9cm	5'11"-6'5"	180cm-196cm

Police Patrol

size	effective top tube	standover height	height range	
17"	54.5cm	73.6cm	5'4"-5'9"	163cm-175cm
19"	56cm	76.7cm	5'8"-6'	173cm-183cm
20.5"	58cm	79.7cm	5'9"-6'2"	175cm-188cm
22"	59.5cm	82.4cm	5'11"-6'5"	180cm-196cm

Lifestyle

Absolute LX, DX

size	effective top tube	standover height	height range	
15"	52cm	704.7cm	5'0"-5'5"	152cm-165cm
17"	54cm	730.4cm	5'4"-5'9"	163cm-175cm
19"	55.5cm	764.8cm	5'8"-5'11"	173cm-180cm
21"	56cm	797.1cm	5'9"-6'0"	175cm-183cm
23"	58cm	845.6cm	5'11"-6'3"	180cm-191cm

Sunfire 1.0, 2.0, 3.0

size	effective top tube	standover height	height range	
15"	55.5cm	73.2cm	5'3"-5'5"	160cm-165cm
17"	56.6cm	76.8cm	5'4"-5'9"	163cm-175cm
19"	56.8cm	79.2cm	5'8"-5'11"	173cm-180cm
20.5"	58.1cm	82.2cm	5'10"-6'1"	178cm-185cm
22"	59.5cm	84.7cm	5'11"-6'4"	180cm-193cm

Sunfire 3.0 Ladies

size	effective top tube	standover height	height range	
16"L	56.3cm	70.6cm	4'11"-5'6"	150cm-168cm
18"L	56.3cm	70.6cm	5'1"-5'7"	155cm-170cm
20"L	57.7cm	70.6cm	5'4"-6'1"	163cm-185cm

Crosstown 1.0, 2.0, 3.0

size	effective top tube	standover height	height range	
15"	54cm	74.4cm	5'2"-5'5"	158cm-165cm
17"	55cm	75.5cm	5'4"-5'8"	163cm-173cm
19"	56cm	79.9cm	5'7"-5'11"	170cm-180cm
21"	56.5cm	84.7cm	5'10"-6'1"	178cm-185vm
23"	57.9cm	87.7cm	6'-6'5"	183cm-196cm

Crosstown 1.0, 2.0, 3.0 Ladies

size	effective top tube	standover height	height range	
15"L	54cm	not available	5'-5'4"	152cm-163cm
17"L	55cm	not available	5'3"-5'7"	160cm-170cm
19"L	56cm	not available	5'6"-5'10"	168cm-178cm

Crosstown 4.0

size	effective top tube	standover height	height range	
15"	54.4cm	74.4cm	5'2"-5'5"	158cm-165cm
17"	55.4cm	75.5cm	5'4"-5'8"	163cm-173cm
19"	56.3cm	79.9cm	5'7"-5'11"	170cm-180cm
21"	56.7cm	84.7cm	5'10"-6'2"	178cm-188cm

Crosstown 4.0 Ladies

size	effective top tube	standover height	height range	
15"L	54.4cm	not available	5'-5'4"	152cm-163cm
17"L	55.4cm	not available	5'3"-5'7"	160cm-170cm
19"L	56.3cm	not available	5'6"-5'10"	168cm-178cm

Lifestyle (continued)

Monterey 1.0, 2.0, 3.0

size	effective top tube	standover height	height range	
14"*	54.5cm	70.6cm	5'1"-5'4"	155cm-163cm
16"	57.cm	74cm	5'3"-5'7"	160cm-170cm
18"	58.cm	77.4cm	5'6"-5'10"	168cm-178cm
20"	59cm	80.7cm	5'9"-6'	175cm-183cm
22"	60.5cm	85cm	5'11"-6'4"	180cm-193cm

*14" uses 26" wheels

Monterey 1.0, 2.0, 3.0 Ladies

size	effective top tube	standover height	height range	
14"L*	54.5cm	not available	4'10"-5'4"	147cm-163cm
16"L	56.6cm	not available	5'2"-5'7"	157cm-170cm
18"L	58cm	not available	5'5"-5'10"	165cm-178cm

*14"L uses 26" wheels

Kobe 1.0

size	effective top tube	standover height	height range	
20"	57.9cm	81.6cm	5'6"-5'11"	168cm-180cm
22"	58.9cm	83.7cm	5'9"-6'4"	175cm-193cm

Kobe 1.0 Ladies

size	effective top tube	standover height	height range	
18"L	56.4cm	71.7cm	5'3"-5'8"	160cm-173cm
20"L	58.9cm	71.9cm	5'6"-6'1"	168cm-185cm

Kyoto 2.0

size	effective top tube	standover height	height range	
20"	57.9cm	82cm	5'7"-5'11"	170cm-180cm
22"	58.9cm	84.4cm	5'9"-6'4"	175cm-193cm

Kyoto 2.0 Ladies

size	effective top tube	standover height	height range	
18"L	57.3cm	43cm (stepthrough)	5'3"-5'8"	160cm-173cm
20"L	58.9cm	43cm (stepthrough)	5'5"-6'	168cm-183cm

Sanibel LX, DX

size	effective top tube	standover height	height range	
19"	62.8cm	77.3cm	5'5"-5'10"	165cm-178cm
21"	64.2cm	80.4cm	5'8"-6'3"	173cm-191cm

Sanibel LX, DX, Ladies

size	effective top tube	standover height	height range	
17"L	55.6cm	64.7cm	5'-5'9"	152cm-175cm

Sanibel DX 24" (wheel)

size	effective top tube	standover height	height range	
13"B	53.5cm	71.2cm	not available	
13"G	53.5cm	not available	not available	

KIDS'

Dynamite DX

size	effective top tube	standover height	height range
15"*	55.9cm	62.7cm	not available

*24" wheels

Dynamite 1.0

size	effective top tube	standover height	height range
13"*	52.2cm	65.7cm	not available

*24" wheels

Dynamite 2.0

size	effective top tube	standover height	height range
13"B*	53.1cm	67.9cm	not available
13"G*	53.1cm	62.6cm	not available

*24" wheels

Sandblaster

size	effective top tube	standover height	height range
11.5"B*	47.7cm	58.9cm	not available
11.5"G*	48.0cm	54.9cm	not available

*20" wheels