

1998
Klein

JUST BECAUSE A BIKE IS MADE BY HAND,
DOESN'T MEAN YOU'D WANT TO RIDE IT.



MANTRA PRO™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam, Gradient stays
SUSPENSION	Rock Shox SID 63mm travel (F) Fox Alps 5R (R)
DRIVETRAIN	Shimano XTR Rapid Rise
PEDALS	Time ATAC Carbon clipless
WHEELS	Cane Creek CronoMetro
BRAKES	XTR V-brakes
WEIGHT	24.8 lbs. (11.2kg) Made in Chehalis, Washington



MANTRA RACE LT™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam, Gradient stays
SUSPENSION	Manitou X-vert R 100mm travel (F) Fox Alps 3R (R)
DRIVETRAIN	Shimano XT (F) XTR (R) and XT Rapid Fire SL shifters
PEDALS	Time ATAC Carbon clipless
RIMS	Bontrager Mustang ASYM (F&R)
BRAKES	Hayes Hydraulic Disk (F) XT V-brake (R)
WEIGHT	28.9 lbs. (13.2kg) Made in Chehalis, Washington

Also available as Mantra Race with following exceptions: Manitou SX-R 70mm travel (F) Fox Alps 3R (R), Shimano XT V-brakes, Bontrager Mustang (F) Mustang ASYM (R), Revolt SS folding tires, Bontrager Race bars. Details on p. 57.

1.75"

Race = 26.5 lbs



MANTRA COMP™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam, Gradient stays
SUSPENSION	Rock Shox Judy T2 63mm travel (F) Fox Vanilla (R)
DRIVETRAIN	Shimano LX (F) XT (R) STX-RC shifters
PEDALS	ICON clipless
RIMS	Bontrager Mustang (F) Mustang ASYM (R)
BRAKES ET	Avid single digit 20 direct pull
WEIGHT	27.4 lbs. (12.5kg) Made in Chehalis, Washington



MANTRA™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam, Gradient stays
SUSPENSION	Manitou Spyder R 70mm travel (F) Fox Vanilla X (R)
DRIVETRAIN	Shimano STX-RC (F) XT (R) STX-RC shifters
PEDALS	ICON clipless
RIMS	Bontrager Mustang (F) Mustang ASYM (R)
BRAKES	Avid single digit 10 direct pull
WEIGHT	28.0 lbs. (12.7kg) Made in Chehalis, Washington



K A R M ATM

SIZES	S, M, L
FRAME	Klein Power Tubing main beam and stays
SUSPENSION	Rock Shox Indy xc 63mm travel (F) Klein BASF elastomer (R)
DRIVETRAIN	Shimano STX (F) LX (R) Grip Shift 6.0 shifters
PEDALS	Resin/alloy with clips and straps
RIMS	Bontrager Maverick (F) Maverick ASYM (R)
BRAKES	Dia-Compe 737 direct pull
WEIGHT	29.0 lbs. (13.2kg) Made in Chehalis, Washington



KARMA PAVÉ™

SIZES	S, M, L
FRAME	Klein Power Tubing main beam and stays
SUSPENSION	Klein Unicrown CroMoly rigid fork (F) BASF Elastomer (R)
DRIVETRAIN	Shimano Nexave Rapid Rise
PEDALS	Resin/alloy with clips and straps
RIMS	Bontrager Maverick (F) Maverick ASYM (R)
BRAKES	Shimano Nexave v-brakes with power modulation
WEIGHT	29.0 lbs. (13.2kg) Made in Chehalis, Washington



ATTITUDE PRO™

SIZES	XS, S, M, L, XL
FRAME	Klein Gradient main and stays
SUSPENSION	Rock Shox SID 63mm travel
DRIVETRAIN	Shimano XTR Rapid Rise
PEDALS	Time ATAC Carbon clipless
WHEELS	Cane Creek CronoMetro
BRAKESET	Shimano XTR V-brakes
WEIGHT	22.2 lbs. (10.1kg) Made in Chehalis, Washington



ATTITUDE RACE™

SIZES	XS, S, M, L, XL
FRAME	Klein Gradient main and stays
SUSPENSION	Manitou SX-R 70mm travel
DRIVETRAIN	Shimano XT (F) XTR (R) and shifters
PEDALS	Time ATAC Carbon clipless
WHEELS	Cane Creek CronoMetro
BRAKES	Shimano XT v-brakes
WEIGHT	24.2 lbs. (11kg) Made in Chehalis, Washington



ATTITUDE COMP™

SIZES	XS, S, M, L, XL
FRAME	Klein Gradient main and stays
SUSPENSION	Rock Shox Judy xc 63mm travel
DRIVETRAIN	Shimano LX (F) XTR (R) XT shifters
PEDALS	Time ATAC clipless
RIMS	Bontrager Mustang (F) Mustang ASYM (R)
BRAKES	Avid single digit 20 direct pull
WEIGHT	24.2 lbs. (11kg) Made in Chehalis, Washington



PULSE PRO™

SIZES	XS, S, M, L, XL
FRAME	Klein Power Tubing main and Gradient stays
SUSPENSION	Rock Shox Judy T2 63mm travel
DRIVETRAIN	Shimano LX (F) Grip Shift ESP 9.0 (R) ESP 900 shifters
PEDALS	Time ATAC clipless
WHEELS	Cane Creek CronoMetro (F) Bontrager Mustang ASYM (R)
BRAKESET	Avid single digit 20 direct pull
WEIGHT	24.3 lbs. (11.0kg)



PULSE RACE™

SIZES	XS, S, M, L, XL
FRAME	Klein Power Tubing main and Gradient stays
SUSPENSION	Manitou Spyder R 70mm travel
DRIVETRAIN	Shimano STX-RC (F) XTR (R) STX-RC shifters
PEDALS	ICON clipless
RIMS	Bontrager Mustang (F) Mustang ASYM (R)
BRAKES	Shimano M600 v-brakes
WEIGHT	24.8 lbs. (11.2kg)



PULSE COMP™

SIZES	XS, S, M, L, XL
FRAME	Klein Power Tubing main and Gradient stays
SUSPENSION	Manitou Spyder 70mm travel
DRIVETRAIN	Shimano STX (F) XT (R) STX-RC shifters
PEDALS	ICON clipless
RIMS	Bontrager Maverick (F) Maverick ASYM (R)
BRAKES	Avid single digit 10 direct pull
WEIGHT	25.9 lbs. (11.8kg)



PULSE™

SIZES	XS, S, M, L, XL
FRAME	Klein Power Tubing main and Gradient stays
SUSPENSION	Rock Shox Indy c 63mm travel
DRIVETRAIN	Shimano Alivio (F) LX (R) Grip Shift SRT 4.0
PEDALS	Resin/alloy with clips and straps
RIMS	Bontrager Maverick (F) Maverick ASYM (R)
BRAKESET	Dia-Compe 737 direct pull
WEIGHT	25.9 lbs. (11.8kg)



QUANTUM PRO™

SIZES	51, 53, 55, 57, 59, 61, 63
FRAME	Klein Gradient Tubing main and stays
FORK	Klein Aeros Carbon
DRIVETRAIN	Shimano DuraAce 9 speed
PEDALS	Shimano DuraAce SPD
WHEELS	Rolf Custom AS 550
BRAKESET	Shimano DuraAce
WEIGHT	17.1 lbs. (7.8kg) Made in Chehalis, Washington



QUANTUM RACE™

SIZES	51, 53, 55, 57, 59, 61, 63
FRAME	Klein Gradient Tubing main and stays
FORK	ICON AirRail carbon
DRIVETRAIN	Shimano Ultegra 9 speed
PEDALS	Shimano Ultegra SPD
RIMS	Matrix ISO 3
BRAKESET	Shimano Ultegra
WEIGHT	18.0 lbs. (8.2kg) Made in Chehalis, Washington



STAGE COMP R

SIZES	51, 55, 57, 59, 63
FRAME	Klein Power Tubing main and stays
FORK	ICON Classic Carbon
DRIVETRAIN	Shimano Ultegra (F&R) 105 STI shifters
PEDALS	Shimano Ultegra SPD
RIMS	Matrix ISO 3
BRAKESET	Shimano 105
WEIGHT	21.5 lbs. (9.8kg) Made in Chehalis, Washington



STAGE COMP T™

SIZES	51, 55, 57, 59, 63
FRAME	Klein Power Tubing main and stays
FORK	ICON Classic Carbon
DRIVETRAIN	Shimano Ultegra triple (F) Ultegra GS (R) 105 STI triple shifters
PEDALS	ICON clipless
RIMS	Matrix ISO 3
BRAKES ET	Shimano 105
WEIGHT	21.8 lbs. (9.9kg) Made in Chehalis, Washington



STAGE™

SIZES	51, 55, 57, 59, 63
FRAME	Klein Power Tubing main and stays
FORK	System 2 bonded aluminum
DRIVETRAIN	Shimano RX-100 (F) 105 (R) RSX STI shifters
PEDALS	ICON clipless
RIMS	Matrix Aurora
BRAKES ET	Shimano RSX
WEIGHT	22.0 lbs. (10.0kg) Made in Chehalis, Washington



NAVIGATOR™

SIZES	52, 56, 58, 60, 64
FRAME	Klein Power Tubing main and stays
FORK	Klein Unicrown with low rider bosses
DRIVETRAIN	Shimano 105 Triple (F) XT (R) Sachs Ergopower shifters
PEDALS	ICON clipless
RIMS	Matrix ISO 3
BRAKESET	Dia-Compe 757
WEIGHT	22.9 lbs. (10.4kg) Made in Chehalis, Washington



AEOLUS

SIZES	51, 53, 55, 57, 59, 61, 63
FRAME	Klein Gradient Tubing main and stays
FORK	Klein Aeros 650cm
WEIGHT	2.7 lbs. (1.2kg) for fuselage. Made in Chehalis, Washington



ADROIT

SIZES	XS, S, M, L, XL
FRAME	Klein Gradient Tubing main and stays

	Size	Typical Rider Height (inches)	(millimeters)	Top Tube Standover (in./mm)	Bottom Bracket (in./mm)	Top Tube Length (in./mm)	Chainstay Length (in./mm)	Wheelbase (in./mm)	Front Fork Rate (in./mm)	Top Tube Angle	Seat Tube Angle	Head Tube Angle
MANTRA PRO	S	5' 4" - 5' 7"	162 - 170	27.58/70.84	12.0/32.00	22.84/58.02	18.40/41.66	40.55/103.00	1.50/3.81	16.79°	66.40°	72.20°
	M	5' 7" - 5' 10"	170 - 177	29.80/73.15	12.8/32.51	23.40/59.44	18.40/41.66	41.17/104.57	1.50/3.81	13.04°	62.80°	72.80°
	L	5' 10" - 6' 1"	177 - 185	30.13/76.54	12.9/32.77	23.88/60.66	18.40/41.66	41.78/106.07	1.50/3.81	8.99°	63.70°	72.20°
MANTRA COMP/RACE	S	5' 4" - 5' 7"	162 - 170	28.91/72.67	12.5/31.75	22.93/58.25	18.40/41.66	40.76/103.53	1.50/3.81	18.00°	62.50°	71.50°
	M	5' 7" - 5' 10"	170 - 177	28.78/73.09	12.7/32.26	23.63/60.02	18.40/41.66	41.33/104.88	1.50/3.81	16.82°	64.40°	72.00°
	L	5' 10" - 6' 1"	177 - 185	30.02/76.25	12.8/32.77	23.69/60.18	18.40/41.66	41.33/104.98	1.50/3.81	15.93°	66.90°	72.20°
KARMA	S	5' 4" - 5' 7"	162 - 169	27.3/69.3	12.0/30.5	21.5/54.1	16.54/42.0	41.0/104.1	1.49/3.8	20.4°	73.20°	71.50°
	M	5' 7" - 5' 10"	170 - 178	27.6/70.1	12.2/30.9	21.7/54.8	16.54/42.0	41.7/105.9	1.49/3.8	21.2°	73.20°	71.50°
	L	5' 10" - 6' 1"	177 - 185	31.5/81.0	12.3/31.2	22.0/55.9	16.54/42.0	42.0/106.6	1.49/3.8	5.3°	73.20°	72.00°
ADROIT	XS	5' 0" - 5' 4"	152 - 162	27.42/69.65	11.4/29.00	22.02/55.93	16.40/41.70	40.19/102.08	1.50/3.81	15.40°	73.20°	71.00°
	S	5' 4" - 5' 7"	162 - 170	28.21/71.55	11.5/29.20	22.78/57.88	16.40/41.70	40.78/103.61	1.50/3.81	10.50°	73.20°	71.50°
	M	5' 7" - 5' 10"	170 - 177	28.62/75.23	11.7/29.70	23.38/59.38	16.40/41.70	41.33/104.88	1.50/3.81	8.20°	73.20°	72.00°
	L	5' 10" - 6' 1"	177 - 185	30.68/77.89	11.8/30.00	23.70/60.20	16.40/41.70	41.64/105.80	1.50/3.81	8.40°	73.20°	72.20°
	XL	6' 1" - 6' 6"	185 - 198	31.78/80.67	11.9/30.20	24.05/61.09	16.40/41.70	42.04/106.80	1.50/3.81	8.00°	73.20°	72.20°
ATTITUDE/ PULSE	XS	5' 0" - 5' 4"	152 - 162	27.78/70.56	11.4/29.00	22.03/55.96	16.40/41.70	40.18/102.08	1.50/3.81	17.20°	73.20°	71.00°
	S	5' 4" - 5' 7"	162 - 170	28.58/72.59	11.5/29.20	22.78/57.81	16.40/41.70	40.78/103.61	1.50/3.81	12.50°	73.20°	71.50°
	M	5' 7" - 5' 10"	170 - 177	28.62/75.23	11.7/29.70	23.38/59.38	16.40/41.70	41.33/104.88	1.50/3.81	8.20°	73.20°	72.00°
	L	5' 10" - 6' 1"	177 - 185	30.68/77.89	11.8/30.00	23.69/60.18	16.40/41.70	41.64/105.80	1.50/3.81	8.40°	73.20°	72.20°
	XL	6' 1" - 6' 6"	185 - 198	31.78/80.72	11.9/30.20	24.05/61.09	16.40/41.70	42.04/106.80	1.50/3.81	8.00°	73.20°	72.20°
QUANTUM PRO	51cm	5' 2" - 5' 4"	157 - 162	29.80/75.69	10.5/26.67	21.06/53.49	16.30/41.40	38.10/96.77	1.50/3.81	0.0°	74.00°	73.50°
	53cm	5' 4" - 5' 6"	162 - 167	30.60/77.72	10.6/26.92	21.54/54.71	16.30/41.40	38.60/98.04	1.50/3.81	0.0°	74.00°	73.50°
	55cm	5' 6" - 5' 8"	167 - 172	31.50/80.01	10.7/27.18	22.01/55.90	16.30/41.40	39.10/99.31	1.50/3.81	0.0°	74.00°	73.50°
	57cm	5' 8" - 5' 11"	172 - 180	32.40/82.30	10.8/27.43	22.48/57.10	16.30/41.40	39.40/100.08	1.50/3.81	0.0°	74.00°	74.00°
	59cm	5' 11" - 6' 1"	180 - 185	33.20/84.33	10.9/27.69	22.95/58.29	16.30/41.40	40.00/101.50	1.50/3.81	0.0°	74.00°	74.00°
	61cm	6' 1" - 6' 3"	185 - 190	34.10/86.61	11.0/27.94	23.43/59.51	16.30/41.40	40.40/102.62	1.50/3.81	0.0°	74.00°	74.00°
	63cm	6' 3" - 6' 5"	190 - 195	34.80/88.39	11.0/27.94	23.90/60.71	16.30/41.40	40.90/103.89	1.50/3.81	0.0°	74.00°	74.00°
QUANTUM RACE	51cm	5' 2" - 5' 4"	157 - 162	29.80/75.69	10.5/26.67	21.06/53.49	16.30/41.40	38.37/97.46	1.77/4.50	0.0°	74.00°	73.50°
	53cm	5' 4" - 5' 6"	162 - 167	30.60/77.72	10.6/26.92	21.54/54.71	16.30/41.40	38.67/98.73	1.77/4.50	0.0°	74.00°	73.50°
	55cm	5' 6" - 5' 8"	167 - 172	31.50/80.01	10.7/27.18	22.01/55.90	16.30/41.40	39.37/100.00	1.77/4.50	0.0°	74.00°	73.50°
	57cm	5' 8" - 5' 11"	172 - 180	32.40/82.30	10.8/27.43	22.48/57.10	16.30/41.40	39.67/100.76	1.77/4.50	0.0°	74.00°	74.00°
	59cm	5' 11" - 6' 1"	180 - 185	33.20/84.33	10.9/27.69	22.95/58.29	16.30/41.40	40.27/102.28	1.77/4.50	0.0°	74.00°	74.00°
	61cm	6' 1" - 6' 3"	185 - 190	34.10/86.61	11.0/27.94	23.43/59.51	16.30/41.40	40.67/103.30	1.77/4.50	0.0°	74.00°	74.00°
	63cm	6' 3" - 6' 5"	190 - 195	34.80/88.39	11.0/27.94	23.90/60.71	16.30/41.40	41.17/104.57	1.77/4.50	0.0°	74.00°	74.00°
STAGE	47cm	4' 10" - 5' 1"	147 - 154	26.18/66.49	10.1/25.65	20.14/51.16	16.60/42.16	31.22/79.29	1.85/4.70	17.7°	73.00°	71.00°
	51cm	5' 1" - 5' 4"	154 - 162	27.52/69.91	10.2/25.91	21.23/53.92	16.60/42.16	38.82/98.59	1.85/4.70	9.6°	73.00°	72.00°
	55cm	5' 5" - 5' 8"	165 - 172	31.11/79.01	10.4/26.42	22.20/56.40	16.60/42.16	39.56/100.48	1.68/4.30	0.0°	73.00°	72.50°
	57cm	5' 8" - 5' 11"	172 - 180	31.96/81.18	10.5/26.67	22.68/57.80	16.60/42.16	40.05/101.73	1.68/4.30	0.0°	73.00°	73.00°
	59cm	5' 11" - 6' 2"	180 - 185	32.81/83.35	10.6/26.92	23.15/58.80	16.60/42.16	40.57/103.05	1.68/4.30	0.0°	73.00°	73.00°
	63cm	6' 2" - 6' 5"	185 - 190	34.52/87.69	10.8/27.43	24.13/61.30	16.60/42.16	41.31/104.93	1.68/4.30	0.0°	73.00°	73.00°
AEOLUS	51cm	5' 2" - 5' 4"	157 - 162	29.36/74.57	10.3/26.20	21.06/53.49	14.73/37.40	38.59/98.02	1.38/3.49	0.0°	78.00°	72.00°
	53cm	5' 4" - 5' 6"	162 - 167	30.14/76.55	10.4/26.40	21.54/54.71	14.73/37.40	39.16/99.52	1.38/3.49	0.0°	78.00°	72.00°
	55cm	5' 6" - 5' 8"	167 - 172	30.91/78.51	10.5/26.70	22.01/55.90	14.73/37.40	39.78/101.04	1.38/3.49	0.0°	78.00°	72.00°
	57cm	5' 8" - 5' 11"	172 - 180	31.69/80.49	10.6/26.90	22.48/57.10	14.73/37.40	40.37/102.54	1.38/3.49	0.0°	78.00°	72.00°
	59cm	5' 11" - 6' 1"	180 - 185	32.51/82.57	10.7/27.20	22.95/58.29	15.50/39.40	41.60/105.66	1.68/4.30	0.0°	78.00°	72.50°
	61cm	6' 1" - 6' 3"	185 - 190	33.28/84.53	10.8/27.40	24.21/61.49	15.50/39.40	42.98/109.17	1.68/4.30	0.0°	78.00°	72.50°
	63cm	6' 3" - 6' 5"	190 - 195	34.06/84.98	10.8/27.40	24.70/62.74	15.50/39.40	43.54/110.59	1.68/4.30	0.0°	78.00°	72.50°
NAVIGATOR	48cm	4' 10" - 5' 0"	147 - 152	26.72/67.8	10.1/25.6	20.22/51.61	18.00/45.7	39.73/100.8	1.92/4.9	18.82°	71.67°	69.27°
	52cm	5' 2" - 5' 4"	157 - 162	28.27/71.8	10.2/25.9	21.38/54.31	18.00/45.7	40.32/102.3	1.92/4.9	10.69°	71.69°	70.89°
	54cm	5' 4" - 5' 6"	162 - 167	30.34/77.0	10.3/26.1	21.82/55.42	18.00/45.7	40.82/103.6	1.92/4.9	1.044°	71.96°	70.96°
	56cm	5' 6" - 5' 8"	167 - 172	31.19/79.2	10.4/26.4	22.32/56.7	18.00/45.7	41.22/104.6	1.92/4.9	0.981°	72.04°	71.54°
	58cm	5' 8" - 5' 11"	172 - 180	32.06/81.4	10.5/26.6	22.82/57.97	18.00/45.7	41.47/105.3	1.92/4.9	1.161°	71.84°	71.84°
	60cm	5' 11" - 6' 1"	180 - 185	32.91/83.6	10.6/26.9	23.32/59.17	18.00/45.7	41.99/106.6	1.92/4.9	1.137°	71.86°	71.86°
	64cm	6' 3" - 6' 5"	190 - 195	34.60/87.8	10.8/27.4	24.27/61.64	18.00/45.7	42.88/108.8	1.92/4.9	0.991°	72.01°	72.51°

	QUANTUM PRO	QUANTUM RACE	STAGE COMP R	STAGE COMP T	STAGE	AEOLUS FUSILLAGE	NAVIGATOR
	51/53/55/57/59/61/63	51/53/55/57/59/61/63	51/55/57/59/63	51/55/57/59/63	51/55/57/59/63	51/53/55/57/59/61/63	52/56/58/60/64
	Jade chameleon	Caribbean linear	Yellow pearl	Candy blue	Race red	Sea & Sky or Blue time	Raven
	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Gradient Tubing	Klein Power Tubing
	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing
	Klein Aires Carbon	ICON Airfoil Carbon	ICON Carbon classic	ICON Carbon classic	System 2 bonded	Klein Aluminum alloy	Klein Unicorn
	Klein Airhead precision	Tange Seiki VR254 22/30 2/26 4 35 2mm stack	Tange Seiki Passage DX alloy 22/30 2/26 4 35 3mm stack	Tange Seiki Passage DX alloy 22/30 2/26 4 35 3mm stack	Tange Seiki CDS 22/30 2/26 4 33 7mm stack	Klein Airhead precision	Tange Seiki CDS 22/30 2/26 4 33 7mm stack
	Shimano DuraAce 53/39 Bolt hole: 130mm	Shimano Ultegra 53/39 Bolt hole: 130mm	Sugino RD7000 53/39 Bolt hole: 130mm	Sugino RD7000 52/42/30 Bolt hole: 130/74mm	Sugino RD5000 52/42/30 Bolt hole: 130/74mm		Sugino RD7000 52/42/30 Bolt hole: 130/74mm
	(F) Shimano DuraAce down pull, 34 9mm/ 1 1/4", (R) Shimano DuraAce	(F) Shimano Ultegra down pull, 34 9mm/ 1 1/4", (R) Shimano Ultegra	(F) Shimano Ultegra down pull, 34 9mm/ 1 1/4", (R) Shimano Ultegra SS	(F) Shimano Ultegra triple down pull, 34 9mm/ 1 1/4", (R) Shimano Ultegra GS	(F) Shimano RX-100 down pull, 34 9mm/ 1 1/4", (R) Shimano RX-100 105 GS		(F) Shimano 105 GS down pull, 34 9mm/ 1 1/4", (R) Shimano Deore XT SGS
	Shimano DuraAce STL dual control	Shimano Ultegra STL dual control	Shimano 105 STL dual control	Shimano 105 STL dual control	Shimano RSX STL dual control		Sachs Ergopower dual control
	Shimano DuraAce, 68 x 109.5, splined	Shimano Ultegra, 68 x 109.5, splined	Shimano BB-UN52, 68 x 113	Shimano BB-UN52, 68 x 118	Shimano BB-UN52, 68 x 118		Shimano BB-UN52, 68 x 118
	Shimano DuraAce, 108 length	Shimano HG92, 108 length	Shimano HG50, 106 length	Shimano HG50, 106 length	Shimano HG50, 108 length		Shimano HG50, 108 length
	Shimano DuraAce SPD cleps, 1/4" axle	Shimano Ultegra SPD cleps, 1/4" axle	Shimano Ultegra SPD cleps, 1/4" axle	ICON cleps, 1/4" axle	ICON cleps, 1/4" axle		ICON cleps, 1/4" axle
	Rolf Aero, HyperGlide compact cassette, 9 spd, (F) 14" (R) 16"	Shimano Ultegra HyperGlide compact cassette, 8 spd, (F) 32" (R) 32"	Shimano 105, HyperGlide compact cassette, 8 spd, (F) 32" (R) 32"	Shimano 105, HyperGlide compact cassette, 8 spd, (F) 32" (R) 32"	Shimano RSX, HyperGlide compact cassette, 7 spd, (F) 32" (R) 32"		Shimano STX-R6, HyperGlide compact cassette, 7 spd, (F) 32" (R) 32"
	Shimano DuraAce, 12-23, 9 spd	Shimano DuraAce, 12-23, 9 spd	Shimano HG70, 13-26, 8 spd	Shimano HG70, 13-26, 8 spd	Shimano HG50, 13-26, 7 spd		Shimano HG50, 13-26, 7 spd
	WheelSmith ACE-3 th blade, (F) 14" radial, (R) 284/286mm, 18" x 14"	(F) DT 14/15g, 32" 3x, (R) DT 14g, 32" 3x	(F) DT 14/15g, 281mm, 32" 3x, (R) DT 14g, 288/290mm, 32" 3x	(F) DT 14/15g, 251mm 32" 3x, (R) DT 14g, 288/290mm, 32" 3x	DT 14g, 32" 3x		DT 14g, 32" 3x 297/298mm
	Araya Super Aero SA-530C, 597 ERO	Matrix Iso 3, 592 ERO, 32"	Matrix Iso 3, 592 ERO, 32"	Matrix Iso 3, 592 ERO, 32"	Matrix Aurora, (F) 610 ERO, 32", (R) 603 ERO, 32"		Matrix Iso 3, 592 ERO, 32"
	Continental Grand Prix 3000, folding, 700 x 25c	Continental Grand Prix 3000, folding, 700 x 25c	Continental Super Sport Ultra, 700 x 25c	Continental Super Sport Ultra, 700 x 25c	Continental Sport, 700 x 25c		Panaracer Passela, 700 x 28c
	Presta valve, 48mm stem	Presta valve, 48mm stem	Presta valve, 48mm stem	Presta valve, 48mm stem	Presta valve		Presta valve
	Shimano DuraAce	Shimano Ultegra	Shimano 105	Shimano 105	Shimano RSX		Dia-Comp 757 direct pull
	Ital Pro, 26.0mm clamp diameter	ICON 2014 Aluminum, 26.0mm clamp diameter	ICON 6061 Aluminum, 26.0mm clamp diameter	ICON 6061 Aluminum, 26.0mm clamp diameter	System 1: 26.0mm clamp diameter		ICON 6061 Aluminum, 26.0mm clamp diameter
	Klein MC3	31 Evt 2002 forged front load, 22.2mm insertion	Alloy, 22.2mm insertion	Alloy 90°, 22.2mm insertion	CoMoly 90°, 22.2mm insertion		Alloy 90°, 22.2mm insertion
	Thomson 1 piece machined, 31.6mm diameter	ICON 2, 2014 Aluminum, 31.6mm diameter	ICON 1, 6061 alloy, 31.6mm diameter	ICON 1, 6061 Aluminum, 31.6mm diameter	SP-312 alloy, micro-adjust, 31.6mm diameter	31.6mm diameter	ICON 1, 6061 Aluminum, 31.6mm diameter
	Selle Italia Flite, Titanium perforated leather	Selle Bassano Vuelta, CoMoly rails, leather cover	Selle Bassano Vuelta, CoMoly rails, leather cover	Selle Bassano Vuelta, CoMoly rails, leather cover	Selle Bassano Vision, leather cover		Selle Bassano Vision, leather cover
	2 water bottle mounts	2 water bottle mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts	2 water bottle mounts, rack mounts		3 water bottle mounts, front and rear rack mounts

DOMESTIC

©1997 Klein Bicycle Corp. Printed in U.S.A.

INTERNATIONAL

Benelux
Bikeurope B.V.
Edisonstraat 14-16
3861 NE Nijkerk
Netherlands
Tel: 31 33 245 5500
Fax: 31 33 245 4587

Japan
Trek Japan
81 Fukaehama-Machi
Higashinada-Ku
Kobe 658, Japan
Tel: 81 78 413 6606
Fax: 81 78 413 6607

Switzerland
Trek Fahrrad AG
Schutzenstrasse 33
8902 Urdorf/Zurich
Switzerland
Tel: 41 1 735 85 85
Fax: 41 1 735 85 75

(.875" OR 22mm)

	MANTRA PRO	MANTRA RACE LT	MANTRA RACE	MANTRA COMP	MANTRA	KARMA ATB	KARMA PAVÉ	ADROIT FUSELAGE	ATTITUDE PRO	ATTITUDE RACE	ATTITUDE COMP	PULSE PRO	PULSE RACE	PULSE COMP	PULSE PRO
ES	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	S, M, L	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL
OR	Blue Kol with black rear, blue fork	Kol with black rear, mango fork	Kol with black rear, mango fork	Blasberry chameleon with black rear, black fork	Black with black rear, mango fork	Graphita pearl with black rear, black fork	Forest green pearl with black rear, black fork	Kol, yellow fork	Blue Kol, black fork	Kol, mango fork	Blue to blue linear fade, black fork	Solar yellow, black fork	Orange nectar, black fork	Clear blue, silver fork	Red wild, silver fork
RUBES	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing	Klein Power Tubing
YS	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Power Tubing	Klein Power Tubing	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum	Klein Gradient Aluminum
NSION	(F) Rock Shock SID, 63mm travel (R) Fox Alps SR air/oil with adjustable damping	(F) Manitou X-Vant, double triple clamp, 100mm travel (R) Fox Alps SR air/oil with adjustable damping	(F) Manitou SX-R, Twin Piston Chamber, 70mm travel (R) Fox Alps SR air/oil with adjustable damping	(F) Rock Shock Judy T2, 63mm travel (R) Fox Vanilla coil/oil	(F) Manitou Spyder X, 70mm travel (R) Fox Vanilla X coil/oil with adjustable damping	(F) Rock Shock Indy XC, 63mm travel (R) Klein elastomer, 105mm travel	(F) Klein Unicorn CoMoLy, (R) Klein BASF elastomer, 105mm travel	Rock Shock Judy SL, 63mm travel	Rock Shock SID, 63mm travel	Manitou SX-R Twin Piston Chamber, 70mm travel	Rock Shock Judy XC with alloy steers, 63mm travel	Rock Shock Judy T2 alloy steers, 63mm travel	Manitou Spyder R, 70mm travel	Manitou Spyder, 70mm travel	Rock Shock Indy XC, 63mm travel
ISET	Chris King NoThreadSet 25.4/34.0/30.0 31.5mm stack	WTB Grease Guard 25.4/34.0/30.0 27.0mm stack	WTB Grease Guard 25.4/34.0/30.0 27.0mm stack	Dia-Compe SA Aheadset 25.4/34.0/30.0 27.0mm stack	Dia-Compe ST Aheadset, alloy, 25.4/34.0/30.0 25.4mm stack	Dia-Compe ST Aheadset, alloy, 25.4/34.0/30.0 25.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Chris King NoThreadSet 25.4/34.0/30.0 31.5mm stack	WTB Grease Guard 25.4/34.0/30.0 27.0mm stack	Dia-Compe SA Aheadset 25.4/34.0/30.0 27.0mm stack	Dia-Compe SA Aheadset, alloy, 25.4/34.0/30.0 27.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack	Dia-Compe ST Aheadset 25.4/34.0/30.0 25.0mm stack
KSET	Shimano XTR 4 arm, 46/34/24 Bolt hole: 112/68mm	Shimano Deore XT 4 arm, 42/32/22 Bolt hole: 104/64mm	Shimano Deore XT 4 arm, 42/32/22 Bolt hole: 104/64mm	Sugino Mighty 500 42/32/20 Bolt hole: 58/104mm	Sugino Mighty 350 42/32/20 Bolt hole: 58/104mm	Sugino Impel 300 42/32/20 Bolt hole: 58/94mm	Shimano Nexave with chainring 46/38/28 Bolt hole: 79mm	Shimano XTR 4 arm, 46/34/24 Bolt hole: 112/68mm	Shimano Deore XT 4 arm, 42/32/22 Bolt hole: 104/64mm	Shimano Deore LX 4 arm, 42/32/22 Bolt hole: 104/64mm	Sugino Mighty 700 42/32/20 Bolt hole: 104/58mm	Sugino Mighty 500 42/32/20 Bolt hole: 104/58mm	Sugino Mighty 350 42/32/20 Bolt hole: 104/58mm	Sugino Mighty 500 42/32/20 Bolt hole: 94/58mm	Sugino Mighty 350 42/32/20 Bolt hole: 94/58mm
LEURS	(F) Shimano XTR top swing, down pull, 31.8mm/1 1/4" (R) Shimano XTR Rapid Rise SGS	(F) Shimano Deore XT, top swing, down pull, 31.8mm/1 1/4" (R) Shimano XTR SGS	(F) Shimano Deore XT, top swing, down pull, 31.8mm/1 1/4" (R) Shimano XTR SGS	(F) Shimano Deore LX, top swing, down pull, 31.8mm/1 1/4" (R) Shimano Deore XT	(F) Shimano STX-RC, top swing, down pull, 31.8mm/1 1/4" (R) Shimano Deore XT	(F) Shimano STX, top swing, top pull, plate style; (R) Shimano Deore LX SGS	(F) Shimano Nexave top swing, top pull, plate style; (R) Shimano Nexave Rapid Rise	(F) Shimano XTR top swing, down pull, 34.9mm/1 3/8" (R) Shimano XTR Rapid Rise SGS	(F) Shimano Deore XT, top swing, down pull, 34.9mm/1 3/8" (R) Shimano XTR SGS	(F) Shimano Deore LX, top swing, down pull, 34.9mm/1 3/8" (R) Shimano XTR SGS	(F) Shimano Deore LX, top swing, top pull, 34.9mm/1 3/8" (R) Grip Shift ESP 9.0	(F) Shimano Deore LX, top swing, top pull, 34.9mm/1 3/8" (R) Shimano XTR SGS	(F) Shimano STX-RC, top swing, down pull, 34.9mm/1 3/8" (R) Shimano XTR SGS	(F) Shimano STX, top swing, down pull, 34.9mm/1 3/8" (R) Shimano Deore XT	(F) Shimano STX, top swing, top pull, 34.9mm/1 3/8" (R) Shimano LX SGS
TERS	Shimano XTR RapidFire RR	Shimano Deore XT RapidFire SL	Shimano Deore XT RapidFire SL	Shimano STX RC RapidFire+	Shimano STX RC RapidFire+	Grip Shift SRT-6.0	Shimano Nexave RR CGD	Shimano XTR RapidFire RR	Shimano Deore XT RapidFire SL	Shimano Deore XT RapidFire SL	Grip Shift ESP-900	Shimano STX-RC RapidFire+	Shimano STX-RC RapidFire+	Grip Shift SRT-6.0	Grip Shift SRT-6.0
OMET	Shimano XTR, 73 x 116, splined axle	Shimano BB-UN72, 73 x 113	Shimano BB-UN72, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UP27E, 73 x 113	Shimano BB-UP27E, 73 x 113	Shimano XTR, 73 x 116, splined axle	Shimano BB-UN72, 73 x 113	Shimano BB-UN72, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UN52, 73 x 113	Shimano BB-UN52, 73 x 113
VIN	Sachs PC-61, 104 length	Sachs PC-51, 104 length	Sachs PC-51, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-61, 104 length	Sachs PC-51, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length	Sachs PC-41, 104 length
ALS	Time ATAC Carbon clipless, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle	ICON clipless, 3/16" axle	ICON clipless, 3/16" axle	Resin/alloy with clips and straps, 3/16" axle	Resin/alloy with clips and straps, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle	Time ATAC Carbon clipless, 3/16" axle
SET	Cane Creek Crono Metro, HyperGlide compact cassette, 8 spd; (F) 24" (R) 28"	Shimano Deore XT, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano Deore XT, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano STX-RC, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano STX-RC, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano STX-RC, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano STX-RC, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	(F) Shimano STX-RC, HyperGlide compact cassette, 8 spd; (F) 32" (R) 28"	Cane Creek Crono Metro, HyperGlide compact cassette, 8 spd; (F) 24" (R) 28"	Cane Creek Crono Metro, HyperGlide compact cassette, 8 spd; (F) 24" (R) 28"	Shimano Deore LX, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Cane Creek Crono Metro, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano STX-RC, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	Shimano STX-RC, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"	(F) Shimano STX-RC, HyperGlide compact cassette, 8 spd; (F) 32" (R) 32"
ETTE	Shimano XTR, 11-30, 8 spd	Shimano XT, 11-30, 8 spd	Shimano XT, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano XTR, 11-30, 8 spd	Shimano XT, 11-30, 8 spd	Shimano HG70-I, 11-30, 8 spd	Shimano HG70-I, 11-30, 8 spd	Shimano HG70-I, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd	Shimano HG60-I, 11-30, 8 spd
KES	(F) 252mm, 24" radial (R) Drive: 233mm, 28" 2x; Non-drive: 249mm, 28" radial	(F) DT 14/15g; 254mm, 32" radial (R) DT 14g; 32" 3x; Drive: 254mm; Non-drive: 265mm	(F) DT 14/15g; 254mm, 32" radial (R) DT 14g; 32" 3x; Drive: 254mm; Non-drive: 265mm	DT 14g; (F) 254mm 32" radial (R) DT 14g; 254/265mm, 32" 3x	DT 14g; (F) 254mm 32" radial (R) DT 14g; 254/265mm, 32" 3x	DT 14g; (F) 254mm 32" radial (R) DT 14g; 254/265mm, 32" 3x	DT 14g; (F) 254mm 32" radial (R) DT 14g; 254/265mm, 32" 3x	DT 14g; 32" 3x	(F) 252mm, 24" radial; (R) 28". Drive: 233mm, 2x; Non-drive: 249mm, radial	(F) 252mm, 24" radial; (R) 28". Drive: 233mm, 2x; Non-drive: 249mm, radial	(F) 252mm, 24" radial; (R) 28". Drive: 233mm, 2x; Non-drive: 249mm, radial	(F) 252mm, 24" radial; (R) DT 14g; 264/265mm, 32" 3x	(F) DT 14g; 264/265mm, 32" 3x	(F) DT 14g; 264/265mm, 32" 3x	DT 14g (F) 253mm 32" radial; (R) 264/265mm, 32" 3x
AS	Cane Creek Swami, 546 ERO; (F) 24" (R) 28"	Bontrager Mustang ASYM; 541 ERO; 32"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"	Cane Creek Swami, 546 ERO; (F) 24" (R) 28"	Cane Creek Swami, 546 ERO; (F) 24" (R) 28"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"	(F) Cane Creek Swami, 546 ERO; 24" (R) Bontrager Mustang ASYM, 541 ERO; 32"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"	(F) Bontrager Mustang ASYM; 541 ERO; 32"; (R) Bontrager Mustang ASYM, 541 ERO; 32"
ES	Bontrager Revolt SS, folding; (F) 49/53 (R) 46/50	Bontrager Jones, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Jones, folding; (F) 49/53 (R) 46/50	Bontrager Jones, folding; (F) 49/53 (R) 46/50	Bontrager Revolt SS, folding; (F) 49/53 (R) 46/50	Bontrager Revolt SS, folding; (F) 49/53 (R) 46/50	Bontrager Revolt SS, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Revolt ST, folding; (F) 49/53 (R) 46/50	Bontrager Jones, folding; (F) 49/53 (R) 46/50
ES	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve	Presta valve	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light	Presta valve, ultra light
ESET	Shimano XTR V-brake	(F) Hayes hydraulic disc; (R) Shimano XT V-brake	Shimano XT V-brake	Avid single digit 20 direct pull	Avid single digit 20 direct pull	Dia-Compe 737 direct pull	Shimano Nexave V-brake with power modulator	Shimano XTR V-brake	Shimano Deore XT V-brake	Avid single digit 20 direct pull	Avid single digit 20 direct pull	Shimano M600 V-brake	Avid single digit 10 direct pull	Avid single digit 10 direct pull	Dia-Compe direct pull
EBARS	ICON Carbon, 5" bend; 25.4mm clamp diameter	ICON Diesel, 25.4mm clamp diameter, 620mm wide	ICON 2014 Aluminum, 7" bend; 25.4mm clamp diameter	Bontrager Comp, 5" bend; 25.4mm clamp diameter	ICON 6081 Aluminum, 7" bend; 25.4mm clamp diameter	System 1 ATB, alloy; 25.4mm clamp diameter	System 1, 10" bend alloy; 30.0mm rise; 25.4mm clamp diam.	Klein MC3	ICON Carbon, 5" bend; 25.4mm clamp diameter	ICON 2014 Aluminum, 7" bend; 25.4mm clamp diameter	Bontrager Comp, 5" bend; 25.4mm clamp diameter	Bontrager Comp, 5" bend; 25.4mm clamp diameter	Bontrager Comp, 5" bend; 25.4mm clamp diameter	System 1 ATB, alloy; 25.4mm clamp diameter	System 1 ATB, alloy; 25.4mm clamp diameter
IM	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Cold forged alloy direct connect; 44.5mm steerer clamp height	Cold forged alloy direct connect; 44.5mm steerer clamp height	Cold forged alloy direct connect; 44.5mm steerer clamp height	Melt forged alloy direct connect; 44.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	ICON forged alloy direct connect; 39.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Bontrager forged alloy direct connect; 44.5mm steerer clamp height	Cold forged alloy direct connect; 44.5mm steerer clamp height	Melt forged alloy direct connect; 44.5mm steerer clamp height
POST	Thomson +12" 1 piece machined; 31.6mm diameter	Thomson +12" 1 piece machined; 31.6mm diameter	Thomson +12" 1 piece machined; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	Alloy micro-adjust; 31.6mm diameter	Alloy micro-adjust; 31.6mm diameter	SP-312 alloy micro-adjust; 31.6mm diameter	31.6mm diameter	Thomson 1 piece machined; 31.6mm diameter	Thomson 1 piece machined; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	Bontrager Comp; 31.6mm diameter	SP-312 alloy micro-adjust; 31.6mm diameter	SP-312 alloy micro-adjust; 31.6mm diameter
DLE	Selle Italia Flite, Titanium perforated leather cover	WTB SSTX CroMoly rails, leather cover	WTB SSTX CroMoly rails, leather cover	Bontrager FS+10 Race, CroMoly rails	Bontrager Race FS+10, CroMoly rails	Bontrager FS+10 Comp	Selle Bassano Vision	Selle Italia Flite, Titanium perforated leather cover	WTB SSTX CroMoly rails, leather cover	WTB SSTX CroMoly rails, leather cover	Bontrager FS+10 Race, CroMoly rails	Bontrager FS+10 Race, CroMoly rails	Bontrager FS+10 Race, CroMoly rails	Bontrager FS+10 Comp	Bontrager Comp
IPS	1 water bottle mount, CCO, shock pump	1 water bottle mount, CCO, shock pump	1 water bottle mount, CCO, shock pump	1 water bottle mount, CCO	1 water bottle mount, CCO	1 water bottle mount, CCO	1 water bottle mount, CCO	1 water bottle mount, CCO, shock pump	3 water bottle mounts, CCO	3 water bottle mounts, CCO	3 water bottle mounts, CCO	2 water bottle mounts, CCO	2 water bottle mounts, CCO	2 water bottle mounts, CCO	2 water bottle mounts, CCO