


1992 Trek Catalog


This is an extract from the 1992 Trek Catalog. It contains details on the two steel-framed road bikes that Trek made this year: models 520 and 400.

Pages 2 and 3 contain an introduction to, and geometry of, the 520 and 400 plus tandem bikes. Page 4 contains details of the 520 and 400. It is followed by two tables that contain the specifications for all of the 92 Trek bikes (pages 5 and 6). The geometry of mountain and multi-track bikes are on page 7. The colors for the various bike models are listed in the table at the end of this document.

All of the pages can be enlarged to see more detail.



CRO-MOLY TANDEM AND ROAD BIKES



Technology Comes In Different Shapes. And Plenty Of Sizes.


At Trek, technology has always been our greatest strength. This goes double for our enjoyable Tandem bicycles. For 1992, we present two models that define our Function Specific Design approach to engineering. Rider-friendly, in layman's terms.

So more of your energy is converted to forward motion, the frame tubes are oversized throughout, including the seat tubes. This gives them increased stiffness and strength. The frame's direct lateral design enhances this stiffness, translating into better handling and the elimination of rear rider "whip."

We also paid particular attention to the rear rider, or stoker position. To provide a more comfortable riding position, we designed the frame with a longer stoker top tube. It's a small refinement that makes a big difference.

In simple terms, our Tandem bicycles prove that two people can ride as comfortably as one. And get twice as much out of it.

Speaking of pairs, a lively ride and a great value come together in our Cro-moly road bikes. Function Specific Design is here as well, with several geometries available to answer the needs of both




sport riding and touring.

These bikes deliver a comfortable, resilient ride, with double butted lugged construction to ensure a strong, precisely aligned frame. Go ahead, push them. They can take it.

Whether it's an around-the-block workout or long distance touring, they're always up to the task. Durability, performance and affordability. It's all there in our Cro-moly series.


FRAME GEOMETRY

Model	Frame Size 1x2	A	B	C	D	E	F	G	H	Trail	S1	S2
T200	54.0x50.0	72.0"	73.0"	50.5/19.9	54.5/21.5	43.0/16.9	27.2/10.7	6.0/2.4	172.7/68.0	4.7/1.9	78.5/30.9	75.5/29.7
			73.0"	47.0/18.5	66.0/27.2		27.2/10.7					
	58.0x53.0	73.0"	73.0"	54.5/21.5	56.5/22.2	43.0/16.9	27.2/10.7	5.5/2.2	175.8/69.2	4.6/1.8	82.4/32.4	79.2/31.2
			73.0"	50.0/19.7	71.0/28.0		28.0/11.0					
T100	62.0x56.0	73.0"	73.0"	58.5/23.0	58.5/23.0	43.0/16.9	27.2/10.7	5.5/2.2	180.2/70.9	4.6/1.8	86.6/34.1	82.6/32.5
			73.0"	53.0/20.9	73.0/28.7		28.0/11.0					
	20.5x19.0	72.0"	73.0"	50.5/19.9	54.5/21.5	43.0/16.9	27.8/10.9	6.0/2.4	172.7/68.0	4.6/1.9	78.7/31.0	75.7/29.8
			73.0"	47.0/18.5	66.0/27.2		27.8/10.9					
	22.0x20.5	73.0"	73.0"	54.5/21.5	56.5/22.2	43.0/16.9	27.8/10.9	5.5/2.2	175.8/69.2	4.7/1.9	82.6/32.5	79.4/31.3
			73.0"	50.0/19.7	71.0/28.0		28.6/11.3					
	23.5x21.5	73.0"	73.0"	58.5/23.0	58.5/23.0	43.0/16.9	27.8/10.9	5.5/2.2	180.2/70.9	4.7/1.9	86.8/34.2	82.8/32.6
			73.0"	53.0/20.9	73.0/28.7		28.6/11.3					



Model	Frame Size	A	B	C	D	E	F	G	H	Trail	Stand-over
S20	17.0	70.5"	73.0"	41.9/16.5	54.0/21.3	43.0/16.9	29.3/11.5	4.0/1.6	103.7/40.8	7.9/3.1	72.4/28.5
	19.0	71.5"	73.0"	47.0/18.5	55.5/21.9	43.0/16.9	29.3/11.5	4.0/1.6	103.4/40.7	7.3/2.9	76.3/30.0
	21.0	71.5"	73.0"	52.0/20.5	56.5/22.2	43.0/16.9	29.3/11.5	4.0/1.6	103.7/40.8	7.3/2.9	80.5/31.7
	23.0	71.5"	73.0"	57.1/22.5	57.5/22.6	43.0/16.9	29.3/11.5	4.0/1.6	104.8/41.3	7.3/2.9	85.3/33.6
400	18.0	72.0"	73.5"	44.6/17.6	52.9/20.8	43.0/16.9	26.7/10.5	4.5/1.8	96.7/38.9	6.3/2.5	70.4/27.7
	19.0	72.0"	73.5"	47.3/18.6	52.5/20.7	43.0/16.9	26.9/10.6	4.5/1.8	99.3/39.1	6.3/2.5	73.2/28.8
	21.0	72.0"	73.5"	51.0/20.1	54.5/21.5	43.0/16.9	26.9/10.6	4.5/1.8	100.9/39.7	6.3/2.5	76.7/30.2
	22.5	73.0"	73.5"	54.9/21.6	56.4/22.2	43.0/16.9	26.9/10.6	4.5/1.8	102.0/40.2	5.7/2.2	80.7/31.8
	24.0	73.0"	73.5"	60.0/23.6	58.1/22.9	43.0/16.9	26.9/10.6	4.5/1.8	103.6/40.8	5.7/2.2	85.6/33.7
	25.5	73.0"	73.5"	62.4/24.6	59.8/23.5	43.0/16.9	26.9/10.6	4.5/1.8	105.4/41.5	5.7/2.2	87.8/34.6

All dimensions are in centimeters/inches unless otherwise stated.



520

Cro-moly Touring

The 520's frame geometry, with a longer wheel base, makes for better stability and allows for carrying heavy loads. The rear carrier is standard, as is a very enjoyable ride.

Sizes: 17, 19, 21 & 23"

Frame/Fork: True Temper AT double butted
Cro-moly/Cro-moly

Drivetrain: Shimano Deore DX, HyperGlide
& SuperGlide w/Shimano 7 speed SIS bar
end shifters

Hubset: Shimano Deore DX 36 hole

Rims: Matrix Titan Tour, 700c

Tires: Matrix Cross Country K Kevlar® belted,
700 x 30c

Brakeset: Shimano Deore DX low profile
cantilevers w/SLR levers

Freewheel: Shimano HyperGlide, 12-28,
7 speed cassette

Shown in Black Forest green w/gold decals.

Kevlar is a registered trademark of DuPont DeNemours, Inc.



400

Cro-moly Sport

The 400 is an affordable fitness bicycle that features a sport geometry for quicker handling. For first-time road riders, this is where the fun begins.

Sizes: 18, 19, 21, 22.5, 24 & 25.5"

Frame/Fork: True Temper RC2 Cro-moly/Cro-moly

Drivetrain: SunTour Blaze, Accushift

Hubset: Sansin 32 hole

Rims: Matrix Titan II, 700c

Tires: Matrix Iso Tech 3, 700 x 25c

Brakeset: Dia Compe Blaze with BRS aero levers

Freewheel: SunTour AP II, 13-28, 7 speed

Shown in white with red decals.



Specifications for 92 Bikes, page 52

Component Specifications Chart

	MOUNTAIN BIKES										MULTI-TRACK						
	9500	9000	8900	8700	8000	7000	6000	990	970	950	930	850	830	820	800	800 KDZ	7900
SIZES	16.5, 18, 20, 22"	16.5, 18, 20, 22"	15, 16.5, 18, 20, 22"	15, 16.5, 18, 20, 22"	15, 16.5, 18, 20, 22"	15, 16.5, 18, 20, 22"	15, 16.5, 18, 20, 22"	15, 16.5, 18, 20, 22"	15, 16.5, 18, 20, 22"	15, 16.5, 18, 20, 22"	15, 16.5, 18, 20, 22"	14.5, 16.5, 18, 20, 22"	14.5, 16.5, 18, 20, 22"	14.5, 16.5, 18, 20, 22"	14.5, 16.5, 18, 20, 22"	12" w/ 20" wheel boys and girls	15, 16.5, 18, 20, 22"
MAIN TUBES	Easton 7075 series ProGram OD butted aluminum	Easton 7075 series ProGram OD butted aluminum	Trek carbon fiber/Spectra composite	Trek carbon fiber/Spectra composite	Easton 7000 series ProGram double butted aluminum	Easton 7000 series ProGram double butted aluminum	Alcoa 6061 T6 aluminum	True Temper double butted full OD Cro-moly	True Temper double butted full OD Cro-moly	True Temper double butted full OD Cro-moly	True Temper double butted full OD Cro-moly	True Temper double butted full OD Cro-moly	True Temper double butted full OD Cro-moly	Tange Cro-moly	Tange Cro-moly	Tange Cro-moly	Easton 7000 series ProGram double butted aluminum
STAYS	6061 T6 aluminum alloy swing arms	6061 T6 aluminum alloy swing arms	Tapered Trek/Easton aluminum	Tapered Trek/Easton aluminum	Tapered Trek/Easton aluminum	Tapered Trek/Easton aluminum	Tapered Trek/Easton aluminum	True Temper OD tapered Cro-moly	True Temper OD tapered Cro-moly	True Temper OD tapered Cro-moly	True Temper OD tapered Cro-moly	Trek ATB tapered OD Cro-moly	Trek ATB tapered 18mm	Trek special tapered 18mm	Trek special tapered 18mm	Trek special tapered	Trek/Easton tapered aluminum alloy
FORK	Trek D053™ adjustable suspension fork	Trek D053™ adjustable suspension fork	Tange Ultralight triple butted Cro-moly w/ cast tips and uni-crown	Tange Ultralight triple butted Cro-moly w/ cast tips and uni-crown	Tange Big Fork triple butted Cro-moly w/ cast tips and TiG welded uni-crown	Tange Big Fork triple butted Cro-moly w/ cast tips and TiG welded uni-crown	Trek "Cruise Control II" butted Cro-moly w/ cast tips and TiG welded uni-crown	Trek DS2™ suspension fork	Tange Big Fork triple butted Cro-moly w/ cast tips and TiG welded uni-crown	Tange Big Fork triple butted Cro-moly w/ cast tips and TiG welded uni-crown	Trek "Cruise Control II" butted Cro-moly w/ cast tips and TiG welded uni-crown	Trek "Cruise Control II" butted Cro-moly w/ cast tips and TiG welded uni-crown	Trek "Cruise Control II" butted Cro-moly w/ cast tips and TiG welded uni-crown	Cro-moly ATB uni-crown	Hi-tensile ATB uni-crown	Hi-tensile ATB uni-crown	Tange double butted Cro-moly w/ OS steer tube and TiG welded uni-crown
HEADSET	Tange Seiki Levin OS sealed alloy, black	Tange Seiki AP3 OS sealed alloy, black	Tange Seiki Levin OS sealed alloy, black	Tange Seiki OS AP3 sealed, black	Tange Seiki OS AP3 sealed, black	Tange Seiki OS AP3 sealed, black	Tange Seiki OS AP3 sealed, black	Tange Seiki OS AP3 sealed, black	Tange Seiki OS AP3 sealed, black	Tange Seiki OS AP3 sealed, black	Tange Seiki OS AP3 sealed, black	Toga Avenger sealed, black	Toga Avenger sealed, black	Steel black	Steel black	Steel black	Tange Seiki OS AP3 sealed, black
CRANKSET	Shimano XTR w/ 46/36/26 round alloy HyperDrive chainrings	Shimano Deore DX w/ 46/36/24 round alloy SuperGlide chainrings	Shimano XTR w/ 46/36/26 round alloy HyperDrive chainrings	Shimano Deore DX w/ 46/36/24 round alloy SuperGlide chainrings	Shimano Deore DX w/ 46/36/24 round alloy SuperGlide chainrings	Shimano Deore LX w/ 46/36/24 round alloy SuperGlide chainrings	SunTour XC-LTD w/ 46/36/24 black round alloy SuperGlide chainrings	Shimano Deore DX w/ 46/36/24 round alloy SuperGlide chainrings	Shimano Deore DX w/ 46/36/24 round alloy SuperGlide chainrings	Shimano Deore LX w/ 46/36/24 round alloy SuperGlide chainrings	Shimano Deore LX w/ 46/36/24 round alloy SuperGlide chainrings	Shimano M202 GS w/ 48/38/28 Bio-Pace black steel SuperGlide chainrings	Shimano M202 GS w/ 48/38/28 Bio-Pace black steel SuperGlide chainrings	Shimano M202 GS w/ 48/38/28 Bio-Pace black steel SuperGlide chainrings	Shimano M202 GS w/ 48/38/28 Bio-Pace black steel SuperGlide chainrings	Shimano M202 GS w/ 48/38/28 Bio-Pace black steel SuperGlide chainrings	Shimano Deore DX w/ 48/38/28 round alloy SuperGlide chainrings
F/R DERAILLEUR	(f) Shimano XTR (r) Shimano Deore DX, 7-speed indexing	(f) Shimano Deore DX (r) Shimano Deore DX, 7-speed indexing	(f) Shimano XTR top pull (r) Shimano Deore DX, 7-speed indexing	(f) Shimano Deore DX top pull (r) Shimano Deore DX, 7-speed indexing	(f) Shimano Deore DX top pull (r) Shimano Deore DX, 7-speed indexing	(f) Shimano Deore LX top pull (r) Shimano Deore LX, 7-speed indexing	(f) SunTour XC-LTD top pull (r) Shimano Deore DX, 7-speed indexing	(f) Shimano Deore DX top pull (r) Shimano Deore DX, 7-speed indexing	(f) Shimano Deore DX top pull (r) Shimano Deore DX, 7-speed indexing	(f) Shimano Deore LX top pull (r) Shimano Deore LX, 7-speed indexing	(f) Shimano Deore LX top pull (r) Shimano Deore LX, 7-speed indexing	(f) Shimano 400 LX top pull (r) Shimano 400 LX, 7-speed indexing	(f) Shimano 400 LX top pull (r) Shimano 400 LX, 7-speed indexing	(f) Shimano 400 LX top pull (r) Shimano 400 LX, 7-speed indexing	(f) Shimano 200 GS top pull (r) Shimano M-100, 7-speed indexing	(f) Shimano M-100, 7-speed indexing	(f) Shimano Deore DX top pull (r) Shimano Deore DX, 7-speed indexing
SHIFT LEVERS	Shimano XTR Rapid Fire plus, 8-speed SIS indexing	Shimano Deore XT Rapid Fire plus, 8-speed SIS indexing	Shimano XTR Rapid Fire plus, 8-speed SIS indexing	Shimano Deore XT Rapid Fire plus, 8-speed SIS indexing	Shimano Deore XT Rapid Fire plus, 8-speed SIS indexing	Shimano Deore LX Rapid Fire plus, 8-speed SIS indexing	Grip shift 7-speed indexing	Shimano Deore XT Rapid Fire plus, 8-speed SIS indexing	Shimano Deore XT Rapid Fire plus, 8-speed SIS indexing	Shimano Deore LX Rapid Fire plus, 8-speed SIS indexing	Shimano Deore LX Rapid Fire plus, 8-speed SIS indexing	Shimano MO-505 LX Rapid Fire, 7-speed SIS indexing	Shimano MO-505 LX Rapid Fire, 7-speed SIS indexing	Shimano MO-505 LX Rapid Fire, 7-speed SIS indexing	Shimano 200 GS Rapid Fire, 7-speed SIS indexing	Shimano 200 GS Rapid Fire, 7-speed SIS indexing	Shimano Deore DX Rapid Fire, 7-speed SIS indexing
BRAKESET	Shimano XTR low profile cantilevers w/ Servo Wave 2-finger levers	Shimano Deore DX low profile cantilevers w/ Servo Wave 2-finger levers	Shimano XTR low profile cantilevers w/ Servo Wave 2-finger levers	Shimano Deore DX low profile cantilevers w/ Servo Wave 2-finger levers	Shimano Deore DX low profile cantilevers w/ Servo Wave 2-finger levers	Shimano Deore LX low profile cantilevers w/ Servo Wave 2-finger levers	Dia Compe 986, low profile cantilevers w/ BRS levers	Shimano Deore DX low profile cantilevers w/ Servo Wave 2-finger levers	Shimano Deore DX low profile cantilevers w/ Servo Wave 2-finger levers	Shimano Deore LX low profile cantilevers w/ Servo Wave 2-finger levers	Shimano Deore LX low profile cantilevers w/ Servo Wave 2-finger levers	Shimano 400 LX low profile cantilevers w/ SLR levers	Shimano 400 LX low profile cantilevers w/ SLR levers	Shimano 400 LX low profile cantilevers w/ SLR levers	Shimano 200 GS low profile cantilevers w/ SLR levers	Shimano M-100 low profile cantilevers w/ SLR levers	Shimano Deore DX low profile cantilevers w/ SLR levers
FREE-WHEEL/CHAIN	(fw) Shimano HyperGlide 12-32 8-speed (c) Shimano XTR HG	(fw) Shimano HyperGlide 12-32 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-32 8-speed (c) Shimano XTR HG	(fw) Shimano HyperGlide 12-32 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-32 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-32 7-speed (c) Shimano HG	(fw) SunTour AP-II cassette 12-30 7-speed (c) SunTour AP-II	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-30 7-speed (c) Shimano HG
HUBSET	Shimano XTR 32 hole sealed w/ quick releases	Shimano Deore DX 32 hole sealed w/ quick releases	Shimano XTR 32 hole sealed w/ quick releases	Shimano Deore DX 32 hole sealed w/ quick releases	Shimano Deore DX 32 hole sealed w/ quick releases	Shimano Deore LX 32 hole sealed w/ quick releases	SunTour 32 hole sealed w/ quick releases	Shimano Deore DX 32 hole sealed w/ quick releases	Shimano Deore DX 32 hole sealed w/ quick releases	Shimano Deore LX 32 hole sealed w/ quick releases	Shimano Deore LX 32 hole sealed w/ quick releases	Shimano 400 LX 32 hole sealed w/ quick releases	Shimano 32 hole sealed w/ quick releases	Shimano 36 hole sealed w/ quick releases	Shimano 36 hole sealed w/ quick releases	Shimano 36 hole sealed w/ quick releases	Shimano Deore DX 32 hole sealed w/ quick releases
SPOKES	15 gauge stainless steel	15 gauge stainless steel	15 gauge stainless steel	15 gauge stainless steel	15 gauge stainless steel	14 gauge stainless steel	14 gauge stainless steel	15 gauge stainless steel	14 gauge stainless steel	14 gauge stainless steel	14 gauge stainless steel	14 gauge stainless steel	14 gauge stainless steel	14 gauge steel	14 gauge steel	14 gauge steel	15 gauge stainless steel
RIMS	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Matrix Single Track Pro 26"	Araya VP-20 26"	Araya VP-20 26"	Araya MP-22 26"	Araya MP-22 20" silver	Matrix Titan Tour 700C
TIRES	Matrix Z-Axis Comp Fire system 26 x 2.1 foldable	Matrix Z-Axis Comp Fire system 26 x 2.1 foldable	Matrix Z-Axis Comp Fire system 26 x 2.1 foldable	Matrix Z-Axis Comp Fire system 26 x 2.1 foldable	Matrix Z-Axis Comp Fire system 26 x 2.1 foldable	Matrix Z-Axis Comp Fire system 26 x 2.1 foldable	Matrix Clifhanger/Clifhanger fire system 26 x 2.0	Matrix Z-Axis Comp Fire system 26 x 2.1 foldable	Matrix Z-Axis Comp Fire system 26 x 2.1 foldable	Matrix Clifhanger/Clifhanger fire system 26 x 2.0	Matrix Clifhanger/Clifhanger fire system 26 x 2.0	Matrix Clifhanger/Clifhanger fire system 26 x 1.9	Matrix Clifhanger/Clifhanger fire system 26 x 1.9	Matrix Connection 26 x 1.9	Matrix Connection 26 x 1.9	Matrix Clifhanger 20 x 2.0	Matrix Clifhanger 700 x 40C
PEDALS	Shimano Deore XT, black w/ clips	SR "Low Fat" Comp alloy, black w/ clips	Shimano Deore XT, black w/ clips	SR "Low Fat" Comp alloy, black w/ clips	SR "Low Fat" Comp alloy, black w/ clips	SR "Low Fat" Comp alloy, black w/ clips	SR "Low Fat" Sport alloy, black w/ clips	SR "Low Fat" Comp alloy, black w/ clips	SR "Low Fat" Comp alloy, black w/ clips	SR "Low Fat" Comp alloy, black w/ clips	SR "Low Fat" Sport alloy, black w/ clips	SR "Low Fat" Sport alloy, black w/ clips	SR "Low Fat" Sport alloy, black w/ clips	HTI Nylon ATB black w/ clips	HTI Nylon ATB black w/ clips	Nylon ATB black	SR "Low Fat" Comp alloy, black w/ clips
HANDLE-BARS	Easton/Matrix HyperLite alloy, black	True Temper 6061 T6 alloy, black	Easton/Matrix HyperLite alloy, black	True Temper 6061 T6 alloy, black	True Temper 6061 T6 alloy, black	True Temper Comp Cro-moly black	True Temper Comp Cro-moly black	True Temper 6061 T6 alloy, black	True Temper 6061 T6 alloy, black	True Temper 6061 T6 alloy, black	True Temper Comp Cro-moly black	True Temper Comp Cro-moly black	HL Comp flat black 560 mm	HL Comp flat black 560 mm	HL Comp flat black 560 mm	Black steel w/ low rise 600 mm	True Temper 6061 T6 alloy, black
STEM	Answer A-TAC alloy black	H.L. "The Zoom" Cro-moly TiG welded black	Answer A-TAC alloy black	H.L. "The Zoom" Cro-moly TiG welded black	Matrix Comp OS TiG welded Cro-moly black	Matrix OS TiG welded Cro-moly black	Matrix OS TiG welded Cro-moly black	H.L. "The Zoom" TiG welded Cro-moly black	Matrix TiG welded OS Cro-moly black	Matrix TiG welded OS Cro-moly black	Matrix TiG welded OS Cro-moly black	Matrix TiG welded OS Cro-moly black	Matrix TiG welded OS Cro-moly black	TiG welded black w/ rise	TiG welded black w/ rise	TiG welded black w/ rise	Matrix TiG welded OS Cro-moly
SEAT POST	Shimano XTR PM-401 alloy, black micro-adjust	Post Modern PM-401 alloy, black micro-adjust	Shimano XTR PM-401 alloy, black micro-adjust	Post Modern PM-401 alloy, black micro-adjust	Post Modern PM-401 alloy, black micro-adjust	Post Modern PM-401 alloy, black micro-adjust	SR TCO sport alloy, black micro-adjust	Post Modern PM-401 alloy, black micro-adjust	Post Modern PM-401 alloy, black micro-adjust	Post Modern PM-401 alloy, black micro-adjust	SR TCO sport alloy, black micro-adjust	Black alloy 300 mm micro-adjust	Black alloy 300 mm micro-adjust	Steel pin black 300 mm	Steel pin black 300 mm	Steel pin black chrome plated	Post Modern PM-401 alloy, black micro-adjust
SADDLE	Selle Italia File Leather	Vetta Turbo Leather	Selle Italia File Leather	Vetta Turbo Leather	Vetta Turbo Leather	Vetta Mens Gel Leather	Trek EnerGel Lycra	Vetta Turbo Leather	Vetta Turbo Leather	Trek EnerGel Lycra	Trek EnerGel Lycra	Trek EnerGel Lycra	Trek EnerGel Lycra	Trek EnerGel Lycra	Trek Air Flex Lycra	Trek Air Flex Lycra	Vetta Mens Gel Leather
SPECIAL ADD-ONS	Bottle mounts, Onza bar ends, Trek design rear shock w/ dual elastomer	Bottle mounts, Onza bar ends, Trek design rear shock w/ dual elastomer	Dual bottle mounts, Triple Tech top tube cable routing, chain hanger, Onza bar ends, rear rack/mounts	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger	Dual bottle mounts, rear rack/mounts, chain hanger	Dual bottle mounts, rear rack/mounts, chain hanger	Water bottle mount	Dual bottle mounts, Triple Tech top tube cable routing, rear rack/mounts, chain hanger

Trek bicycles are equipped with components available from sources worldwide. Specifications are subject to change without notice.


Specifications for 92 Bikes, page 53

	790	750	730	720	700	ROAD BIKES				1420	1400	1200	1100	1000	520	400	TANDEM	
						5500	5200	2300	2100								T200	T100
SIZES	17, 19, 21, 23"	17, 19, 21, 23"	15, 17, 19, 21, 23" mens, 17" ladies	15, 17, 19, 21, 23" mens, 17" ladies	15, 17, 19, 21, 23" mens, 17" ladies	50, 52, 54, 56, 58, 60, 62 cm	50, 52, 54, 56, 58, 60, 62 cm	47, 50, 52, 54, 56, 58, 60, 62 cm	47, 50, 52, 54, 56, 58, 60, 62 cm	47, 50, 52, 54, 56, 58, 60, 62 cm	47, 50, 52, 54, 56, 58, 60, 62 cm	47, 50, 52, 54, 56, 58, 60, 62 cm	47, 50, 52, 54, 56, 58, 60, 62 cm	47, 50, 52, 54, 56, 58, 60, 62 cm	17, 19, 21, 23"	18, 19, 21, 22.5, 24, 25"	54 x 50, 58 x 53, 62 x 56 cm	20 x 19, 22 x 20.5, 23 x 21.5"
MAIN TUBES	True Temper double butted Cro-moly	True Temper double butted Cro-moly	Tange Cro-moly	Tange Cro-moly	Tange Cro-moly	Trek carbon fiber composite optimal dimension size-specific stiffness	Trek carbon fiber composite optimal dimension size-specific stiffness	True Temper carbon fiber composite	True Temper carbon fiber composite	Easton 7000 series ProGram double butted aluminum	Easton 7000 series ProGram double butted aluminum	Easton ProGram double butted aluminum	Easton ProGram double butted aluminum	Alcoa 6061 T6 aluminum alloy	True Temper AT butted Cro-moly	True Temper RC2 Cro-moly	Trek designed True Temper tandem Cro-moly	Trek designed True Temper tandem Cro-moly
STAYS	True Temper tapered Cro-moly	True Temper tapered Cro-moly	Trek special tapered ATB 18mm	Trek special tapered ATB 18mm	Trek special tapered ATB 18mm	Trek carbon fiber composite	Trek carbon fiber composite	Trek tapered aluminum alloy	Trek tapered aluminum alloy	Trek tapered aluminum alloy	Trek tapered aluminum alloy	Trek tapered aluminum alloy	Trek tapered aluminum alloy	Trek tapered aluminum alloy	True Temper tapered Cro-moly	True Temper tapered Cro-moly	True Temper tandem Cro-moly	True Temper tandem Cro-moly
FORK	Tange double butted Cro-moly w/ TIG welded uni-crown	Tange double butted Cro-moly w/ TIG welded uni-crown	Trek Cro-moly Multi-Track uni-crown	Trek Cro-moly Multi-Track uni-crown	Trek Hi-Tensile Multi-Track uni-crown	Trek bonded w/ carbon fiber blades and stainless steel fork ends	Trek bonded w/ carbon fiber blades and stainless steel fork ends	Trek bonded aluminum w/ stainless steel fork ends	Trek bonded aluminum w/ stainless steel fork ends	Trek bonded aluminum w/ stainless steel fork ends	Trek bonded aluminum w/ stainless steel fork ends	Tange Cro-moly w/ TIG welded aero uni-crown	Tange Cro-moly w/ TIG welded aero uni-crown	Tange Cro-moly w/ TIG welded aero uni-crown	Tange Cro-moly w/ TIG welded aero uni-crown	Cro-moly w/ sloping crown	Tange Durango double butted Cro-moly w/ cast fork ends	Tange Durango double butted Cro-moly w/ cast fork ends
HEADSET	Tange Seiki sealed, black	Tange Seiki sealed, black	YST steel black	YST steel black	YST steel black	Shimano Dura Ace sealed	Tange Seiki Levin sealed, silver	Tange Seiki Levin sealed, silver	Tange Seiki sealed, satin silver	Tange Seiki sealed, satin silver	Tange Seiki sealed, satin silver	Tange Seiki sealed, satin silver	Tange Seiki sealed, satin silver	Tange Seiki sealed, satin silver	Tange Seiki sealed, black silver	Tange Seiki sealed, satin silver	Tange Seiki 1 1/4" OS	Tange Seiki 1 1/4" OS
CRANKSET	Shimano 600 CX w/ 50/40/30 round alloy SuperGlide chainrings	SunTour XCE w/ 50/40/28 round alloy PowerRing chainrings	Shimano 300 LX w/ 50/40/30 round steel black SuperGlide chainrings	Shimano 200 CX w/ 48/38/28 black SuperGlide chainrings	Shimano 100 GS w/ 48/38/28 black SuperGlide chainrings	Shimano Dura Ace w/ 53/39 round alloy SuperGlide chainrings w/ sealed bottom bracket	Shimano Ultegra w/ 53/39 round alloy SuperGlide chainrings w/ sealed bottom bracket	Shimano Ultegra w/ 53/39 round alloy SuperGlide chainrings w/ sealed bottom bracket	Shimano 105 SC w/ 53/39 round alloy SuperGlide chainrings w/ sealed bottom bracket	Shimano Deore DX w/ 50/40/30 round alloy SuperGlide chainrings w/ sealed bottom bracket	Shimano 105 SC w/ 53/39 round alloy SuperGlide chainrings w/ sealed bottom bracket	Shimano RX 100 w/ 53/42 round alloy SuperGlide chainrings w/ sealed bottom bracket	Shimano RX 100 w/ 52/42/32 round alloy SuperGlide chainrings w/ sealed bottom bracket	Shimano 500 EX w/ 50/42/30 round alloy SuperGlide chainrings w/ sealed bottom bracket	Shimano Deore DX w/ 50/40/30 round alloy SuperGlide chainrings w/ sealed bottom bracket	SunTour Blaze w/ 52/42/30 round steel PowerRing chainrings w/ sealed bottom bracket	Shimano Deore DX w/ 54/42/32 round alloy chainrings	Shimano Deore DX w/ 50/40/30 round alloy SuperGlide chainrings
F/R DERAILLEUR	(f) Shimano 600 CX (r) Shimano 600 CX, 7-speed indexing	(f) SunTour XCE (r) SunTour XCE, 7-speed indexing	(f) Shimano 300 LX (r) Shimano 300 LX, 7-speed indexing	(f) Shimano 200 CX (r) Shimano 200 CX, 7-speed indexing	(f) Shimano 100 GS (r) Shimano 100 GS, 7-speed indexing	(f) Shimano Dura Ace (r) Shimano Dura Ace, 8-speed indexing	(f) Shimano Ultegra (r) Shimano Ultegra, 8-speed indexing	(f) Shimano Ultegra (r) Shimano Ultegra, 8-speed indexing	(f) Shimano 105 SC (r) Shimano 105 SC, 7-speed indexing	(f) Shimano Deore DX (r) Shimano Deore DX, 7-speed indexing	(f) Shimano 105 SC (r) Shimano 105 SC, 7-speed indexing	(f) Shimano RX-100 (r) Shimano RX-100, 7-speed indexing	(f) Shimano RX-100 (r) Shimano RX-100, 7-speed indexing	(f) Shimano 500 EX (r) Shimano 400 EX, 7-speed indexing	(f) Shimano Deore DX (r) Shimano Deore DX, 7-speed indexing	(f) SunTour Blaze (r) SunTour Blaze, 7-speed indexing	(f) Shimano Deore XT (r) Shimano Deore DX, 7-speed indexing	(f) Shimano Deore DX (r) Shimano Deore DX, 7-speed indexing
SHIFT LEVERS	Grip Shift 7-speed indexing	Grip Shift 7-speed indexing	Grip Shift 7-speed indexing	Grip Shift 7-speed indexing	Grip Shift 7-speed indexing	Shimano Dura Ace STI, indexing 8-speed	Shimano Ultegra STI, indexing 8-speed	Shimano Ultegra STI, indexing 8-speed	Shimano 105 SC 7-speed SIS indexing	Shimano 105 SC, 7-speed SIS indexing	Shimano 105 SC, 7-speed SIS indexing	Shimano RX-100, 7-speed SIS indexing	Shimano RX-100, 7-speed SIS indexing	Shimano 400 EX, 7-speed SIS indexing	Shimano Bar Ends 7-speed SIS indexing	SunTour Blaze, 7-speed new Accushift II indexing	Shimano Bar Ends 7-speed SIS indexing	Shimano Deore XT Rapid Fire, 7-speed SIS indexing
BRAKESET	Shimano 500 CX low profile cantilevers w/ SLR levers	Dia Compe XCE low profile cantilevers w/ BRS levers	Shimano 300 LX low profile cantilevers w/ SLR levers	Shimano 200 CX low profile cantilevers w/ SLR levers	Shimano 100 GS low profile cantilevers w/ SLR levers	Shimano Dura Ace super SLR w/ STI levers	Shimano Ultegra super SLR w/ STI levers	Shimano Ultegra super SLR w/ STI levers	Shimano 105 SC super SLR w/ aero levers	Shimano 105 SC super SLR w/ aero levers	Shimano 105 SC super SLR w/ aero levers	Shimano 105 SC super SLR w/ aero levers	Shimano 500 EX super SLR w/ aero levers	Shimano 400 EX SLR w/ aero levers	Shimano Deore DX low profile cantilevers w/ SLR levers	Dia Compe w/ BRS levers	Shimano Deore XT low profile cantilevers w/ SLR aero levers	Shimano Deore DX low profile cantilevers w/ Servo Wave levers
FREE-WHEEL/CHAIN	(fw) Shimano HyperGlide 12-28 7-speed (c) Shimano HG	(fw) SunTour Accushift II 12-30 cassette 7-speed (c) SunTour AP-II	(fw) Shimano HyperGlide 12-28 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-28 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-28 7-speed (c) Shimano HG	(fw) Shimano Dura Ace HyperGlide 12-21 8-speed (c) Shimano HG	(fw) Shimano Ultegra HyperGlide 12-21 8-speed (c) Shimano HG	(fw) Shimano Ultegra HyperGlide 12-21 8-speed (c) Shimano HG	(fw) Shimano HG-70 HyperGlide 13-23 7-speed (c) Shimano HG	(fw) Shimano HG-70 HyperGlide 13-23 7-speed (c) Shimano HG	(fw) Shimano HG-70 HyperGlide 13-23 7-speed (c) Shimano HG	(fw) Shimano HG-70 HyperGlide 13-23 7-speed (c) Shimano HG	(fw) Shimano HG-50 HyperGlide 12-28 7-speed (c) Shimano HG	(fw) Shimano HG-50 HyperGlide 12-28 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 12-28 7-speed (c) Shimano HG	(fw) SunTour AP-A 13-28 (c) SunTour AP-II	(fw) Shimano HyperGlide 12-28 7-speed (c) Shimano HG	(fw) Shimano HyperGlide 13-34 7-speed (c) Shimano HG

1992 Mountain and Multi-Track Bike Geometry

Model	Frame Size	A	B	C	D	E	F	G	H	Trail	Stand-over
990	15.0	70.5°	74.0°	35.1/13.8	51.5/20.3	43.0/16.9	29.3/11.5	4.5/1.8	102.8/40.5	7.0/2.8	71.0/27.9
970	16.5	70.5°	73.5°	39.0/15.4	53.9/21.2	43.0/16.9	29.5/11.6	4.5/1.8	104.8/41.2	7.0/2.8	73.0/28.7
950	18.0	71.0°	73.0°	42.9/16.9	56.5/22.2	43.0/16.9	29.8/11.7	4.5/1.8	106.1/41.8	6.7/2.6	75.1/29.6
930	20.0	71.0°	73.0°	48.1/18.9	57.5/22.6	43.0/16.9	29.8/11.7	4.5/1.8	106.2/41.8	6.7/2.6	78.1/30.8
	22.0	71.0°	72.5°	53.2/20.9	58.5/23.0	43.0/16.9	30.0/11.8	4.5/1.8	106.5/41.9	6.7/2.6	82.3/32.4
850	14.5	69.5°	73.0°	35.0/13.8	51.5/20.3	43.0/16.9	29.1/11.5	4.5/1.8	102.9/40.5	7.7/3.0	69.8/27.5
830	16.0	69.5°	72.5°	39.1/15.4	53.5/21.1	43.0/16.9	29.5/11.6	4.5/1.8	104.2/41.0	7.7/3.0	72.0/28.4
	18.0	70.0°	72.0°	44.2/17.4	56.0/22.1	43.0/16.9	29.8/11.7	4.5/1.8	104.9/41.3	7.3/2.9	74.3/29.3
	20.0	70.0°	72.0°	49.3/19.4	57.5/22.6	43.0/16.9	29.8/11.7	4.5/1.8	105.9/41.7	7.3/2.9	78.2/30.8
	22.0	70.5°	72.0°	54.3/21.4	58.5/23.0	43.0/16.9	29.8/11.7	4.5/1.8	106.6/42.0	7.0/2.8	83.0/32.7
	24.0	70.5°	72.0°	56.8/22.4	60.0/23.6	43.0/16.9	29.8/11.7	4.5/1.8	108.0/42.5	7.0/2.8	85.1/33.5
820	14.5	69.5°	73.0°	35.0/13.8	51.5/20.3	43.6/17.2	28.9/11.4	4.5/1.8	103.5/40.8	7.7/3.0	69.8/27.5
800	16.0	69.5°	72.5°	39.1/15.4	53.5/21.1	43.6/17.2	29.3/11.5	4.5/1.8	104.8/41.3	7.7/3.0	72.0/28.4
	18.0	70.0°	72.0°	44.2/17.4	56.0/22.1	43.6/17.2	29.6/11.7	4.5/1.8	105.5/41.6	7.3/2.9	74.3/29.3
	20.0	70.0°	72.0°	49.3/19.4	57.0/22.4	43.6/17.2	29.6/11.7	4.5/1.8	106.0/41.7	7.3/2.9	78.2/30.8
	22.0	70.5°	72.0°	54.3/21.4	58.0/22.8	43.6/17.2	29.6/11.7	4.5/1.8	106.8/42.0	7.0/2.8	83.0/32.7
	24.0	70.5°	72.0°	56.8/22.4	59.5/23.4	43.6/17.2	29.6/11.7	4.5/1.8	108.1/42.6	7.0/2.8	85.1/33.5
820L	17L	69.5°	72.5°	N/A	53.3/21.0	43.6/17.2	28.1/11.1	4.5/1.8	103.3/40.7	7.7/3.0	N/A
800L	19L	70.0°	72.0°	N/A	54.3/21.4	43.6/17.2	29.6/11.7	4.5/1.8	104.4/41.1	7.3/2.9	N/A
830*	14	70.0°	73.5°	34.0/13.4	49.2/19.4	42.0/16.5	28.5/11.2	4.5/1.8	100.2/39.5	6.1/2.4	67.5/26.6
820*	14L	70.0°	73.5°	N/A	48.5/19.1	42.0/16.5	28.5/11.2	4.5/1.8	99.5/39.2	6.1/2.4	N/A
800*	*830, 820 and 800 models are available in 14" frames with 24" wheels.										

All dimensions are in centimeters/inches unless otherwise stated.



1992 Trek Bike Colors

Model	Colors
9500 Dual Suspension	Black w lunar (violet)swing arm and decals
9000 Composite Mountain	White with black swing arm and decals
8900 Composite Mountain	Sour grape w purple tinted clear coat and white decals
8700 Composite Mountain	Flat black w flat clear coat and green decals
8000 Aluminum Mountain	Lunar w white decals
7000 Aluminum Mountain	Royal red w white decals also blue wing teal w white decals
6000 Aluminum Mountain	White with black decals
990 Single Track Cro-moly	Trek red w black decals
970 Single Track Cro-moly	Sour Grape w white decals
950 Single Track Cro-moly	Black forest green w gold decals also black with white decals
930 Single Track Cro-moly	Electric blue w black splash and white decals also red w purple decals
850 Performance Cro-moly	Sour grape w white decals
830 Trail Performance	Flat black also white w purple decals
820 Sport Trail	Black w white decals also white w black splash and bright blue decals also electric blue w black splash and black decals
800KDZ	Black w red decals also in princess pink w black decals
800 Sport Trail	Black forest green w white decals also white w black splash and red decals
7900 Multi-Track Aluminum	Champagne w purple clear coat and black decals
790E (European Model)	Sapphire w white decals
790 Multi-Track	Sapphire w white decals
750 Multi-Track	White with red decals
730 Multi-Track	Red with white decals
720 Multi-Track, 720E	Glacial blue with black decals also black w red decals
700 Multi-Track	Pearl white w teal decals also Sour graph w red decals
5500 Composite Competition	Black w white decals
5200 Composite Competition	Lunar w white decals
2300 Composite (Road)	Lunar w natural main tubes and lunar decals
2100 Composite (Road)	Flat black w flat clear main tubes and yellow decals
1420 Aluminum (Road)	Sour grape w white decals
1400 Aluminum (Road)	Trek red w white decals
1200 Aluminum (Road)	Black w green decals
1100 Aluminum (Road)	Champagne w purple clear coat and black decals
1000 Aluminum (Road)	Electric blue w black splash and white decals
T200 Fast Track	Royal red w white decals
T100 Double Cross	Black w red decals
520 Chro-moly (Road)	Black forest green w gold decals
400 Chro-moly (Road)	White with red decals