


1997

Retail
Technical
Manual



Y bikes

General Info	.2
Specs	.3-8

OCLV and Aluminum Mountain

General Info	.10
OCLV Specs	.11-12
Aluminum Specs	.13-20

Steel Mountain

General Info	.22
Specs	.23-32

Hybrids

General Info	.34
Specs	.38-42

Road and Tandem

General Info	.43-44
Road Specs	.45-56
Tandem Specs	.57-58

Cruisers, Kids, and BMX

General Info	.60
Cruiser Specs	.61-62
Kids Specs	.63-69
BMX Specs	.70-80

A Note About the Specs...

At the time of printing, these specs were as accurate as possible. But like it says in the catalog:

"Trek bicycles are equipped with components from sources worldwide. Specifications are subject to change without notice".

So if we changed a bike's headset for some reason, the steerer length listed may be incorrect. The information in these pages is not intended to replace good mechanical skills and practices, just to help good mechanics do their job.

A Note About the Format...

Prior to each section of bicycles, we've listed some of the important things to remember in assembly and maintenance of these bikes. We've also tried to list some of the small parts not listed in the bicycle specifications pages.

Along with these specs and the bicycle pages, we've listed many Trek part numbers. These refer to an equivalent replacement part which may or may not be identical to original spec. If you want to make sure you're getting identical parts either refer to your TCG catalog or ask your Trek Inside Rep.

Any part number listed here with a slash '/' means that we're really showing you two part numbers. If 2 digits follow the slash, change the last 2 digits of the part number for the second part. For example, a pair of XTR shift/brake levers is listed as 61927/8, referring to both the left and right levers, having part numbers 61927 and 61928. If you only need one of these, identify the correct side before ordering. Part numbers with a dash '-' refer to a range of parts.

Items which do not have a part number listed were not carried by TCG at the time of printing. However, parts may be added to TCG stock at a later date. Always check with Customer Service regarding the status on parts you need.

Assembly Details

Inflate Air Shocks

To provide the best service to you, we design all our bike boxes (except tandems) to be shippable via UPS. Large size Y bikes will not fit into a UPS sized box without deflating the rear shock. Before assembly, inflate rear shocks to an air pressure appropriate for the intended user.

Seatposts

Aluminum Y bikes require greasing of the seatposts. However, with OCLV Y bikes, like their Mountain and Road counterparts, DO NOT grease the seatpost. A fiberglass sleeve bonded into the 'seat tube' prevents corrosion, and any grease may cause the seatpost to slip, even with correct seatpost binder torque.

Y bikes are designed to accept 27.2 mm seat posts with a tolerance of 27.10 to 27.20 mm outer diameter. Measure the seatpost for conformity to this tolerance prior to installation.

A minimum length of seatpost must be inserted in the frame. The seatpost may be raised to this point without damaging the frame. For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Special Torque Specs

Shock mounting bolts	LokTite 242	160-190 lb•in	18.1-21.5 NM
Pivot bolt (fixed side)	LokTite 290	95-115 lb•in	10.7-13.0 NM
Pivot bolt (removable side)	LokTite 242	95-115 lb•in	10.7-13.0 NM
Stratos adjusting cable clamp		6 lb•in	1 NM
Damping adjuster cable stop screw	LokTite 242	6 lb•in	1 NM
Derailler hanger screws	LokTite 242	20-30 lb•in	2.3-3.4 NM

Special Parts

		TCG Part #
Pivot axle assembly	Pivot axle, 2 bolts, 2 washers	64304
Pivot bearing set	Main cylinder bearing, 2 swingarm tophats	64305
Shock mount bolt set	Front bolt, rear bolt, 2 nuts, 2 washers, 2 star washers	64303
Rear shock mount cable guide		T950135
Remote damping adjuster, Suntour XC		T972926
Damping adjuster cable stop		T960187
Damping adj. stop screw		T960173
Seatpost bottle mount	2 clamps, 2 clamp bolts, 2 cage attachment screws	T950283
Shock pump		T950272
Derailler hanger kit	Derailler hanger, 2 screws	T960156

Top Swing Front Derailleurs

When Shimano instituted the Top Swing front derailleur with its lowered band clamp, we had to redesign our Y bike rear triangle to accommodate it. Due to space constraints, the redesigned rear triangle will not work with older, high band clamp front derailleurs.

Removing Headset Cups

When removing an headset in an OCLV frame, make sure the headset removal tool is engaging the headset cup. OCLV framesets do not utilize a continuous headtube, but instead use two short inserts to support the headset cups. If the headset tool is outside the insert, rather than inside the insert and pressing on the cup, frame damage can result.

Bottom Bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads, especially when inserting into an aluminum bottom bracket shell or aluminum bonded insert (like on our OCLV bikes).

Replacing Pivot Bearings

Pivot bearings are held in place by the pivot assembly, but also with LokTite 290. To remove the bearings, after removing the axle drive them out with an appropriate punch (the right sized socket works great). Clean and prep the surfaces of the frame and new bearings with LokTite primer, being careful not to expose the bearing material or painted surfaces to the primer. LokTite Primer will damage the paint or remove lubrication in the bearing. Apply the LokTite, wipe off any excess after installing the bearings, and assemble the pivot. Allow to cure for 24 hours before riding.

Main tubes	Part No. ↓	Trek design OCLV carbon	24 34 46
Stays		6061 T6 aluminum, TIG welded unified rear triangle	12 52 74 101
Fork		Manitou FS Ti 76mm travel	14 45 64 86
Rear shock		Stratos Strata Pro, 6.75" eye to eye, 1.75" travel, 5/8"F & 7/8"R ends	16 39 56 75
Headset		Cane Creek Aheadset 25.4/34.0/30.0, 27.8 mm stack	18 35 50 67
Handlebars		Ibis Titanium 25.4mm clamp diameter	21 30 42 57
Stem		Ibis Titanium direct connect 40.5 mm steerer clamp height	24 26 37 50
Bar ends	960267	System OCLV	28 22 32 43
Grips	62207	Trek logo	32 20 28 38
Shifters	61927/8	Shimano XTR RapidFire SL	
Front derailleur	61461	Shimano XTR Top Swing Top pull, 34.9mm/138"	
Rear derailleur	61506	Shimano XTR	
Brakes	61104/5	Shimano XTR V brakes	
Brake levers		(Combination shift/brake)	
Crankset		Shimano XTR 46/34/24 Splined/112/68 mm bolt hole circle	24.2 lb.
Bottom bracket	61049	Shimano XTR 73 x 116	10.99 kg.
Pedals	60215	Shimano SPD M747 clipless 9/16" axle	
Cassette	61224	Shimano XTR 12-32 8spd	
Chain	61254	Shimano IG90 106L length	
Front wheel			
Front hub		Shimano XTR	
Front tire		Continental Navigator Pro, Kevlar bead, 26 x 1.9	
Rear wheel			
Rear hub	58866	Shimano XTR HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Continental Traction Pro, Kevlar bead, 26 x 2.0	
Tubes	39416	Ultra light Presta valve	
Rims	951948	Matrix Swami 546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	T960357	Bontrager, Ti rails, leather cover	
Seatpost		Bontrager Race Lite 27.2 mm diameter	
Seat binder	T973565	System OCLV w/integral bolt, 35.5 (painted) clamp diameter	
Additional		2 water bottle mounts, remote damping adjuster, shock pump	
Colors		Light Blue/ Cream/ Red/ Red fork • Red decal	
Frame sizes		S M L	
Handlebar width		565 565 565	
Stem length	Part No. ▶	105 120 135	
Crank length	Part No. ▶	170 175 180	
Seatpost length	Part No. ▶	61313 61315 61317	
Steerer, mm	Part No. ▶	300 350 350	
Head angle	Part No. ▶	57809 57810 57810	
Seat angle		190 203 240	
Standover		71.0 71.0 71.0	
Seat tube		73.0 73.0 73.0	
Head tube		711 737 762	
Eff top tube		445 495 545	
Reach		110 123 159	
Chainstays		566 597 615	
BB height		662 707 738	
Offset		430 430 430	
Trail		315 315 315	
Wheelbase		38 38 38	
Standover		75 75 75	
Seat tube		1046 1072 1095	
Head tube			
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			
Standover			
Seat tube			
Head tube			
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			

Main tubes	Part No.	Trek design OCLV carbon	22 32 42
Stays		6061 T6 aluminum, TIG welded unified rear triangle	11 52 76 100
Fork		Rock Shox Judy SL 80mm travel	13 44 65 85
Rear shock		Stratos Strata Pro, 6.75" eye to eye, 1.75" travel, 5/8"F & 7/8"R ends	15 38 56 73
Headset		Tange Seiki DL-2 Aheadset 25.4/34.0/30.0, 25.8 mm stack	17 34 49 65
Handlebars		Bontrager Race Lite 25.4mm clamp diameter	20 29 42 55
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height	23 25 36 48
Bar ends	960267	System OCLV	26 22 32 42
Grips	62207	Trek logo	30 19 28 37
Shifters	6192415	Shimano Deore XT RapidFire SL	
Front derailleur	61447	Shimano Deore XT Top Swing, Top pull, 34.9 mm/ 1 3/8"	
Rear derailleur	61503	Shimano Deore XT SGS	
Brakes	6110213	Shimano Deore XT V-brakes	
Brake levers		(Combination shift/brake)	
Crankset		Shimano Deore XT 4 arm 42/32/22, Splined/104/64 mm bolt hole circle	24.5 lb.
Bottom bracket	61038	Shimano BB-UN72 73 x 113	11.12 kg.
Pedals	60215	Shimano SPD M747 clipless 9/16" axle	
Cassette	61222	Shimano XT 11-30 8 spd	
Chain	61254	Shimano IG90 106L length	
Front wheel	973505		
Front hub	973548	System 3, suspension axle	
Front tire		Continental Navigator Pro, Kevlar bead, 26 x 1.9	
Rear wheel	973504		
Rear hub	61748	Shimano Deore XT HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Continental Traction Pro, Kevlar bead, 26 x 2.0	
Tubes	39416	Ultra light Presta valve	
Rims	961542	Matrix Swami, Ti anodized 546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	58211	SSM Techno Dynamic, Trek logo, leather cover	
Seatpost		Bontrager Race Lite 27.2 mm diameter	
Seat binder	T961839	System OCLV w/integral bolt, 35.1 (nude) clamp diameter	
Additional		2 water bottle mounts, remote damping adjuster, shock pump	
Colors		Nude/ Polished swingarm/ Yellow fork • Yellow decal	
Frame sizes		S M L	
Handlebar width		560 560 560	
Stem length	Part No.➤	57748 57748 57748	
Crank length	Part No.➤	105 120 135	
Seatpost length	Part No.➤	57711 57712 57713	
Steerer, mm	Part No.➤	170 175 175	
Head angle	Part No.➤	61299 61301 61301	
Seat angle	Part No.➤	300 350 350	
Standover	Part No.➤	57809 57810 57810	
Seat tube		193 206 242	
Head tube		71.0 71.0 71.0	
Eff top tube		73.0 73.0 73.0	
Reach		711 737 762	
Chainstays		445 495 545	
BB height		110 123 159	
Offset		566 597 615	
Trail		660 705 736	
Wheelbase		430 430 430	
Standover		315 315 315	
Seat tube		38 38 38	
Head tube		75 75 75	
Eff top tube		1046 1072 1095	
Reach		28.0 29.0 30.0	
Chainstays		17.5 19.5 21.5	
BB height		4.3 4.8 6.3	
Offset		22.3 23.5 24.2	
Trail		26.0 27.8 29.0	
Wheelbase		16.9 16.9 16.9	
		12.4 12.4 12.4	
		1.5 1.5 1.5	
		3.0 3.0 3.0	
		41.2 42.2 43.1	

Main tubes	Part No.	Trek design OCLV carbon	22 32 42
Stays		6061 T6 aluminum, TIG welded unified rear triangle	11 52 76 100
Fork		Rock Shox Judy XC 80mm travel	13 44 65 85
Rear shock		Fox Alps 5 air/oil, 6.75" eye to eye, 1.6" travel, 5/8"F & 7/8"R ends	15 38 56 73
Headset	63340	Tange Seiki DX-2 Aheadset 25.4/34.0/30.0, 26.9 mm stack	17 34 49 65
Handlebars		Bontrager Race 25.4mm clamp diameter	20 29 42 55
Stem	57780	Bontrager forged alloy direct connect, 44.5mm steerer clamp height	23 25 36 48
Bar ends		Bontrager Race	26 22 32 42
Grips		GripShift ESP 900	30 19 28 37
Shifters	63019121	GripShift ESP 900	
Front derailleur	61431	Shimano Deore LX Top Swing, Top pull, 34.9mm/138"	
Rear derailleur	63002	GripShift ESP 9.0	
Brakes	6110011	Shimano M600 V-brakes	
Brake levers	61097	Shimano M600 V-brake	
Crankset		Shimano Deore LX 4 arm 42/32/22, Splined/104/64 mm bolt hole circle	25.4 lb.
Bottom bracket	61023	Shimano BB-UN51 73 x 113	11.53 kg.
Pedals	60216	Shimano SPD M535 clipless 9/16" axle	
Cassette	61205	Shimano HG70 11-30 8spd	
Chain	61253	Shimano IG70 106L length	
Front wheel	973505		
Front hub	973548	System 3, suspension axle	
Front tire		Panaracer Duster II front, Kevlar bead, 26 x 2.1	
Rear wheel	973504		
Rear hub	61748	Shimano Deore XT HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Panaracer Duster II rear, Kevlar bead, 26 x 2.1	
Tubes	39416	Ultra light Presta valve	
Rims	961542	Matrix Swami, Ti anodized 546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	T962155	SSM Techno Dynamic, CroMoly rails, leather cover	
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter	
Seat binder	T973565	System OCLV w/integral bolt 35.5 (painted) clamp diameter	
Additional		2 water bottle mounts, shock pump	
Colors		Gloss Cream/Polished swingarm/ Cream fork • Black decal	
Frame sizes		S M L	
Handlebar width		560 560 560	
Stem length	Part No.➤	57736 57736 57736	
Crank length	Part No.➤	105 120 135	
Seatpost length	Part No.➤	57711 57712 57713	
Steerer, mm	Part No.➤	170 175 175	
Head angle	Part No.➤	61289 61290 61290	
Seat angle	Part No.➤	300 350 350	
Standover		57121 57121 57121	
Seat tube		193 206 242	
Head tube		71.0 71.0 71.0	
Eff top tube		73.0 73.0 73.0	
Reach		711 737 762	
Chainstays		445 495 545	
BB height		110 123 159	
Offset		566 597 615	
Trail		660 705 736	
Wheelbase		430 430 430	
Standover		315 315 315	
Seat tube		38 38 38	
Head tube		75 75 75	
Eff top tube		1046 1072 1095	
Reach		28.0 29.0 30.0	
Chainstays		17.5 19.5 21.5	
BB height		4.3 4.8 6.3	
Offset		22.3 23.5 24.2	
Trail		26.0 27.8 29.0	
Wheelbase		16.9 16.9 16.9	
		12.4 12.4 12.4	
		1.5 1.5 1.5	
		3.0 3.0 3.0	
		41.2 42.2 43.1	

Our Price: \$

Main tubes	Part No.	Trek design OCLV carbon	22 32 42
Stays	↓	6061 T6 aluminum, TIG welded unified rear triangle	11 52 76 100
Fork		Rock Shox Indy SL 75mm travel	13 44 65 85
Rear shock		Fox Vanilla L, 6.75" eye to eye, 1.75" travel, 5/8" F & 7/8" R ends	15 38 56 73
Headset	63340	Tange Seiki DX-2 Aheadset 25.4/34.0/30.0, 26.9 mm stack	17 34 49 65
Handlebars		Bontrager Race 25.4mm clamp diameter	20 29 42 55
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height	23 25 36 48
Bar ends	57780	Bontrager Race	26 22 32 42
Grips	62207	Trek logo	30 19 28 37
Shifters	61888/9	Shimano Deore LX RapidFire SL	
Front derailleur	61431	Shimano Deore LX Top Swing, Top pull, 34.9mm/138"	
Rear derailleur	61501	Shimano Deore LX SGS	
Brakes	61100/1	Shimano M600 V-brakes	
Brake levers	61097	Shimano M600 V-brake	
Crankset		Shimano STX-RC 42/32/22 58/94 mm bolt hole circle	26.5 lb.
Bottom bracket	61023	Shimano BB-UN51 73 x 113	12.03 kg.
Pedals	60216	Shimano SPD M535 clipless 9/16" axle	
Cassette	61205	Shimano HG70 11-30 8spd	
Chain	61253	Shimano IG70 106L length	
Front wheel	973510		
Front hub	961822	System 2, suspension axle	
Front tire		Panaracer Duster II front, Kevlar bead, 26 x 2.1	
Rear wheel	973506		
Rear hub	61703	Shimano Deore LX HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Panaracer Duster II rear, Kevlar bead, 26 x 2.1	
Tubes	39416	Ultra light Presta valve	
Rims	951948	Matrix Swami 546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14/15G butted stainless 32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	58207	Bontrager Plus 10, CroMoly rails	
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter	
Seat binder	T973565	System OCLV w/integral bolt, 35.5 (painted) clamp diameter	
Additional		2 water bottle mounts	
Colors		Dry Inkwell/Brushed aluminum swingarm/Yellow fork • Silver decal	
Frame sizes		S M L	
Handlebar width		560 560 560	
Stem length	Part No. ➤	57736 57736 57736	
Crank length	Part No. ➤	170 175 175	
Seatpost length	Part No. ➤	300 350 350	
Steerer, mm	Part No. ➤	188 201 237	
Head angle		71.0 71.0 71.0	
Seat angle		73.0 73.0 73.0	
MM Standover		711 737 762	
Seat tube		445 495 545	
Head tube		110 123 159	
Eff top tube		566 597 615	
Reach		647 705 736	
Chainstays		430 430 430	
BB height		315 315 315	
Offset		38 38 38	
Trail		75 75 75	
Wheelbase		1046 1072 1095	
IN Standover		28.0 29.0 30.0	
Seat tube		17.5 19.5 21.5	
Head tube		4.3 4.8 6.3	
Eff top tube		22.3 23.5 24.2	
Reach		25.5 27.8 29.0	
Chainstays		16.9 16.9 16.9	
BB height		12.4 12.4 12.4	
Offset		1.5 1.5 1.5	
Trail		3.0 3.0 3.0	
Wheelbase		41.2 42.2 43.1	

Our Price: \$

Main tubes	Part No.	6061 T6 Trek design aluminum	22 32 42
Stays	↓	6061 T6 aluminum, TIG welded unified rear triangle	11 52 76 100
Fork		Manitou Pro, alloy steerer 65mm travel	13 44 65 85
Rear shock		Fox Vanilla L, 6.75" eye to eye, 1.75" travel, 5/8 & 7/8" ends	15 38 56 73
Headset	63340	Tange Seiki DX-2 Aheadset 25.4/34.0/30.0, 26.9 mm stack	17 34 49 65
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter	20 29 42 55
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height	23 25 36 48
Bar ends	57780	Bontrager Race	26 22 32 42
Grips		Trek logo	30 19 28 37
Shifters	61885/6	Shimano STX-RC RapidFire SL	
Front derailleur	61431	Shimano Deore LX Top Swing, Top pull, 34.9mm/138"	
Rear derailleur	61501	Shimano Deore LX SGS	
Brakes	61100/1	Shimano M600 V-brakes	
Brake levers	61097	Shimano M600 V-brake	
Crankset		Shimano STX-RC 42/32/22 58/94 mm bolt hole circle	28.0 lb.
Bottom bracket	61023	Shimano BB-UN51 73 x 113	12.71 kg.
Pedals	57182	System 1 Alloy cage w/clips and straps, 9/16" axle	
Cassette	61205	Shimano HG60 11-30 8spd	
Chain	61253	Shimano IG70 106L length	
Front wheel	973510		
Front hub	961822	System 2, suspension axle	
Front tire	58611	Tioga Psycho K, Kevlar bead 26 x 1.95	
Rear wheel	973508		
Rear hub	61685	Shimano STX-RC HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Tioga TT, Kevlar bead 26 x 1.95	
Tubes	39416	Presta valve	
Rims	951948	Matrix Swami 546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14G stainless 32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	58207	Bontrager Plus 10, CroMoly rails	
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter	
Seat binder	T961838	System Aluminum w/integral bolt, 35.5 clamp diameter	
Additional		2 water bottle mounts	
Colors		Polished Aluminum/Black swingarm/ Black fork • Yellow decal	
Frame sizes		S M L	
Handlebar width		560 560 560	
Stem length	Part No. ➤	57141 57141 57141	
Crank length	Part No. ➤	170 175 175	
Seatpost length	Part No. ➤	300 350 350	
Steerer, mm	Part No. ➤	188 188 205	
Head angle		71.0 71.0 71.0	
Seat angle		73.0 73.0 73.0	
MM Standover		711 737 762	
Seat tube		445 495 545	
Head tube		110 123 159	
Eff top tube		566 597 615	
Reach		647 705 736	
Chainstays		430 430 430	
BB height		315 315 315	
Offset		38 38 38	
Trail		75 75 75	
Wheelbase		1046 1072 1095	
IN Standover		28.0 29.0 30.0	
Seat tube		17.5 19.5 21.5	
Head tube		4.3 4.8 6.3	
Eff top tube		22.3 23.5 24.2	
Reach		25.5 27.8 29.0	
Chainstays		16.9 16.9 16.9	
BB height		12.4 12.4 12.4	
Offset		1.5 1.5 1.5	
Trail		3.0 3.0 3.0	
Wheelbase		41.2 42.2 43.1	

Main tubes	Part No. ↓	6061 T6 Trek design aluminum	24 34 42
Stays		True Temper taper gauge CroMoly unified rear triangle	11 57 81 100
Fork		Rock Shox Indy C 63mm travel	13 48 69 85
Rear shock		Fox Vanilla L, 6.75" eye to eye, 1.75" travel, 5/8 & 7/8" ends	16 39 56 69
Headset	63339	Tange Seiki STE Aheadset 25.4/34.0/30.0, 24.5 mm stack	19 33 47 58
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter	22 29 41 50
Stem		System 2 ATB, forged alloy direct connect, 41.0mm steerer clamp height	26 24 34 42
Bar ends	54238	System 1	30 21 30 37
Grips	56033	GripShift logo	
Shifters	63036/8	GripShift SRT 400	
Front derailleur	61396	Shimano Alivio Top Swing Top pull, 34.9mm/138"	
Rear derailleur	61497	Shimano Alivio	
Brakes	61100/1	Shimano M600 V-brakes	
Brake levers	62725	Tektro 376A V-brake	
Crankset		Shimano Alivio 42/34/24 67 mm bolt hole circle	29.0 lb.
Bottom bracket	61006	Shimano BB-LP26 73 x 113	13.17 kg.
Pedals	57182	System 1 Alloy cage w/clips and straps 9/16" axle	
Cassette	61228	Shimano IG50 11-30 7spd	
Chain	61251	IG31 106L length	
Front wheel	973520		
Front hub	960101	System 1, suspension axle	
Front tire	58611	Tioga Psycho K, Kevlar bead 26 x 1.95	
Rear wheel	973519		
Rear hub	61660	Shimano Alivio HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.	
Rear tire		Tioga TT, Kevlar bead 26 x 1.95	
Tubes	39416	Presta valve	
Rims	970700	Matrix Guru 546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14G stainless 32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	64436	Trek Dual density	
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter	
Seat binder	T961838	System Aluminum w/integral bolt, 35.5 clamp diameter	
Additional		2 water bottle mounts	
Colors		Gloss Ice Red/ Cream swingarm/Cream fork • Cream decal	
Frame sizes		S M L	
Handlebar width		560 560 560	
Stem length	Part No. ▶	57141 57141 57141	
Crank length	Part No. ▶	90 105 120	
Seatpost length	Part No. ▶	62117 62118 62119	
Steerer, mm	Part No. ▶	170 175 175	
Head angle	Part No. ▶	- - -	
Seat angle	Part No. ▶	300 350 350	
Standover	Part No. ▶	- 57106 57106	
Seat tube		182 182 199	
Head tube		71.0 71.0 71.0	
Eff top tube		73.0 73.0 73.0	
Reach		711 737 762	
Chainstays		445 495 545	
BB height		110 123 159	
Offset		566 597 615	
Trail		648 689 720	
Wheelbase		430 430 430	
Standover		315 315 315	
Seat tube		38 38 38	
Head tube		75 75 75	
Eff top tube		1046 1072 1095	
Reach		28.0 29.0 30.0	
Chainstays		17.5 19.5 21.5	
BB height		4.3 4.8 6.3	
Offset		22.3 23.5 24.2	
Trail		25.5 27.1 28.3	
Wheelbase		16.9 16.9 16.9	
Standover		12.4 12.4 12.4	
Seat tube		1.5 1.5 1.5	
Head tube		3.0 3.0 3.0	
Eff top tube		41.2 42.2 43.1	
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			

OCLV and Aluminum Mountain Info

Assembly Details

Seatposts

With aluminum mountain bikes lubricate the seatpost before insertion. Apply a thin layer of grease to the section of the seatpost that will be inserted into the frame. Insert the seatpost into the frame, adjust to the proper height, and engage the binder lever or bolt. Never engage the seatpost binder lever with the seatpost out of the frame.

With OCLV Mountain, like their Y and Road counterparts, DO NOT grease the seatpost. A fiberglass sleeve bonded into the seat tube prevents corrosion, and any grease may cause the seatpost to slip, even with correct seatpost binder torque.

OCLV and Aluminum Mountain bikes are designed to accept 27.2 mm seat posts with a tolerance of 27.10 to 27.20 mm outer diameter. Measure the seatpost for conformity to this tolerance prior to installation.

For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Special Torque Specs

OCLV front derailleur bracket mounting screw	20-25 lb•in	(2.3-2.8 NM)
ACSD mounting bolts	30-40 lb•in	(35-45 NM)

Special Parts

	TCG Part #
Chainstay guard (Aluminum mountain bikes)	T83663
ACSD plate	
ACSD mounting bolts	

Removing Headset Cups

When removing an headset in an OCLV frame, make sure the headset removal tool is engaging the headset cup. OCLV framesets do not utilize a continuous headtube, but instead use two short inserts to support the headset cups. If the headset tool is outside the insert, rather than inside the insert and pressing on the cup, frame damage can result.

Bottom bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads, especially when inserting into an aluminum bottom bracket shell or aluminum bonded insert (like on our OCLV Mountain bikes)

Chainstay guard

Aluminum Mountain frames must always be fitted with a chainstay guard to protect against damage in case of chain-suck or overshifting past the inner chainring.

Our Price: \$

9800SHX

Main tubes	Part No.	Trek design OCLV carbon	22	32	42
Stays		Trek design OCLV carbon	11	52	76 100
Fork		Rock Shox Judy XC 63mm travel	13	44	65 85
Headset	63340	Tange Seiki DX-2 Aheadset 25.4/34.0/30.0, 26.9 mm stack	15	38	56 73
Handlebars		Bontrager Race 25.4mm clamp diameter	17	34	49 65
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height	20	29	42 55
Bar ends	57780	Bontrager Race	23	25	36 48
Grips	63019/21	GripShift ESP 900	26	22	32 42
Shifters	61432	GripShift ESP 900	30	19	28 37
Front derailleur	63002	Shimano Deore LX Top Swing, Top pull, E-type, bracket			
Rear derailleur	61102/3	GripShift ESP 9.0			
Brakes	61097	Shimano Deore XT V brakes			
Brake levers		Shimano M600 V-brake			
Crankset		Shimano Deore LX 4 arm 42/32/22, Splined/104/64 mm bolt hole circle			
Bottom bracket	61014	Shimano BB-UN52E 73 x 113			
Pedals	60216	Shimano SPD M535 clipless 9/16" axle			
Cassette	61205	Shimano HG70 11-30 8spd			
Chain	61253	Shimano IG70 106L length			
Front wheel	962950				
Front hub	973548	System 3, suspension axle			
Front tire		Continental Navigator Pro, Kevlar bead, 26 x 1.9			
Rear wheel	962945				
Rear hub	61748	Shimano Deore XT HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Continental Traction Pro, Kevlar bead, 26 x 2.0			
Tubes	39416	Ultra light Presta valve			
Rims	951948	Matrix Swami, Ti anodized 546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	58211	SSM Techno Dynamic, Trek logo, leather cover			
Seatpost		Bontrager Comp 27.2 mm diameter			
Seat binder	T973565	System OCLV w/integral bolt, 35.1 (nude) clamp diameter			
Additional		2 water bottle mounts			
Colors		Gloss Nude/ Cream fork • Slate Blue and Red decal			
Frame sizes		15 16.5 18 19.5 21			
Handlebar width		560 560 560 560 560			
Stem length	Part No.➤	57736 57736 57736 57736 57736			
Crank length	Part No.➤	90 105 120 120 135			
Seatpost length	Part No.➤	57710 57711 57712 57712 57713			
Steerer, mm	Part No.➤	170 175 175 175 175			
Head angle	Part No.➤	61289 61290 61290 61290 61290			
Seat angle	Part No.➤	300 350 350 350 350			
Standover		57801 57802 57802 57802 57802			
Seat tube		193 193 193 206 242			
Head tube		70.5 70.5 71.0 71.0 71.0			
Eff top tube		73.0 73.0 73.0 73.0 73.0			
Reach		725 745 762 785 820			
Chainstays		381 419 457 495 533			
BB height		110 110 110 124 159			
Offset		554 565 592 594 600			
Trail		635 659 700 702 721			
Wheelbase		424 424 424 424 424			
Standover		298 298 297 297 297			
Seat tube		38 38 38 38 38			
Head tube		79 79 77 77 77			
Eff top tube		1030 1041 1060 1065 1070			
Reach		28.5 29.3 30.0 30.9 32.3			
Chainstays		15.0 16.5 18.0 19.5 21.0			
BB height		4.3 4.3 4.3 4.9 6.3			
Offset		21.8 22.2 23.3 23.4 23.6			
Trail		25.0 25.9 27.6 27.6 28.4			
Wheelbase		16.7 16.7 16.7 16.7 16.7			
Standover		11.7 11.7 11.7 11.7 11.7			
Seat tube		1.5 1.5 1.5 1.5 1.5			
Head tube		3.1 3.1 3.0 3.0 3.0			
Eff top tube		40.6 41.0 41.7 41.9 42.1			
Reach					
Chainstays					
BB height					
Offset					
Trail					
Wheelbase					

22.5 lb.
10.22 kg.

		22 32 42				
Main tubes	Part No. ↓	Trek design OCLV carbon				
Stays		Trek design OCLV carbon				
Fork		Rock Shox Indy SL 63mm travel				
Headset	63340	Tange Seiki DX-2 Aheadset 25.4/34.0/30.0, 26.9 mm stack				
Handlebars		System 2 ATB, butted aluminum, 170g, 25.4mm clamp diameter				
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height				
Bar ends	57780	Bontrager Race				
Grips	62207	Trek logo				
Shifters	61888/19	Shimano Deore LX RapidFire SL				
Front derailleur	61432	Shimano Deore LX Top Swing, Top pull, E-type, bracket				
Rear derailleur	61501	Shimano Deore LX SGS				
Brakes	61100/11	Shimano M600 V-brakes				
Brake levers	61097	Shimano M600 V-brake				
Crankset		Shimano STX-RC 42/32/22 58/94 mm bolt hole circle				
Bottom bracket	61014	Shimano BB-UN52E 73 x 113				
Pedals	60216	Shimano SPD M535 clipless 9/16" axle				
Cassette	61205	Shimano HG60 11-30 8spd				
Chain	61252	Shimano IG51 106L length				
Front wheel		System 2, suspension axle				
Front hub	961822	Panaracer Duster II front, Kevlar bead, 26 x 2.1				
Front tire		System 2, suspension axle				
Rear wheel		HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.				
Rear hub	61685	Panaracer Duster II rear, Kevlar bead, 26 x 2.1				
Rear tire		Ultra light Presta valve				
Tubes	39416	Matrix Swami 546 E.R.D., Velox 19mm rim strip				
Rims	951948	DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x				
Spokes		Bontrager Plus 10, CroMoly rails				
Saddle	58207	System 1, aluminum micro-adjust, 27.2 mm diameter				
Seatpost		System OCLV w/integral bolt, 35.5 (painted) clamp diameter				
Seat binder	T973565	2 water bottle mounts				
Additional Colors		Gloss Inkwell/ Yellow fork • Red and Yellow decal				
Frame sizes		15	16.5	18	19.5	21
Handlebar width		560	560	560	560	560
Stem length	Part No. →	57149	57149	57149	57149	57149
Crank length	Part No. →	90	105	120	120	135
Seatpost length	Part No. →	57710	57711	57712	57712	57713
	Part No. →	170	175	175	175	175
	Part No. →	61282	61283	61283	61283	61283
	Part No. →	300	350	350	350	350
	Part No. →	-	57106	57106	57106	57106
Steerer, mm		188	188	188	201	237
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.0	73.0	73.0	73.0	73.0
MM Standover		725	745	762	785	820
Seat tube		381	419	457	495	533
Head tube		110	110	110	124	159
Eff top tube		554	565	592	594	600
Reach		635	659	700	702	721
Chainstays		424	424	424	424	424
BB height		298	298	297	297	297
Offset		38	38	38	38	38
Trail		79	79	77	77	77
Wheelbase		1030	1041	1060	1065	1070
IN Standover		28.5	29.3	30.0	30.9	32.3
Seat tube		15.0	16.5	18.0	19.5	21.0
Head tube		4.3	4.3	4.3	4.9	6.3
Eff top tube		21.8	22.2	23.3	23.4	23.6
Reach		25.0	25.9	27.6	27.6	28.4
Chainstays		16.7	16.7	16.7	16.7	16.7
BB height		11.7	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5
Trail		3.1	3.1	3.0	3.0	3.0
Wheelbase		40.6	41.0	41.7	41.9	42.1

23.5 lb.
10.67 kg.

		22 32 42				
Main tubes	Part No. ↓	Easton EA70 ProGram tapered aluminum				
Stays		Easton tapered aluminum				
Fork		Manitou SX 70mm travel				
Headset	63340	Tange Seiki DX-2 Aheadset 25.4/34.0/30.0, 26.9 mm stack				
Handlebars		Bontrager Race 25.4mm clamp diameter				
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height				
Bar ends	57786	Bontrager Race Lite 109, magnesium				
Grips	62207	Trek logo				
Shifters	61924/15	Shimano Deore XT RapidFire SL				
Front derailleur	61447	Shimano Deore XT Top Swing, Top pull, 34.9 mm/ 1 3/8"				
Rear derailleur	61503	Shimano Deore XT SGS				
Brakes	61102/13	Shimano Deore XT V-brakes				
Brake levers		(Combination shift/brake)				
Crankset		Shimano Deore XT 4 arm 42/32/22, Splined/104/64 mm bolt hole circle				
Bottom bracket	61038	Shimano BB-UN72 73 x 113				
Pedals	60216	Shimano SPD M535 clipless 9/16" axle				
Cassette	61222	Shimano XT 11-30 8 spd				
Chain	61254	Shimano IG90 106L length				
Front wheel	962950	System 3, suspension axle				
Front hub	973548	Continental Navigator Pro, Kevlar bead, 26 x 1.9				
Front tire		System 3, suspension axle				
Rear wheel	962945	Shimano Deore XT HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.				
Rear hub	58873	Continental Traction Pro, Kevlar bead, 26 x 2.0				
Rear tire		Ultra light Presta valve				
Tubes	39416	Matrix Swami 546 E.R.D., Velox 19mm rim strip				
Rims	951948	DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x				
Spokes		SSM Techno Dynamic, Trek logo, leather cover				
Saddle	58211	Bontrager Comp 27.2 mm diameter				
Seatpost		System Aluminum w/integral bolt, 33.0 clamp diameter				
Seat binder	T960659	2 water bottle mounts				
Additional Colors		Gloss White/ White fork • Blueblack decal				
Frame sizes		14.5	16.5	18	19.5	21
Handlebar width		560	560	560	560	560
Stem length	Part No. →	57736	57736	57736	57736	57736
Crank length	Part No. →	90	105	120	120	135
Seatpost length	Part No. →	57710	57711	57712	57712	57713
	Part No. →	170	175	175	175	180
	Part No. →	61299	61301	61301	61301	61303
	Part No. →	300	350	350	350	350
	Part No. →	57801	57802	57802	57802	57802
Steerer, mm		187	187	187	207	241
Head angle		70.5	70.5	71.0	71.0	71.0
Seat angle		73.5	73.0	73.0	73.0	73.0
MM Standover		719	744	762	785	820
Seat tube		368	419	457	495	533
Head tube		105	105	105	124	159
Eff top tube		538	571	592	594	600
Reach		619	665	700	702	721
Chainstays		424	424	424	424	424
BB height		297	298	297	297	297
Offset		37	37	37	37	37
Trail		79	79	76	76	76
Wheelbase		1019	1040	1060	1065	1070
IN Standover		28.3	29.3	30.0	30.9	32.3
Seat tube		14.5	16.5	18.0	19.5	21.0
Head tube		4.1	4.1	4.1	4.9	6.3
Eff top tube		21.2	22.5	23.3	23.4	23.6
Reach		24.4	26.2	27.6	27.6	28.4
Chainstays		16.7	16.7	16.7	16.7	16.7
BB height		11.7	11.7	11.7	11.7	11.7
Offset		1.5	1.5	1.5	1.5	1.5
Trail		3.1	3.1	3.0	3.0	3.0
Wheelbase		40.1	40.9	41.7	41.9	42.1

23.5 lb.
10.67 kg.

8000SHX

Our Price: \$

Main tubes	Part No.	Easton EA60 ProGram tapered aluminum	22 32 42
Stays		Easton tapered aluminum	11 52 76 100
Fork		Rock Shox Indy SL 63mm travel	13 44 65 85
Headset	63340	Tange Seiki DX-2 Aheadset 25.4/34.0/30.0, 26.9 mm stack	15 38 56 73
Handlebars		System 2 ATB, butted aluminum, 170g, 25.4mm clamp diameter	17 34 49 65
Stem		System 2 ATB, forged alloy direct connect, 41.0mm steerer clamp height	20 29 42 55
Bar ends	54238	System 1	23 25 36 48
Grips		GripShift logo	26 22 32 42
Shifters	63029/31	GripShift SRT-800 X-Ray	30 19 28 37
Front derailleur	61417	Shimano STX-RC Top Swing Top pull, 34.9 mm/ 1 3/8"	
Rear derailleur	61503	Shimano Deore XT SGS	
Brakes	61100/1	Shimano M600 V-brakes	
Brake levers	61097	Shimano M600 V-brake	
Crankset		Shimano STX-RC 42/32/22 58/94 mm bolt hole circle	
Bottom bracket	61023	Shimano BB-UN51 73 x 113	
Pedals	n/a	Wellgo WPD-800 clipless 9/16" axle	
Cassette	61205	Shimano HG60 11-30 8spd	
Chain	61253	Shimano IG70 106L length	
Front wheel	973510		
Front hub	961823	System 2, suspension axle	
Front tire		Panaracer Duster II front, Kevlar bead, 26 x 2.1	
Rear wheel	973506		
Rear hub	61703	Shimano Deore LX HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Panaracer Duster II rear, Kevlar bead, 26 x 2.1	
Tubes	39416	Ultra light Presta valve	
Rims	951948	Matrix Swami 546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14/15G butted stainless 32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	58201	Bontrager Plus 10 Racing	
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter	
Seat binder	T960659	System Aluminum w/integral bolt, 33.0 clamp diameter	
Additional		Rack mounts, 2 water bottle mounts	
Colors		Dry brushed aluminum/ Yellow fork • Yellow decal	
Frame sizes		14.5 16.5 18 19.5 21	
Handlebar width		560 560 560 560 560	
Stem length	Part No. ➤	57149 57149 57149 57149 57149	
Crank length	Part No. ➤	90 105 120 135 150	
Seatpost length	Part No. ➤	57082 57083 57084 57085 57086	
	Part No. ➤	170 175 175 175 175	
	Part No. ➤	61282 61283 61283 61283 61283	
	Part No. ➤	300 350 350 350 350	
	Part No. ➤	57106 57106 57106 57106 57106	
Steerer, mm		183 183 183 202 237	
Head angle		70.5 70.5 71.0 71.0 71.0	
Seat angle		73.5 73.0 73.0 73.0 73.0	
MM Standover		719 744 762 785 820	
Seat tube		368 419 457 495 533	
Head tube		105 105 105 124 159	
Eff top tube		538 571 592 594 600	
Reach		620 667 697 712 731	
Chainstays		424 424 424 424 424	
BB height		297 298 297 297 297	
Offset		37 37 37 37 37	
Trail		79 79 76 76 76	
Wheelbase		1019 1040 1060 1065 1070	
IN Standover		28.3 29.3 30.0 30.9 32.3	
Seat tube		14.5 16.5 18.0 19.5 21.0	
Head tube		4.1 4.1 4.1 4.9 6.3	
Eff top tube		21.2 22.5 23.3 23.4 23.6	
Reach		24.4 26.2 27.4 28.0 28.8	
Chainstays		16.7 16.7 16.7 16.7 16.7	
BB height		11.7 11.7 11.7 11.7 11.7	
Offset		1.5 1.5 1.5 1.5 1.5	
Trail		3.1 3.1 3.0 3.0 3.0	
Wheelbase		40.1 40.9 41.7 41.9 42.1	

24.1 lb.
10.94 kg

Our Price: \$

7000SHX

Main tubes	Part No.	Easton EA60 ProGram tapered aluminum	22 32 42
Stays		Easton tapered aluminum	11 52 76 100
Fork		Rock Shox Indy C 63mm travel	13 44 65 85
Headset	63339	Tange Seiki STE Aheadset 25.4/34.0/30.0, 24.5 mm stack	15 38 56 73
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter	17 34 49 65
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height	20 29 42 55
Bar ends	54238	System 1	23 25 36 48
Grips	62207	Trek logo	26 22 32 42
Shifters	61885/6	Shimano STX-RC RapidFire SL	30 19 28 37
Front derailleur	61409	Shimano STX Top Swing Top pull, 34.9 mm/ 1 3/8"	
Rear derailleur	61500	Shimano STX-RC SGS	
Brakes	61100/1	Shimano M600 V-brakes	
Brake levers	61097	Shimano M600 V-brake	
Crankset		Shimano STX 42/32/22 58/94 mm bolt hole circle	
Bottom bracket	61006	Shimano BB-LP26 73 x 113	
Pedals	57182	System 1 Alloy cage w/clips and straps, 9/16" axle	
Cassette	61205	Shimano HG60 11-30 8spd	
Chain	61251	IG31 106L length	
Front wheel	973014		
Front hub	960101	System 1, suspension axle	
Front tire	58607	Tioga Psycho KS 26 x 1.95	
Rear wheel	973017		
Rear hub	61685	Shimano STX-RC HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.	
Rear tire		Tioga TTS 26 x 1.95	
Tubes	39416	Presta valve	
Rims	970700	Matrix Guru 546 E.R.D., Velox 19mm rim strip	
Spokes		DT 14G stainless 32 spokes/268 front/266/267 rear(D/ND)/3x	
Saddle	58207	SSM Techno Dynamic	
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter	
Seat binder	T960659	System Aluminum w/integral bolt, 33.0 clamp diameter	
Additional		Rack mounts, 2 water bottle mounts	
Colors		Gloss Ice Inkwell/ Cream fork • Cream decal	
Frame sizes		14.5 16.5 18 19.5 21	
Handlebar width		560 560 560 560 560	
Stem length	Part No. ➤	57141 57141 57141 57141 57141	
Crank length	Part No. ➤	90 105 120 135 135	
Seatpost length	Part No. ➤	62117 62118 62119 62120 62120	
	Part No. ➤	170 175 175 175 175	
	Part No. ➤	61280 61281 61281 61281 61281	
	Part No. ➤	300 300 350 350 350	
	Part No. ➤	57106 57106 57106 57106 57106	
Steerer, mm		183 183 183 202 237	
Head angle		70.5 70.5 71.0 71.0 71.0	
Seat angle		73.5 73.0 73.0 73.0 73.0	
MM Standover		719 744 762 785 820	
Seat tube		368 419 457 495 533	
Head tube		105 105 105 124 159	
Eff top tube		538 571 592 594 600	
Reach		616 662 691 706 712	
Chainstays		424 424 424 424 424	
BB height		297 298 297 297 297	
Offset		37 37 37 37 37	
Trail		79 79 76 76 76	
Wheelbase		1019 1040 1060 1065 1070	
IN Standover		28.3 29.3 30.0 30.9 32.3	
Seat tube		14.5 16.5 18.0 19.5 21.0	
Head tube		4.1 4.1 4.1 4.9 6.3	
Eff top tube		21.2 22.5 23.3 23.4 23.6	
Reach		24.3 26.1 27.2 27.8 28.0	
Chainstays		16.7 16.7 16.7 16.7 16.7	
BB height		11.7 11.7 11.7 11.7 11.7	
Offset		1.5 1.5 1.5 1.5 1.5	
Trail		3.1 3.1 3.0 3.0 3.0	
Wheelbase		40.1 40.9 41.7 41.9 42.1	

26.5 lb.
12.03 kg

7000

Our Price: \$

Main tubes	Part No.	Easton EA60 ProGram tapered aluminum	22	32	42
Stays		Easton tapered aluminum	11	52	76
Fork		System 1 CroMoly	13	44	65
Headset	63339	Tange Seiki STE Aheadset 25.4/34.0/30.0, 24.5 mm stack	15	38	56
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter	17	34	49
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height	20	29	42
Bar ends		-	23	25	36
Grips	61885/6	Trek logo	26	22	32
Shifters	61409	Shimano STX-RC RapidFire SL	30	19	28
Front derailleur	61500	Shimano STX Top Swing Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	61100/1	Shimano STX-RC SGS			
Brakes	61097	Shimano M600 V-brakes			
Brake levers		Shimano M600 V-brake			
Crankset	61006	Shimano STX 42/32/22 58/94 mm bolt hole circle			
Bottom bracket	57182	Shimano BB-LP26 73 x 113			
Pedals	61205	System 1 Alloy cage w/clips and straps, 9/16" axle			
Cassette	61251	Shimano HG60 11-30 8spd			
Chain	973014	IG31 106L length			
Front wheel	950591	System 1, suspension axle			
Front hub	58607	Tioga Psycho KS 26 x 1.95			
Front tire	973017	Shimano STX-RC HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear wheel	61685	Tioga TTS 26 x 1.95			
Rear hub		Shimano STX-RC HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire	39416	Presta valve 546 E.R.D., Velox 19mm rim strip			
Tubes	970700	Matrix Guru 32 spokes/268 front/266/267 rear(D/ND)/3x			
Rims		DT 14G stainless			
Spokes		SSM Techno Dynamic			
Saddle		System 1, aluminum micro-adjust, 27.2 mm diameter			
Seatpost	T960659	System Aluminum w/integral bolt, 33.0 clamp diameter			
Seat binder		Rack mounts, 2 water bottle mounts			
Additional		Gloss Ice Inkwell • Cream decal			
Colors					
Frame sizes		14.5 16.5 18 19.5 21			
Handlebar width		560 560 560 560 560			
Stem length	Part No. ➤	57141 57141 57141 57141 57141			
Crank length	Part No. ➤	90 105 120 135 135			
Seatpost length	Part No. ➤	62117 62118 62119 62120 62120			
	Part No. ➤	170 175 175 175 175			
	Part No. ➤	61280 61281 61281 61281 61281			
	Part No. ➤	300 300 350 350 350			
	Part No. ➤	- - 57106 57106 57106			
Steerer, mm		183 183 183 202 237			
Head angle		70.5 70.5 71.0 71.0 71.0			
Seat angle		73.5 73.0 73.0 73.0 73.0			
MM Standover		719 744 762 785 820			
Seat tube		368 419 457 495 533			
Head tube		105 105 105 124 159			
Eff top tube		538 571 592 594 600			
Reach		616 662 691 706 712			
Chainstays		424 424 424 424 424			
BB height		297 298 297 297 297			
Offset		37 37 37 37 37			
Trail		79 79 76 76 76			
Wheelbase		1019 1040 1060 1065 1070			
IN Standover		28.3 29.3 30.0 30.9 32.3			
Seat tube		14.5 16.5 18.0 19.5 21.0			
Head tube		4.1 4.1 4.1 4.9 6.3			
Eff top tube		21.2 22.5 23.3 23.4 23.6			
Reach		24.3 26.1 27.2 27.8 28.0			
Chainstays		16.7 16.7 16.7 16.7 16.7			
BB height		11.7 11.7 11.7 11.7 11.7			
Offset		1.5 1.5 1.5 1.5 1.5			
Trail		3.1 3.1 3.0 3.0 3.0			
Wheelbase		40.1 40.9 41.7 41.9 42.1			

25.8 lb.
11.71 kg.

Our Price: \$

6500SHX

Main tubes	Part No.	Easton EA60 ProGram tapered aluminum	24	34	42
Stays		Easton tapered aluminum	11	57	81
Fork		Rock Shox Indy C 63mm travel	13	48	69
Headset	63339	Tange Seiki STE Aheadset 25.4/34.0/30.0, 24.5 mm stack	16	39	56
Handlebars		System 1 ATB, alloy, 230g 25.4mm clamp diameter	19	33	47
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height	22	29	41
Bar ends	54238	System 1	26	24	34
Grips	62207	Trek logo	30	21	30
Shifters	61882/3	Shimano STX-RC RapidFire SL			
Front derailleur	61396	Shimano Alivio Top Swing Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	61497	Shimano Alivio			
Brakes	61087/8	Shimano Alivio			
Brake levers	61080	Shimano Alivio			
Crankset		Shimano Alivio 42/34/24 67 mm bolt hole circle			
Bottom bracket	61006	Shimano BB-LP26 73 x 113			
Pedals	57182	System 1 Alloy cage w/clips and straps, 9/16" axle			
Cassette	61228	Shimano IG50 11-30 7spd			
Chain	61251	IG31 106L length			
Front wheel	973520	System 1, suspension axle			
Front hub	T961234	Tioga Psycho KS 26 x 1.95			
Front tire	58607				
Rear wheel	973519	Shimano Alivio HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear hub	61660	Tioga TTS 26 x 1.95			
Rear tire		Presta valve			
Tubes	39416	Matrix Guru 546 E.R.D., Velox 19mm rim strip			
Rims	970700	DT 14G stainless 32 spokes/268 front/266/267 rear(D/ND)/3x			
Spokes		Trek Dual density			
Saddle	64436	System 1, aluminum micro-adjust, 27.2 mm diameter			
Seatpost	T961847	System Aluminum, QR (T960662) w/integral hanger, 33.0 clamp diameter			
Seat binder		Rack mounts, 2 water bottle mounts			
Additional		Gloss Ice Red/ Cream fork • Black decal			
Colors					
Frame sizes		14.5 16.5 18 19.5 21			
Handlebar width		560 560 560 560 560			
Stem length	Part No. ➤	57141 57141 57141 57141 57141			
Crank length	Part No. ➤	90 105 120 135 135			
Seatpost length	Part No. ➤	62117 62118 62119 62120 62120			
	Part No. ➤	170 175 175 175 175			
	Part No. ➤	61278 61279 61279 61279 61279			
	Part No. ➤	300 300 350 350 350			
	Part No. ➤	- - 57106 57106 57106			
Steerer, mm		182 182 182 201 236			
Head angle		70.5 70.5 71.0 71.0 71.0			
Seat angle		73.5 73.0 73.0 73.0 73.0			
MM Standover		719 744 762 785 820			
Seat tube		368 419 457 495 533			
Head tube		105 105 105 124 159			
Eff top tube		538 571 592 594 600			
Reach		616 662 691 706 712			
Chainstays		424 424 424 424 424			
BB height		297 298 297 297 297			
Offset		37 37 37 37 37			
Trail		79 79 76 76 76			
Wheelbase		1019 1040 1060 1065 1070			
IN Standover		28.3 29.3 30.0 30.9 32.3			
Seat tube		14.5 16.5 18.0 19.5 21.0			
Head tube		4.1 4.1 4.1 4.9 6.3			
Eff top tube		21.2 22.5 23.3 23.4 23.6			
Reach		24.3 26.1 27.2 27.8 28.0			
Chainstays		16.7 16.7 16.7 16.7 16.7			
BB height		11.7 11.7 11.7 11.7 11.7			
Offset		1.5 1.5 1.5 1.5 1.5			
Trail		3.1 3.1 3.0 3.0 3.0			
Wheelbase		40.1 40.9 41.7 41.9 42.1			

26.5 lb.
12.03 kg.

Main tubes	Part No.	Easton EA60 ProGram tapered aluminum	24	34	42
Stays		Easton tapered aluminum	11	57	81 100
Fork		Trek CroMoly	13	48	69 85
Headset		Tange Seiki Passage 25.4/34.0/30.0, 33.4 mm stack	16	39	56 69
Handlebars		System 1 ATB, alloy, 230g 25.4mm clamp diameter	19	33	47 58
Stem		System 1 ATB, CroMoly 25.4 mm insertion	22	29	41 50
Bar ends		-	26	24	34 42
Grips	56031	Trek logo	30	21	30 37
Shifters	61882/3	Shimano STX-RC RapidFire SL			
Front derailleur	61396	Shimano Alivio Top Swing Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	61497	Shimano Alivio			
Brakes	61087/8	Shimano Alivio			
Brake levers	61080	Shimano Alivio			
Crankset		Shimano Alivio 42/34/24 67 mm bolt hole circle			
Bottom bracket	61006	Shimano BB-LP26 73 x 113			
Pedals	57182	System 1 Alloy cage w/clips and straps, 9/16" axle			
Cassette	61228	Shimano IG50 11-30 7spd			
Chain	61251	IG31 106L length			
Front wheel	973520				
Front hub	T961234	System 1, suspension axle			
Front tire	58607	Tioga Psycho KS 26 x 1.95			
Rear wheel	973519				
Rear hub	61660	Shimano Alivio HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS 26 x 1.95			
Tubes	39416	Presta valve			
Rims	970700	Matrix Guru 546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless 32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	64436	Trek Dual density			
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter			
Seat binder	T961847	System Aluminum, QR (T960662) w/integral hanger, 33.0 clamp diameter			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Gloss Ice Red • Black decal			
Frame sizes		14.5 16.5 18 19.5 21			
Handlebar width		560 560 560 560 560			
Stem length	Part No. ▶	57141 57141 57141 57141 57141			
Crank length	Part No. ▶	90 105 120 135 135			
Seatpost length	Part No. ▶	62377 62378 62379 62380 62380			
	Part No. ▶	170 175 175 175 175			
	Part No. ▶	61278 61279 61279 61279 61279			
	Part No. ▶	300 300 350 350 350			
	Part No. ▶	- 57106 57106 57106 57106			
Steerer, mm		143 143 143 163 197			
Head angle		70.5 70.5 71.0 71.0 71.0			
Seat angle		73.5 73.0 73.0 73.0 73.0			
MM Standover		719 744 762 785 820			
Seat tube		368 419 457 495 533			
Head tube		105 105 105 124 159			
Eff top tube		538 571 592 594 600			
Reach		616 662 691 706 712			
Chainstays		424 424 424 424 424			
BB height		297 298 297 297 297			
Offset		37 37 37 37 37			
Trail		79 79 76 76 76			
Wheelbase		1019 1040 1060 1065 1070			
IN Standover		28.3 29.3 30.0 30.9 32.3			
Seat tube		14.5 16.5 18.0 19.5 21.0			
Head tube		4.1 4.1 4.1 4.9 6.3			
Eff top tube		21.2 22.5 23.3 23.4 23.6			
Reach		24.3 26.1 27.2 27.8 28.0			
Chainstays		16.7 16.7 16.7 16.7 16.7			
BB height		11.7 11.7 11.7 11.7 11.7			
Offset		1.5 1.5 1.5 1.5 1.5			
Trail		3.1 3.1 3.0 3.0 3.0			
Wheelbase		40.1 40.9 41.7 41.9 42.1			

26.0 lb.
11.80 kg.

Main tubes	Part No.	Easton EA60 ProGram tapered aluminum	24	34	42
Stays		Easton tapered aluminum	11	57	81 100
Fork		Rock Shox Quadra 5 48mm travel	13	48	69 85
Headset	63339	Tange Seiki STE Aheadset 25.4/34.0/30.0, 24.5 mm stack	15	42	59 73
Handlebars		System 1 ATB 25.4mm clamp diameter	18	35	50 61
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height	21	30	42 52
Bar ends		-	24	26	37 46
Grips	56033	GripShift logo	28	22	32 39
Shifters	63039/43	GripShift MRX170			
Front derailleur	61396	Shimano Alivio Top Swing Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	61497	Shimano Alivio			
Brakes	61081/2	Shimano Altus CT91			
Brake levers		Dia-Compe SS8			
Crankset		Sugino Impel 250 42/34/24 58/94 mm bolt hole circle			
Bottom bracket	61006	Shimano BB-LP26 73 x 113			
Pedals	57182	Wellgo LU-945 9/16" axle			
Cassette	61173	Shimano HG50 11-28 7spd			
Chain	61245	HG50 106L length			
Front wheel					
Front hub	T961234	Aluminum, sealed			
Front tire	58607	Tioga Psycho KS 26 x 1.95			
Rear wheel					
Rear hub	61651	Shimano Acera-X HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS 26 x 1.95			
Tubes	39416	Presta valve			
Rims	973566	Weinmann 519 545 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless 32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	54436	Trek Dual density			
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter			
Seat binder	T961847	System Aluminum, QR w/integral hanger, 33.0 clamp diameter			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Gloss Black • Yellow/ Red decal			
Frame sizes		14.5 16.5 18 19.5 21			
Handlebar width		560 560 560 560 560			
Stem length	Part No. ▶	57141 57141 57141 57141 57141			
Crank length	Part No. ▶	90 105 120 135 135			
Seatpost length	Part No. ▶	62377 62378 62379 62380 62380			
	Part No. ▶	170 175 175 175 175			
	Part No. ▶	300 300 350 350 350			
	Part No. ▶	- 57106 57106 57106 57106			
Steerer, mm		183 183 183 202 237			
Head angle		70.5 70.5 71.0 71.0 71.0			
Seat angle		73.5 73.0 73.0 73.0 73.0			
MM Standover		719 744 762 785 820			
Seat tube		368 419 457 495 533			
Head tube		105 105 105 124 159			
Eff top tube		538 571 592 594 600			
Reach		616 662 691 706 712			
Chainstays		424 424 424 424 424			
BB height		297 298 297 297 297			
Offset		37 37 37 37 37			
Trail		79 79 76 76 76			
Wheelbase		1019 1040 1060 1065 1070			
IN Standover		28.3 29.3 30.0 30.9 32.3			
Seat tube		14.5 16.5 18.0 19.5 21.0			
Head tube		4.1 4.1 4.1 4.9 6.3			
Eff top tube		21.2 22.5 23.3 23.4 23.6			
Reach		24.3 26.1 27.2 27.8 28.0			
Chainstays		16.7 16.7 16.7 16.7 16.7			
BB height		11.7 11.7 11.7 11.7 11.7			
Offset		1.5 1.5 1.5 1.5 1.5			
Trail		3.1 3.1 3.0 3.0 3.0			
Wheelbase		40.1 40.9 41.7 41.9 42.1			

27.0 lb.
12.26 kg.

Main tubes	Part No.	Easton EA60 ProGram tapered aluminum	24	34	42
Stays		Easton tapered aluminum	11	57	81
Fork		Trek CroMoly	13	48	69
Headset		Tange Seiki Passage	15	42	59
Handlebars		System 1 ATB, alloy, 230g	18	35	50
Stem		CroMoly ATB	21	30	42
Bar ends			24	26	37
Grips	56033	GripShift logo	28	22	32
Shifters	63039/43	GripShift MRX170			
Front derailleur	61396	Shimano Alivio Top Swing			
Rear derailleur	61497	Shimano Alivio			
Brakes	61081/2	Shimano Altus CT91			
Brake levers		Dia-Compe SS8			
Crankset		Sugino Impel 250 42/34/24			
Bottom bracket	61006	Shimano BB-LP26			
Pedals	57182	Wellgo LU-945			
Cassette	61173	Shimano HG50 11-28			
Chain	61245	HG50			
Front wheel					
Front hub	T961234	Aluminum, sealed			
Front tire	58607	Tioga Psycho KS			
Rear wheel					
Rear hub	61651	Shimano Alivio			
Rear tire		Tioga TTS			
Tubes	39416	Presta valve			
Rims	973566	Weinmann 519			
Spokes		DT 14G stainless			
Saddle	64436	Trek Dual density			
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter			
Seat binder	T961847	System Aluminum, QR w/integral hanger, 33.0 clamp diameter			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Gloss Black • Yellow/ Red decal			
Frame sizes		14.5 16.5 18 19.5 21			
Handlebar width		560 560 560 560 560			
Stem length	Part No. ➤	57141 57141 57141 57141 57141			
Crank length	Part No. ➤	90 105 120 135 135			
Seatpost length	Part No. ➤	62377 62378 62379 62380 62380			
	Part No. ➤	170 175 175 175 175			
	Part No. ➤	300 300 350 350 350			
	Part No. ➤	57106 57106 57106			
Steerer, mm		145 145 145 165 199			
Head angle		70.5 70.5 71.0 71.0 71.0			
Seat angle		73.5 73.0 73.0 73.0 73.0			
MM					
Standover		719 744 762 785 820			
Seat tube		368 419 457 495 533			
Head tube		105 105 105 124 159			
Eff top tube		538 571 592 594 600			
Reach		616 662 691 706 712			
Chainstays		424 424 424 424 424			
BB height		297 298 297 297 297			
Offset		37 37 37 37 37			
Trail		79 79 76 76 76			
Wheelbase		1019 1040 1060 1065 1070			
IN					
Standover		28.3 29.3 30.0 30.9 32.3			
Seat tube		14.5 16.5 18.0 19.5 21.0			
Head tube		4.1 4.1 4.1 4.9 6.3			
Eff top tube		21.2 22.5 23.3 23.4 23.6			
Reach		24.3 26.1 27.2 27.8 28.0			
Chainstays		16.7 16.7 16.7 16.7 16.7			
BB height		11.7 11.7 11.7 11.7 11.7			
Offset		1.5 1.5 1.5 1.5 1.5			
Trail		3.1 3.1 3.0 3.0 3.0			
Wheelbase		40.1 40.9 41.7 41.9 42.1			

26.5 lb.
12.03 kg.

Steel Mountain

Assembly Details

Seatposts

Lubricate the seatpost before insertion. Apply a thin layer of grease to the section of the seatpost that will be inserted into the frame. Insert the seatpost into the frame, adjust to the proper height, and engage the binder lever or bolt. Never engage the seatpost binder lever with the seatpost out of the frame.

Steel Mountain bikes are designed to accept 27.2 mm seatposts with a tolerance of 27.10 to 27.20 mm outer diameter (or in the case of 930SHX and lower numbers; 26.6 mm +0/-0.1mm). Measure aftermarket seatposts for conformity to this tolerance prior to installation.

For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Special Torque Specs

ACSD mounting bolts 30-40 lb•in (35-45 NM)

Special Parts

ACSD plate
ACSD mounting bolts
BAU (Brake Actuator Unit)
Women's BAU

TCG Part #
T950695
T940358

Bottom bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads.

Our Price: \$

970SHX

Main tubes	Part No.	True Temper triple butted CroMoly	22	32	42
Stays		True Temper CroMoly	11	52	76 100
Fork		Rock Shox Indy SL 63mm travel	13	44	65 85
Headset	63340	Tange Seiki DX-2 Aheadset 25.4/34.0/30.0, 26.9 mm stack	15	38	56 73
Handlebars		Bontrager Race 25.4mm clamp diameter	17	34	49 65
Stem		Bontrager forged alloy direct connect, 44.5mm steerer clamp height	20	29	42 55
Bar ends	57780	Bontrager Race	23	25	36 48
Grips		Trek logo	26	22	32 42
Shifters	61888/9	Shimano Deore LX RapidFire SL	30	19	28 37
Front derailleur	61430	Shimano Deore LX Top Swing, Top pull, 31.8 mm/ 1 1/4"			
Rear derailleur	61503	Shimano Deore XT SGS			
Brakes	61100/1	Shimano M600 V-brakes			
Brake levers	61097	Shimano M600 V-brake			
Crankset		Shimano Deore LX 4 arm 42/32/22, Splined/104/64 mm bolt hole circle			
Bottom bracket	61005	Shimano BB-UN51 73 x 110			
Pedals		System 2 w/clips and straps 9/16" axle			
Cassette	61205	Shimano HG70 11-30 8spd			
Chain	61253	Shimano IG70 106L length			
Front wheel	973507				
Front hub	T961825	System 3, suspension axle			
Front tire		Continental Navigator Pro, Kevlar bead, 26 x 1.9			
Rear wheel	973506				
Rear hub	61703	Shimano Deore LX HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Continental Traction Pro, Kevlar bead, 26 x 2.0			
Tubes	39416	Ultra light Presta valve			
Rims	951948	Matrix Swami, Ti anodized 546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	58211	Bontrager, CroMoly rails, leather cover			
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter			
Seat binder	T950527	System Steel w/integral bolt 31.8 clamp diameter			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Dry Titanium/ Yellow fork • Red decal			
Frame sizes		13 16.5 18 19.5 21 22.5			
Handlebar width		560 560 560 560 560 560			
Stem length	Part No. ➤	57736 57736 57736 57736 57736 57736			
Crank length	Part No. ➤	170 175 175 175 175 175			
Seatpost length	Part No. ➤	300 350 350 350 350 350			
Steerer, mm		163 163 163 183 223 259			
Head angle		70.5 70.5 71.0 71.0 71.0 71.0			
Seat angle		74.0 73.5 73.0 73.0 73.0 72.5			
MM Standover		682 728 749 774 811 849			
Seat tube		330 419 457 495 533 571			
Head tube		85 85 85 105 145 185			
Eff top tube		537 560 580 590 600 610			
Reach		618 654 688 698 721 731			
Chainstays		430 430 430 430 430 430			
BB height		288 295 298 298 298 298			
Offset		38 38 38 38 38 38			
Trail		78 78 75 75 75 75			
Wheelbase		1022 1043 1055 1066 1077 1084			
IN Standover		26.9 28.7 29.5 30.5 31.9 33.4			
Seat tube		13.0 16.5 18.0 19.5 21.0 22.5			
Head tube		3.3 3.3 3.3 4.1 5.7 7.3			
Eff top tube		21.1 22.0 22.8 23.2 23.6 24.0			
Reach		24.3 25.7 27.1 27.5 28.4 28.8			
Chainstays		16.9 16.9 16.9 16.9 16.9 16.9			
BB height		11.3 11.6 11.7 11.7 11.7 11.7			
Offset		1.5 1.5 1.5 1.5 1.5 1.5			
Trail		3.1 3.1 3.0 3.0 3.0 3.0			
Wheelbase		40.2 41.1 41.5 42.0 42.4 42.7			

24.3 lb.
11.03 kg.

Main tubes	Part No.	True Temper double butted CroMoly	22	32	42
Stays	↓	True Temper CroMoly	11	52	76 100
Fork		Rock Shox Indy C 63mm travel	13	44	65 85
Headset		Dia-Compe ST-2 Aheadset 25.4/34.0/30.0, 25.5 mm stack	15	38	56 73
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter	17	34	49 65
Stem		System 1 ATB, forged alloy direct connect, 40.0 mm steerer clamp height	20	29	42 55
Bar ends	54238	System 1	23	25	36 48
Grips	56033	GripShift logo	26	22	32 42
Shifters	6303-18	GripShift SRT 400	30	19	28 37
Front derailleur	61407	Shimano STX Top Swing Top pull, 28.6 mm/ 1 1/8"			
Rear derailleur	61500	Shimano STX-RC SGS			
Brakes	61100/1	Shimano M600 V-brakes			
Brake levers	62725	Tektro 376A V-brake			
Crankset		Shimano STX 42/32/22 58/94 mm bolt hole circle			
Bottom bracket	61005	Shimano BB-LP26 73 x 110			
Pedals	57182	System 1 Alloy cage w/clips and straps, 9/16" axle			
Cassette	61205	Shimano HG60 11-30 8spd			
Chain	61251	IG31 106L length			
Front wheel	973520				
Front hub	T960101	System 1, suspension axle			
Front tire	58607	Tioga Psycho KS 26 x 1.95			
Rear wheel	973519				
Rear hub	61679	Shimano STX-RC HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire		Tioga TTS 26 x 1.95			
Tubes	39416	Presta valve			
Rims	970700	Matrix Guru 546 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless 32 spokes/268 front/266/267 rear(D/ND)/3x			
Saddle	58207	SSM Techno Dynamic			
Seatpost		System 1, aluminum micro-adjust, 26.6 mm diameter			
Seat binder	T962846	Quick release			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Dry Ice Green/ Cream fork • Cream decal			
Frame sizes		13 16.5 18 19.5 21 22.5			
Handlebar width		560 560 560 560 560 560			
Stem length	Part No. ➤	57141 57141 57141 57141 57141 57141			
Crank length	Part No. ➤	62117 62118 62119 62119 62120 62120			
Seatpost length	Part No. ➤	61280 61281 61281 61281 61281 61281			
	Part No. ➤	300 350 350 350 350 350			
	Part No. ➤	- 57102 57102 57102 57102 57102			
Steerer, mm		163 163 163 183 223 258			
Head angle		70.5 70.5 71.0 71.0 71.0 71.0			
Seat angle		74.0 73.5 73.0 73.0 73.0 72.5			
MM Standover		681 725 745 772 808 846			
Seat tube		330 419 457 495 533 571			
Head tube		85 85 85 105 145 185			
Eff top tube		542 560 580 590 600 610			
Reach		620 651 679 689 712 722			
Chainstays		430 430 430 430 430 430			
BB height		288 295 298 298 298 298			
Offset		38 38 38 38 38 38			
Trail		75 78 75 75 75 75			
Wheelbase		1022 1038 1049 1060 1071 1077			
IN Standover		26.8 28.5 29.3 30.4 31.8 33.3			
Seat tube		13.0 16.5 18.0 19.5 21.0 22.5			
Head tube		3.3 3.3 3.3 4.1 5.7 7.3			
Eff top tube		21.3 22.0 22.8 23.2 23.6 24.0			
Reach		24.4 25.6 26.8 27.1 28.0 28.4			
Chainstays		16.9 16.9 16.9 16.9 16.9 16.9			
BB height		11.3 11.6 11.7 11.7 11.7 11.7			
Offset		1.5 1.5 1.5 1.5 1.5 1.5			
Trail		3.0 3.1 3.0 3.0 3.0 3.0			
Wheelbase		40.2 40.9 41.3 41.7 42.2 42.4			

27.0 lb.
12.26 kg

Main tubes	Part No.	True Temper double butted CroMoly	22	32	42
Stays	↓	True Temper CroMoly	11	52	76 100
Fork		System 1 CroMoly	13	44	65 85
Headset		VP H913W 25.4/34.0/30.0, 35.0 mm stack	15	38	56 73
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter	17	34	49 65
Stem		System 1 ATB, CroMoly 25.4 mm insertion	20	29	42 55
Bar ends	56033	GripShift logo	23	25	36 48
Grips	6303-18	GripShift SRT 400	26	22	32 42
Shifters	61407	Shimano STX Top Swing Top pull, 28.6 mm/ 1 1/8"	30	19	28 37
Front derailleur	61500	Shimano STX-RC SGS			
Rear derailleur	61100/1	Shimano M600 V-brakes			
Brakes	62725	Tektro 376A V-brake			
Brake levers		Shimano STX 42/32/22 58/94 mm bolt hole circle			
Crankset	61005	Shimano BB-LP26 73 x 110			
Bottom bracket	57182	System 1 Alloy cage w/clips and straps, 9/16" axle			
Pedals	61205	Shimano HG60 11-30 8spd			
Cassette	61251	IG31 106L length			
Chain	973520				
Front wheel	T960101	System 1, suspension axle			
Front hub	58607	Tioga Psycho KS 26 x 1.95			
Front tire	973519				
Rear wheel	61679	Shimano STX-RC HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear hub		Tioga TTS 26 x 1.95			
Rear tire	39412	Presta valve			
Tubes	970700	Matrix Guru 546 E.R.D., Velox 19mm rim strip			
Rims		DT 14G stainless 32 spokes/268 front/266/267 rear(D/ND)/3x			
Spokes	58207	SSM Techno Dynamic			
Saddle		System 1, aluminum micro-adjust, 26.6 mm diameter			
Seatpost	T962 846	Quick release			
Seat binder		Rack mounts, 2 water bottle mounts			
Additional		Dry Ice Green • Cream decal			
Colors					
Frame sizes		13 16.5 18 19.5 21 22.5			
Handlebar width		560 560 560 560 560 560			
Stem length	Part No. ➤	57141 57141 57141 57141 57141 57141			
Crank length	Part No. ➤	62377 62378 62379 62379 62380 62380			
Seatpost length	Part No. ➤	61280 61281 61281 61281 61281 61281			
	Part No. ➤	300 350 350 350 350 350			
	Part No. ➤	- 57102 57102 57102 57102 57102			
Steerer, mm		121 121 121 141 181 221			
Head angle		70.5 70.5 71.0 71.0 71.0 71.0			
Seat angle		74.0 73.5 73.0 73.0 73.0 72.5			
MM Standover		681 725 745 772 808 846			
Seat tube		330 419 457 495 533 571			
Head tube		85 85 85 105 145 185			
Eff top tube		542 560 580 590 600 610			
Reach		620 651 679 689 712 722			
Chainstays		430 430 430 430 430 430			
BB height		288 295 298 298 298 298			
Offset		38 38 38 38 38 38			
Trail		75 78 75 75 75 75			
Wheelbase		1022 1038 1049 1060 1071 1077			
IN Standover		26.8 28.5 29.3 30.4 31.8 33.3			
Seat tube		13.0 16.5 18.0 19.5 21.0 22.5			
Head tube		3.3 3.3 3.3 4.1 5.7 7.3			
Eff top tube		21.3 22.0 22.8 23.2 23.6 24.0			
Reach		24.4 25.6 26.8 27.1 28.0 28.4			
Chainstays		16.9 16.9 16.9 16.9 16.9 16.9			
BB height		11.3 11.6 11.7 11.7 11.7 11.7			
Offset		1.5 1.5 1.5 1.5 1.5 1.5			
Trail		3.0 3.1 3.0 3.0 3.0 3.0			
Wheelbase		40.2 40.9 41.3 41.7 42.2 42.4			

26.5 lb.
12.03 kg

Main tubes	Part No.	True Temper double butted CroMoly	24	34	42
Stays		True Temper CroMoly	11	57	81
Fork		Rock Shox Quadra 5 48mm travel	13	48	69
Headset		VP H913W 25.4/34.0/30.0, 35.0 mm stack	16	39	56
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter	19	33	47
Stem		CroMoly steel ATB 25.4 mm insertion	22	29	41
Bar ends		-	26	24	34
Grips		Trek logo	30	21	30
Shifters	61882/3	Shimano STX-RC RapidFire SL	42		
Front derailleur	61394	Shimano Alivio Top Swing Top pull, 28.6 mm/ 1 1/8"			
Rear derailleur	61497	Shimano Alivio			
Brakes	61087/8	Shimano Alivio			
Brake levers	61080	Shimano Alivio			
Crankset		Shimano Alivio 42/34/24 67 mm bolt hole circle			
Bottom bracket	61005	Shimano BB-LP26 73 x 110			
Pedals	57181/2	Resin w/clips and straps 9/16" axle			
Cassette	61228	Shimano IG50 11-30 7spd			
Chain	61251	IG31 106L length			
Front wheel	973520				
Front hub	T962843	Aluminum, sealed			
Front tire	52204	Trek Kahuna front 26 x 2.1			
Rear wheel	973519				
Rear hub	61659	Shimano Alivio HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire	52205	Trek Kahuna rear 26 x 2.1			
Tubes	39417	Schraeder valve			
Rims	970424	Matrix Guru 546 E.R.D., Velox 19mm rim strip			
Spokes		14G stainless 32 spokes/267 front/265/266 rear(D/ND)/3x			
Saddle	64437	Trek Dual density			
Seatpost		Micro-adjust, alloy 26.6 mm diameter			
Seat binder	T962846	Quick release			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Dry Ice Blue/ Black fork • Black decal			
Frame sizes		13 16.5 18 19.5 21 22.5			
Handlebar width		560 560 560 560 560 560			
Stem length	Part No. ➤	57141 57141 57141 57141 57141 57141			
Crank length	Part No. ➤	62377 62378 62379 62380 62380 62381			
Seatpost length	Part No. ➤	61278 61279 61279 61279 61279 61279			
	Part No. ➤	300 350 350 350 350 350			
	Part No. ➤	- 57102 57102 57102 57102 57102			
Steerer, mm		119 119 119 139 179 219			
Head angle		70.0 70.0 70.5 70.5 70.5 70.5			
Seat angle		73.0 73.0 72.5 72.5 72.5 72.0			
MM Standover		694 719 738 767 804 841			
Seat tube		330 419 457 495 533 571			
Head tube		85 85 85 105 145 185			
Eff top tube		540 555 570 580 590 600			
Reach		618 646 669 691 701 724			
Chainstays		430 430 430 430 430 430			
BB height		291 293 295 295 295 297			
Offset		43 43 43 43 43 43			
Trail		75 75 72 72 72 72			
Wheelbase		1026 1041 1049 1059 1071 1078			
IN Standover		27.3 28.3 29.1 30.2 31.7 33.1			
Seat tube		13.0 16.5 18.0 19.5 21.0 22.5			
Head tube		3.3 3.3 3.3 4.1 5.7 7.3			
Eff top tube		21.3 21.9 22.4 22.8 23.2 23.6			
Reach		24.3 25.4 26.3 27.2 27.6 28.5			
Chainstays		16.9 16.9 16.9 16.9 16.9 16.9			
BB height		11.5 11.5 11.6 11.6 11.6 11.7			
Offset		1.7 1.7 1.7 1.7 1.7 1.7			
Trail		3.0 3.0 2.8 2.8 2.8 2.8			
Wheelbase		40.4 41.0 41.3 41.7 42.2 42.4			

28.0 lb.
12.71 kg.

Main tubes	Part No.	True Temper double butted CroMoly	24	34	42
Stays		True Temper CroMoly	11	57	81
Fork		Trek CroMoly	13	48	69
Headset		VP H913W 25.4/34.0/30.0, 35.0 mm stack	16	39	56
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter	19	33	47
Stem		CroMoly steel ATB 25.4 mm insertion	22	29	41
Bar ends		-	26	24	34
Grips		Trek logo	30	21	30
Shifters	61882/3	Shimano STX-RC RapidFire SL			
Front derailleur	61394	Shimano Alivio Top Swing Top pull, 28.6 mm/ 1 1/8"			
Rear derailleur	61498	Shimano STX SGS			
Brakes	61087/8	Shimano Alivio			
Brake levers	61080	Shimano Alivio			
Crankset		Shimano Alivio 42/34/24 67 mm bolt hole circle			
Bottom bracket	61005	Shimano BB-LP26 73 x 110			
Pedals	57181/2	Resin w/clips and straps 9/16" axle			
Cassette	61228	Shimano IG50 11-30 7spd			
Chain	61251	IG31 106L length			
Front wheel	973520				
Front hub	T962843	Aluminum, sealed			
Front tire	52204	Trek Kahuna front 26 x 2.1			
Rear wheel	973519				
Rear hub	61659	Shimano Alivio HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.			
Rear tire	52205	Trek Kahuna rear 26 x 2.1			
Tubes	39417	Schraeder valve			
Rims	970424	Matrix Guru 546 E.R.D., Velox 19mm rim strip			
Spokes		14G stainless 32 spokes/267 front/265/266 rear(D/ND)/3x			
Saddle	64436	Trek Dual density			
Seatpost		Micro-adjust, alloy 26.6 mm diameter			
Seat binder	T962846	Quick release			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Dry Ice Blue • Black decal			
Frame sizes		13 16.5 18 19.5 21 22.5			
Handlebar width		560 560 560 560 560 560			
Stem length	Part No. ➤	57141 57141 57141 57141 57141 57141			
Crank length	Part No. ➤	62377 62378 62379 62380 62380 62381			
Seatpost length	Part No. ➤	61278 61279 61279 61279 61279 61279			
	Part No. ➤	300 350 350 350 350 350			
	Part No. ➤	- 57102 57102 57102 57102 57102			
Steerer, mm		125 125 125 145 185 225			
Head angle		70.0 70.0 70.5 70.5 70.5 70.5			
Seat angle		73.0 73.0 72.5 72.5 72.5 72.0			
MM Standover		694 719 738 767 804 841			
Seat tube		330 419 457 495 533 571			
Head tube		85 85 85 105 145 185			
Eff top tube		540 555 570 580 590 600			
Reach		618 646 669 691 701 724			
Chainstays		430 430 430 430 430 430			
BB height		291 293 295 295 295 297			
Offset		43 43 43 43 43 43			
Trail		75 75 72 72 72 72			
Wheelbase		1026 1041 1049 1059 1071 1078			
IN Standover		27.3 28.3 29.1 30.2 31.7 33.1			
Seat tube		13.0 16.5 18.0 19.5 21.0 22.5			
Head tube		3.3 3.3 3.3 4.1 5.7 7.3			
Eff top tube		21.3 21.9 22.4 22.8 23.2 23.6			
Reach		24.3 25.4 26.3 27.2 27.6 28.5			
Chainstays		16.9 16.9 16.9 16.9 16.9 16.9			
BB height		11.5 11.5 11.6 11.6 11.6 11.7			
Offset		1.7 1.7 1.7 1.7 1.7 1.7			
Trail		3.0 3.0 2.8 2.8 2.8 2.8			
Wheelbase		40.4 41.0 41.3 41.7 42.2 42.4			

27.3 lb.
12.39 kg.

Main tubes	Part No.	True Temper double butted CroMoly	24	34	42
Stays		True Temper CroMoly	11	57	81
Fork		RST 161B	13	48	69
Headset		VP H913W	15	42	59
Handlebars		CroMoly	18	35	50
Stem		CroMoly ATB	21	30	42
Bar ends		-	24	26	37
Grips	56033	GripShift logo	28	22	32
Shifters	63036/17	GripShift SRT 400			
Front derailleur	61389	Shimano Acera-X			
Rear derailleur	61497	Shimano Alivio			
Brakes	61083/14	Shimano Acera-X			
Brake levers		Dia-Compe SS8			
Crankset		Shimano Acera-X 42/34/24			
Bottom bracket	61005	Shimano BB-LP26			
Pedals	57181/2	Wellgo LU-945			
Cassette	61171	Shimano HG30 11-28			
Chain	61245	HG50			
Front wheel	64179				
Front hub	T962843	Aluminum, sealed			
Front tire	52204	Trek Kahuna front			
Rear wheel	64178				
Rear hub	61651	Shimano Acera-X			
Rear tire	52205	Trek Kahuna rear			
Tubes	39417	Schraeder valve			
Rims	960323	Weinmann 519			
Spokes		14G stainless			
Saddle	64436	Trek Dual density			
Seatpost		Micro-adjust, alloy			
Seat binder	T962846	Quick release			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Dry Titanium/ Yellow fork • Yellow decal			
Frame sizes			13	16.5	18
Handlebar width			560	560	560
Stem length	Part No. ▶		57141	57141	57141
Crank length	Part No. ▶		62377	62378	62379
Seatpost length	Part No. ▶		61274	61275	61275
Steerer, mm			119	119	119
Head angle			70.0	70.0	70.0
Seat angle			73.0	73.0	72.5
Standover			694	719	738
Seat tube			330	419	457
Head tube			85	85	85
Eff top tube			540	555	570
Reach			618	646	669
Chainstays			430	430	430
BB height			291	293	295
Offset			43	43	43
Trail			75	75	72
Wheelbase			1026	1041	1049
Standover			27.3	28.3	29.1
Seat tube			13.0	16.5	18.0
Head tube			3.3	3.3	3.3
Eff top tube			21.3	21.9	22.4
Reach			24.3	25.4	26.3
Chainstays			16.9	16.9	16.9
BB height			11.5	11.5	11.6
Offset			1.7	1.7	1.7
Trail			3.0	3.0	2.8
Wheelbase			40.4	41.0	41.3

29.5 lb.
13.39 kg.

Main tubes	Part No.	True Temper double butted CroMoly	24	34	42
Stays		True Temper CroMoly	11	57	81
Fork		Trek CroMoly	13	48	69
Headset		VP H913W	15	42	59
Handlebars		CroMoly	18	35	50
Stem		CroMoly ATB	21	30	42
Bar ends		-	24	26	37
Grips	56033	GripShift logo	28	22	32
Shifters	63036/17	GripShift SRT 400			
Front derailleur	61389	Shimano Acera-X			
Rear derailleur	61497	Shimano Alivio			
Brakes	61083/14	Shimano Acera-X			
Brake levers		Dia-Compe SS8			
Crankset		Shimano Acera-X 42/34/24			
Bottom bracket	61005	Shimano BB-LP26			
Pedals	57181/2	Wellgo LU-945			
Cassette	61171	Shimano HG30 11-28			
Chain	61245	HG50			
Front wheel	64179				
Front hub	T962843	Aluminum, sealed			
Front tire	52204	Trek Kahuna front			
Rear wheel	64178				
Rear hub	61651	Shimano Acera-X			
Rear tire	52205	Trek Kahuna rear			
Tubes	39417	Schraeder valve			
Rims	960323	Weinmann 519			
Spokes		14G stainless			
Saddle	64436	Trek Dual density			
Seatpost		Micro-adjust, alloy			
Seat binder	T962846	Quick release			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Judy Yellow • Black decal Inkwell • Silver decal			
Frame sizes			13	16.5	18
Handlebar width			560	560	560
Stem length	Part No. ▶		57141	57141	57141
Crank length	Part No. ▶		62377	62378	62379
Seatpost length	Part No. ▶		61274	61275	61275
Steerer, mm			125	125	125
Head angle			70.0	70.0	70.5
Seat angle			73.0	73.0	72.5
Standover			694	719	738
Seat tube			330	419	457
Head tube			85	85	85
Eff top tube			540	555	570
Reach			618	646	669
Chainstays			430	430	430
BB height			291	293	295
Offset			43	43	43
Trail			75	75	72
Wheelbase			1026	1041	1049
Standover			27.3	28.3	29.1
Seat tube			13.0	16.5	18.0
Head tube			3.3	3.3	3.3
Eff top tube			21.3	21.9	22.4
Reach			24.3	25.4	26.3
Chainstays			16.9	16.9	16.9
BB height			11.5	11.5	11.6
Offset			1.7	1.7	1.7
Trail			3.0	3.0	2.8
Wheelbase			40.4	41.0	41.3

29.0 lb.
13.17 kg.

Main tubes	Part No.	Trek CroMoly	24	34	42				
Stays		High tensile steel	11	57	81	100			
Fork		Full CroMoly	13	48	69	85			
Headset		VP H913W 22.2/30.0/27.0 (some 1 1/8"), 35.0 mm stack	15	42	59	73			
Handlebars		Steel, 5° bend; Women's: 60mm rise, 25.4mm clamp diameter	18	35	50	61			
Stem		Steel ATB 22.2 mm insertion (some 1 1/8")	21	30	42	52			
Bar ends		-	24	26	37	46			
Grips		-	28	22	32	39			
Shifters	63039/43	Kraton							
Front derailleur	61477	GripShift MRX170							
Rear derailleur	61497	Shimano Altus CT92E Down pull, E-type, bracket							
Brakes	61081/2	Shimano Alivio							
Brake levers	64363	Shimano Altus CT91							
Crankset		Tektro 371A							
Bottom bracket	61000	Shimano Altus CT92 42/34/24, Riveted rings							
Pedals	57182/1	Shimano BB-CT91E 68 x 116							
Cassette	61171	Wellgo LU-945 9/16" axle							
Chain	29705	Shimano HG30 11-28 7spd							
Front wheel	60936	UG50							
Front hub		Alloy quick release							
Front tire	56435	Trek Connection 26 x 1.95							
Rear wheel	60937								
Rear hub		Shimano Altus HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.							
Rear tire	56435	Trek Connection 26 x 1.95							
Tubes	39417	Schraeder valve							
Rims	58357	Weinmann 519 545 E.R.D.,							
Spokes		14G stainless 36 spokes/265 front/263/264 rear(D/ND)/3x							
Saddle	64445	Trek Hi-density super soft foam (Ladies 64446)							
Seatpost		Micro-adjust, alloy 26.6 mm diameter							
Seat binder	T972666	Quick release							
Additional		Rack mounts, 2 water bottle mounts							
Colors		Gloss Red • Black decal							
		Gloss Black • Silver decal							
Frame sizes		13.5 16.5 18 19.5 21 22.5 24 17W 20W							
Handlebar width		560 580 580 580 580 580 580 580 610							
Stem length	Part No. ➤	57141 57141 57141 57141 57141 57141 57141 55460 55460							
Crank length	Part No. ➤	170 170 170 170 170 170 170 170 170							
Seatpost length	Part No. ➤	61273 61273 61273 61273 61273 61273 61273 61273 61273							
	Part No. ➤	300 300 300 300 300 300 300 250 300							
	Part No. ➤	57102 57102 57102 57102 57102 57102 57102 54326 57102							
Steerer, mm		124 124 124 144 184 224 264 164 194							
Head angle		70.0 70.0 70.5 70.5 70.5 70.5 70.5 69.5 69.5							
Seat angle		73.0 73.0 72.5 72.5 72.5 72.0 72.0 72.5 72.5							
MM Standover		687 711 731 758 795 832 869 644 666							
Seat tube		342 419 457 495 533 571 610 432 508							
Head tube		85 85 85 105 145 185 225 125 155							
Eff top tube		540 550 560 570 580 590 600 539 554							
Reach		582 592 603 613 632 642 652 580 595							
Chainstays		436 436 436 436 436 436 436 436 436							
BB height		291 293 295 295 295 297 297 283 295							
Offset		43 43 43 43 43 43 43 45 45							
Trail		75 75 72 72 72 72 72 77 73							
Wheelbase		1031 1042 1044 1045 1066 1073 1084 1031 1043							
IN Standover		27.0 28.0 28.8 29.8 31.3 32.8 34.2 25.4 26.2							
Seat tube		13.5 16.5 18.0 19.5 21.0 22.5 24.0 17.0 20.0							
Head tube		3.3 3.3 3.3 4.1 5.7 7.3 8.9 4.9 6.1							
Eff top tube		21.3 21.7 22.0 22.4 22.8 23.2 23.6 21.2 21.8							
Reach		22.9 23.3 23.7 24.1 24.9 25.3 25.7 22.9 23.4							
Chainstays		17.2 17.2 17.2 17.2 17.2 17.2 17.2 17.2 17.2							
BB height		11.5 11.5 11.6 11.6 11.6 11.7 11.7 11.1 11.6							
Offset		1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.8 1.8							
Trail		3.0 3.0 2.8 2.8 2.8 2.8 2.8 3.0 2.9							
Wheelbase		40.6 41.0 41.1 41.1 42.0 42.2 42.7 40.6 41.1							

Main tubes	Part No.	HiTensile steel w/ outer butted CroMoly seat tube	24	34	42				
Stays		High tensile steel	11	57	81	100			
Fork		High tensile steel	13	48	69	85			
Headset	58960	VP H67W 22.2/30.0/27.0, 35.0 mm stack	15	42	59	73			
Handlebars		5° bend, women's 60 mm rise, 25.4mm clamp diameter	18	35	50	61			
Stem		Steel ATB 22.2 mm insertion	21	30	42	52			
Bar ends		-	24	26	37	46			
Grips		-	28	22	32	39			
Shifters	61880/1	Kraton							
Front derailleur	61477	Shimano EZ Fire							
Rear derailleur	61494	Shimano Altus CT92E Down pull, E-type, bracket							
Brakes	61081/2	Shimano Altus CT92 GS							
Brake levers		Shimano Altus CT91							
Crankset		-							
Bottom bracket	61000	Shimano Altus CT92 42/34/24, Riveted rings							
Pedals	57180	Shimano BB-CT91E 68 x 116							
Cassette	61171	Victor VP-893 9/16" axle							
Chain	29705	Shimano HG30 11-28 7spd							
Front wheel	60936	UG50 108L length							
Front hub		Alloy quick release							
Front tire	56435	Trek Connection 26 x 1.95							
Rear wheel	60937								
Rear hub	62267	Quick release cassette HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.							
Rear tire	56435	Trek Connection 26 x 1.95							
Tubes	39417	Schraeder valve							
Rims	58357	Weinmann 519 545 E.R.D.,							
Spokes		14G UCP 36 spokes/265 front/263/264 rear(D/ND)/3x							
Saddle	56630-1	Trek Hi-density super soft foam							
Seatpost		Alloy 26.6 mm diameter							
Seat binder		Quick release							
Additional		Rack mounts, 2 water bottle mounts							
Colors		Gloss Bright Silver • Black decal							
		Dry Dark Blue • White decal							
Frame sizes		13.5 16.5 18 19.5 21 22.5 24 17W 20W							
Handlebar width		580 580 580 580 580 580 580 610 610							
Stem length	Part No. ➤	57140 57140 57140 57140 57140 57140 57140 64870 64870							
Crank length	Part No. ➤	90 90 90 110 110 130 130 90 110							
Seatpost length	Part No. ➤	64867 64867 64867 64868 64868 64869 64869 64867 64868							
	Part No. ➤	170 170 170 170 170 170 170 170 170							
	Part No. ➤	59461-L/R 59461-L/R 59461-L/R 59461-L/R 59461-L/R 59461-L/R 59461-L/R 59461-L/R 59461-L/R							
	Part No. ➤	300 300 300 300 300 300 300 250 300							
	Part No. ➤	57102 57102 57102 57102 57102 57102 57102 54326 57102							
Steerer, mm		124 124 124 144 184 224 264 164 194							
Head angle		70.0 70.0 70.5 70.5 70.5 70.5 70.5 69.5 69.5							
Seat angle		73.0 73.0 72.5 72.5 72.5 72.0 72.0 72.5 72.5							
MM Standover		687 711 731 758 795 832 869 644 666							
Seat tube		342 419 457 495 533 571 610 432 508							
Head tube		85 85 85 105 145 185 225 125 155							
Eff top tube		540 550 560 570 580 590 600 539 554							
Reach		563 573 584 599 609 625 635 556 564							
Chainstays		436 436 436 436 436 436 436 436 436							
BB height		291 293 295 295 295 297 297 283 295							
Offset		43 43 43 43 43 43 43 45 45							
Trail		75 75 72 72 72 72 72 77 73							
Wheelbase		1031 1042 1044 1045 1066 1073 1084 1031 1043							
IN Standover		27.0 28.0 28.8 29.8 31.3 32.8 34.2 25.4 26.2							
Seat tube		13.5 16.5 18.0 19.5 21.0 22.5 24.0 17.0 20.0							
Head tube		3.3 3.3 3.3 4.1 5.7 7.3 8.9 4.9 6.1							
Eff top tube		21.3 21.7 22.0 22.4 22.8 23.2 23.6 21.2 21.8							
Reach		22.2 22.6 23.0 23.6 24.0 24.6 25.0 21.9 22.2							
Chainstays		17.2 17.2 17.2 17.2 17.2 17.2 17.2 17.2 17.2							
BB height		11.5 11.5 11.6 11.6 11.6 11.7 11.7 11.1 11.6							
Offset		1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.8 1.8							
Trail		3.0 3.0 2.8 2.8 2.8 2.8 2.8 3.0 2.9							
Wheelbase		40.6 41.0 41.1 41.1 42.0 42.2 42.7 40.6 41.1							

Main tubes	Part No.	High tensile steel								28	38	48	
Stays		High tensile steel								14	52	71	90
Fork		High tensile steel								16	46	62	79
Headset	58960	VP H67W	22.2/30.0/27.0, 35.0 mm stack							18	41	55	70
Handlebars		5° bend, women's 60 mm rise, 25.4mm clamp diameter								20	37	50	63
Stem		Steel ATB	22.2 mm insertion							22	33	45	57
Bar ends		-								24	31	42	52
Grips	63060	Kraton								28	26	36	45
Shifters	63039/42	GripShift MRX170											
Front derailleur	61382	Shimano Tourney TY30	Down pull, 28.6 mm/ 1 1/8"										
Rear derailleur	61494	Shimano Tourney TY22											
Brakes	61081/2	Shimano Altus CT91											
Brake levers	64363	Tektro 371AP											
Crankset		SR 48/38/28	Riveted rings										
Bottom bracket	53309	VP-B32/3N	68										
Pedals	57180	Victor VP-893	9/16" axle										
Cassette	61231	HG37 14-28	7spd										
Chain	29705	UG50											
Front wheel	60934												
Front hub		Quick release											
Front tire	56435	Trek Connection	26 x 1.95										
Rear wheel	60935												
Rear hub	62267	Nuttet rear	Threaded, 7 spd, nutted rear, 135 mm O.L.D.										
Rear tire	56435	Trek Connection	26 x 1.95										
Tubes	39417	Schraeder valve											
Rims	58357	Weinmann 519	545 E.R.D.,										
Spokes		14G UCP	36 spokes/265 front/262/263 rear(D/ND)/3x										
Saddle	56630-1	Trek Hi-density super soft foam											
Seatpost		Alloy	26.6 mm diameter										
Seat binder		Quick release											
Additional		Rack mounts, 2 water bottle mounts											
Colors		Gloss Ice Green • White decal											
		Dry Bright Blue • Black decal											
Frame sizes		13.5	16.5	18	19.5	21	22.5	24	17W	20W			
Handlebar width		560	580	580	580	580	580	580	580	610			
Stem length	Part No. ➤	57140	57140	57140	57140	57140	57140	57140	62540	62541			
		80	80	80	100	100	120	120	100	100			
Crank length	Part No. ➤	64861	64861	64861	64862	64862	64863	64863	64862	64862			
		170	170	170	170	170	170	170	170	170			
Seatpost length	Part No. ➤	64360	64360	64360	64360	64360	64360	64360	64360	64360			
		300	300	300	300	300	300	300	250	300			
	Part No. ➤	57102	57102	57102	57102	57102	57102	57102	54326	57102			
Steerer, mm		122	122	122	142	182	222	262	162	192			
Head angle		70.0	70.0	70.5	70.5	70.5	70.5	70.5	69.5	69.5			
Seat angle		73.0	73.0	72.5	72.5	72.5	72.0	72.0	72.5	72.5			
MM													
Standover		687	711	731	758	795	832	869					
Seat tube		342	419	457	495	533	571	610	432	508			
Head tube		85	85	85	105	145	185	225	125	155			
Eff top tube		540	550	560	570	580	590	600	533	536			
Reach		561	571	581	597	607	622	632	558	561			
Chainstays		436	436	436	436	436	436	436	436	436			
BB height		291	293	295	295	295	297	297	283	295			
Offset		43	43	43	43	43	43	43	45	45			
Trail		75	75	72	72	72	72	72	77	73			
Wheelbase		1031	1042	1044	1045	1066	1073	1084	1031	1043			
IN													
Standover		27.0	28.0	28.8	29.8	31.3	32.8	34.2					
Seat tube		13.5	16.5	18.0	19.5	21.0	22.5	24.0	17.0	20.0			
Head tube		3.3	3.3	3.3	4.1	5.7	7.3	8.9	4.9	6.1			
Eff top tube		21.3	21.7	22.0	22.4	22.8	23.2	23.6	21.0	21.1			
Reach		22.1	22.5	22.9	23.5	23.9	24.5	24.9	22.0	22.1			
Chainstays		17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2	17.2			
BB height		11.5	11.5	11.6	11.6	11.6	11.7	11.7	11.1	11.6			
Offset		1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.8	1.8			
Trail		3.0	3.0	2.8	2.8	2.8	2.8	2.8	3.0	2.9			
Wheelbase		40.6	41.0	41.1	41.1	42.0	42.2	42.7	40.6	41.1			

Hybrids

Assembly Details

Seatposts

Lubricate the seatpost before insertion. Apply a thin layer of grease to the section of the seatpost that will be inserted into the frame. Insert the seatpost into the frame, adjust to the proper height, and engage the binder lever or bolt. Never engage the seatpost binder lever with the seatpost out of the frame.

Aluminum, 3 Tube Carbon, and some steel hybrid bikes are designed to accept 27.2 mm seatposts with a tolerance of 27.10 to 27.20 mm outer diameter (or in the case of 730 and lower numbers; 26.6 mm +0/-0.1mm). Measure aftermarket seatposts for conformity to this tolerance prior to installation.

For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Special Parts

	TCG Part #
Chainstay guard	T83663
Manitou BodyShock seatpost shim (27.2)	T972697
BAU (Brake Actuator Unit)	T950695
Women's BAU	T940358

Bottom bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads, especially when inserting into an aluminum bottom bracket shell.

Chainstay guard

Aluminum Hybrid frames must always be fitted with a chainstay guard to protect against damage in case of chainsuck or overshifting past the inner chainring.

Our Price: \$

UAV 2

Main tubes	Part No.	Trek butted carbon			
Stays		Easton tapered aluminum			22 32 42
Fork		Manitou suspension, alloy steerer, 48mm travel		11	54 79 104
Headset	63340	Tange Seiki DX-2 Aheadset 25.4/34.0/30.0, 26.9 mm stack		12	50 73 95
Handlebars		TTT Lex 25.4mm clamp diameter		14	43 62 82
Stem		TTT Forge Ahead, direct connect, 39.5 mm steerer clamp height		16	37 54 72
Bar ends	54238	System 1		18	33 48 64
Grips		GripShift ESP 700		21	29 42 54
Shifters	63022/4	GripShift ESP 700		24	25 36 48
Front derailleur	61431	Shimano Deore LX Top Swing, Top pull, 34.9 mm/ 1 3/8"		28	21 31 41
Rear derailleur	63003	GripShift ESP 7.0			
Brakes	61087/8	Shimano Alivio			
Brake levers	62725	Tektro 367AP			
Crankset		Shimano Deore LX 42/32/22 58/94 mm bolt hole circle			
Bottom bracket	61017	Shimano BB-UN52 68 x 113			
Pedals	60217	Shimano SPD M323 clipless 9/16" axle			
Cassette	61204	Shimano HG70I 11-28 8spd			
Chain	61253	Shimano IG70 106L length			
Front wheel	973010				
Front hub	961825	System 3, suspension axle			
Front tire	T960314	Tioga City Slicker II 700 x 38c			
Rear wheel	973011				
Rear hub	61703	Shimano Deore LX HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire	T960314	Tioga City Slicker II 700 x 38c			
Tubes		Presta valve			
Rims	961896	Matrix Cosmo 610 E.R.D., Velox 19mm rim strip			
Spokes		DT 14/15G butted stainless 32 spokes/299 front/297/298 rear(D/ND)/3x			
Saddle	T970002	Selle Bassano, CroMoly rails, leather cover			
Seatpost		Manitou BodyShock 27.2 mm diameter			
Seat binder	T961827	System Aluminum w/integral bolt, hanger, 33.0 clamp diameter			
Additional		Rack mounts, 2 water bottle mounts, BodyShock 27.2 shim (T972697)			
Colors		Dry Ice Black/Natural• Silver decal			
Frame sizes		16.5 18 20 22			
Handlebar width		620 620 620 620			
Stem length	Part No.➤	90 105 120 120			
Crank length	Part No.➤	170 170 175 175			
Seatpost length	Part No.➤	61287 61287 61288 61288			
	Part No.➤	350 350 350 350			
	Part No.➤	T972696 T972696 T972696 T972696			
Steerer, mm		172 172 191 226			
Head angle		70.5 71.0 71.0 71.0			
Seat angle		73.0 73.0 73.0 73.0			
MM Standover		743 764 794 836			
Seat tube		419 457 507 559			
Head tube		93 93 116 167			
Eff top tube		564 574 574 585			
Reach		622 643 653 664			
Chainstays		430 430 430 430			
BB height		308 311 311 313			
Offset		40 40 40 40			
Trail		76 73 73 73			
Wheelbase		1043 1056 1057 1060			
IN Standover		29.3 30.1 31.3 32.9			
Seat tube		16.5 18.0 20.0 22.0			
Head tube		3.7 3.7 4.6 6.6			
Eff top tube		22.2 22.6 22.6 23.0			
Reach		24.5 25.3 25.7 26.1			
Chainstays		16.9 16.9 16.9 16.9			
BB height		12.1 12.2 12.2 12.3			
Offset		1.6 1.6 1.6 1.6			
Trail		3.0 2.9 2.9 2.9			
Wheelbase		41.1 41.6 41.6 41.7			

Main tubes	Part No.	Easton ProGram taper wall aluminum alloy	22	32	42
Stays		Easton tapered aluminum	11	57	81 100
Fork		Manitou suspension 48mm travel	13	48	69 85
Headset	63339	Tange Seiki STE Aheadset 25.4/34.0/30.0, 24.5 mm stack	16	39	56 69
Handlebars		System 2 ATB, butted alloy, 170g, 25.4mm clamp diameter	19	33	47 58
Stem		TTT Forge Ahead, direct connect, 39.5 mm steerer clamp height	22	29	41 50
Bar ends		-	26	24	34 42
Grips	6302618	GripShift ESP 500	30	21	30 37
Shifters	61417	GripShift ESP 500			
Front derailleur	63004	Shimano STX-RC Top Swing Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	6108718	GripShift ESP 5.0			
Brakes	62725	Shimano Alivio			
Brake levers		Tektro 367AP			
Crankset		Shimano STX-RC 42/32/22 58/94 mm bolt hole circle			
Bottom bracket		Shimano BB-LP26 68 x 113			
Pedals		Wellgo City 9/16" axle			
Cassette	61228	Shimano IG50 11-30 7spd			
Chain	61252	Shimano IG51 108L length			
Front wheel	973468				
Front hub	960101	System 1, suspension axle			
Front tire	T960314	Tioga City Slicker II 700 x 38c			
Rear wheel	973467				
Rear hub	61683	Shimano STX HyperGlide Compact cassette, 7 speed, 135 mm O.L.D.			
Rear tire	T960314	Tioga City Slicker II 700 x 38c			
Tubes	29982	Presta valve			
Rims	970711	Matrix Vapor 610 E.R.D., Velox 19mm rim strip			
Spokes		DT 14/15G butted stainless 32 spokes/299 front/297/298 rear(D/ND)/3x			
Saddle	56630	Trek Dual density			
Seatpost		KEI SRU suspension 27.2 mm diameter			
Seat binder	T961827	System Aluminum w/integral bolt, hanger, 33.0 clamp diameter			
Additional		Rack mounts, 2 water bottle mounts			
Colors		Brushed Aluminum • Black decal			
Frame sizes		16.5 18 20 22			
Handlebar width		560 560 560 560			
Stem length	Part No. ➤	57149 57149 57149 57149			
		90 105 120 120			
Crank length	Part No. ➤	170 170 175 175			
		61282 61282 61283 61283			
Seatpost length	Part No. ➤	350 350 350 350			
		T952205 T952205 T952205 T952205			
Steerer, mm		171 171 190 225			
Head angle		70.5 71.0 71.0 71.0			
Seat angle		73.0 73.0 73.0 73.0			
MM Standover		743 764 794 836			
Seat tube		419 457 507 559			
Head tube		93 93 116 167			
Eff top tube		564 574 574 585			
Reach		622 643 653 664			
Chainstays		430 430 430 430			
BB height		308 311 311 313			
Offset		40 40 40 40			
Trail		76 73 73 73			
Wheelbase		1043 1056 1057 1060			
IN Standover		29.3 30.1 31.3 32.9			
Seat tube		16.5 18.0 20.0 22.0			
Head tube		3.7 3.7 4.6 6.6			
Eff top tube		22.2 22.6 22.6 23.0			
Reach		24.5 25.3 25.7 26.1			
Chainstays		16.9 16.9 16.9 16.9			
BB height		12.1 12.2 12.2 12.3			
Offset		1.6 1.6 1.6 1.6			
Trail		3.0 2.9 2.9 2.9			
Wheelbase		41.1 41.6 41.6 41.7			

Main tubes	Part No.	Easton ProGram taper wall aluminum alloy	22	32	42
Stays		Easton tapered aluminum alloy	11	54	79 104
Fork		Trek hybrid CroMoly	13	46	67 88
Headset		Tange Seiki Passage 25.4/34.0/30.0, 33.4 mm stack	15	40	58 76
Handlebars		Aluminum alloy, 30mm rise 25.4mm clamp diameter	17	35	51 67
Stem		Tig CroMoly 25.4 mm insertion	20	30	44 57
Bar ends	54238	System 1	23	26	38 50
Grips		Trek logo, GS	26	23	34 44
Shifters	61417	GripShift SRT 450 (combination shift/brake)	30	20	29 38
Front derailleur	61501	Shimano STX-RC Top Swing Top pull, 34.9 mm/ 1 3/8"			
Rear derailleur	6108718	Shimano Deore LX			
Brakes		Shimano Alivio			
Brake levers		(combination shift/brake)			
Crankset		Shimano Deore LX 4 arm 42/32/22, 58/94 mm bolt hole circle			
Bottom bracket	61017	Shimano BB-UN52 68 x 113			
Pedals		System 2 ATB w/clips and straps, 9/16" axle			
Cassette	61205	Shimano HG60 11-30 8spd			
Chain	61252	Shimano IG51			
Front wheel	973014				
Front hub	961822	System 2, suspension axle			
Front tire	56640	Trek Invert II 700 x 38c			
Rear wheel	973017				
Rear hub	61685	Shimano STX-RC HyperGlide Compact cassette, 8 spd, 135 mm O.L.D.			
Rear tire	56640	Trek Invert II 700 x 38c			
Tubes	29982	Presta valve			
Rims	961896	Matrix Cosmo 610 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G stainless 32 spokes/300 front/298/299 rear(D/ND)/3x			
Saddle		Selle Italia Avant Garde			
Seatpost		System 1, alloy micro-adjust 27.2 mm diameter			
Seat binder	T960659	System Aluminum w/integral bolt, hanger, 33.0 clamp diameter			
Additional					
Colors		Ice Green			
Frame sizes		16.5 18 20 22			
Handlebar width		580 580 580 580			
Stem length	Part No. ➤	57144 57144 57144 57144			
		90 105 120 120			
Crank length	Part No. ➤	62377 62378 62379 62379			
		175 175 175 175			
Seatpost length	Part No. ➤	61290 61290 61290 61290			
		300 300 350 350			
		- - 57106 57106			
Steerer, mm		133 133 158 209			
Head angle		70.5 71.0 71.0 71.0			
Seat angle		73.0 73.0 73.0 73.0			
MM Standover		743 764 794 836			
Seat tube		419 457 507 559			
Head tube		93 93 116 167			
Eff top tube		564 574 574 585			
Reach		642 666 673 697			
Chainstays		430 430 430 430			
BB height		308 311 311 313			
Offset		40 40 40 40			
Trail		76 73 73 73			
Wheelbase		1043 1056 1057 1060			
IN Standover		29.3 30.1 31.3 32.9			
Seat tube		16.5 18.0 20.0 22.0			
Head tube		3.7 3.7 4.6 6.6			
Eff top tube		22.2 22.6 22.6 23.0			
Reach		25.3 26.2 26.5 27.4			
Chainstays		16.9 16.9 16.9 16.9			
BB height		12.1 12.2 12.2 12.3			
Offset		1.6 1.6 1.6 1.6			
Trail		3.0 2.9 2.9 2.9			
Wheelbase		41.1 41.6 41.6 41.7			

25.1 lb.
11.40 kg.

Main tubes	Part No.	Trek double butted CroMoly	22	32	42		
Stays		CroMoly	11	54	79	104	
Fork		System 1 Hybrid CroMoly	13	46	67	88	
Headset		Tange Seiki Passage	15	40	58	76	
Handlebars		System 1 ATB, alloy, 230g	18	33	48	64	
Stem		System 1 hybrid, CroMoly	21	29	42	54	
Bar ends		-	24	25	36	48	
Grips		GripShift logo	28	21	31	41	
Shifters	63036/7	GripShift SRT 400					
Front derailleur	61404	Shimano STX Top Swing					
Rear derailleur	61498	Shimano STX SGS					
Brakes	61087/8	Shimano Alivio					
Brake levers	62725	Tektro 376AP					
Crankset		Shimano STX 42/32/22					
Bottom bracket	61002	Shimano BB-LP26					
Pedals		System 1 ATB w/clips and straps, 9/16" axle					
Cassette	61227	Shimano IG50 11-28					
Chain	61251	Shimano IG31					
Front wheel							
Front hub	61657	Shimano Alivio					
Front tire	56640	Trek Invert II					
Rear wheel							
Rear hub	61675	Shimano R050 'Silent Clutch' HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.					
Rear tire	56640	Trek Invert II					
Tubes		Presta valve					
Rims	970711	Matrix Vapor					
Spokes		DT 14G stainless					
Saddle		Velo					
Seatpost		Micro-adjust, alloy					
Seat binder		System Steel w/QR					
Additional		Rack mounts, 2 water bottle mounts					
Colors		Ice Inkwell Blue • Silver decal					
Frame sizes		15 17 19 21 23 17W 20W					
Handlebar width		560 560 560 560 560					
Stem length	Part No. ➤	57141 57141 57141 57141 57141					
Crank length	Part No. ➤	62122 62123 62124 62124 62125					
Seatpost length	Part No. ➤	61280 61280 61280 61281 61281					
Steerer, mm		128 128 128 138 178					
Head angle		70.0 70.5 70.5 71.5 71.5					
Seat angle		74.0 74.0 73.0 73.0 73.0					
MM Standover		658 728 753 784 828					
Seat tube		381 432 483 533 584					
Head tube		90 90 90 100 140					
Eff top tube		545 550 560 570 580					
Reach		614 631 653 664 686					
Chainstays		430 430 430 430 430					
BB height		281 281 281 281 281					
Offset		50 50 50 50 50					
Trail		73 70 70 63 63					
Wheelbase		1038 1039 1039 1041 1052					
IN Standover		25.9 28.7 29.6 30.9 32.6					
Seat tube		15.0 17.0 19.0 21.0 23.0					
Head tube		3.5 3.5 3.5 3.9 5.5					
Eff top tube		21.5 21.7 22.0 22.4 22.8					
Reach		24.2 24.8 25.7 26.1 27.0					
Chainstays		16.9 16.9 16.9 16.9 16.9					
BB height		11.1 11.1 11.1 11.1 11.1					
Offset		2.0 2.0 2.0 2.0 2.0					
Trail		2.9 2.8 2.8 2.5 2.5					
Wheelbase		40.9 40.9 40.9 41.0 41.4					

25.4 lb.
11.53 kg.

Main tubes	Part No.	Trek double butted CroMoly	24	34	42		
Stays		CroMoly	11	59	84	104	
Fork		CroMoly	13	50	71	88	
Headset		Tange Seiki Passage	15	44	62	76	
Handlebars		System 1 ATB, 30mm rise Women's, 25.4mm clamp diameter	18	36	51	64	
Stem		System 1 ATB, CroMoly	21	31	44	54	
Bar ends		-	24	27	39	48	
Grips	56033	GripShift logo	28	23	33	41	
Shifters	63036/7	GripShift SRT 400					
Front derailleur	61391	Shimano Alivio Top Swing					
Rear derailleur	61497	Shimano Alivio					
Brakes	61087/8	Shimano Alivio					
Brake levers	62725	Tektro 367AP					
Crankset		Shimano Alivio 42/34/24					
Bottom bracket	61002	Shimano BB-LP26					
Pedals	57182	System 1 ATB w/clips and straps, 9/16" axle					
Cassette	61227	Shimano IG50 11-28					
Chain	61251	Shimano IG31					
Front wheel	973465						
Front hub		Shimano Acera-X					
Front tire	56640	Trek Invert II					
Rear wheel	973466						
Rear hub		Shimano Acera-X					
Rear tire	56640	Trek Invert II					
Tubes		Schraeder valve					
Rims	970418	Matrix Vapor					
Spokes		14G stainless					
Saddle		Trek Hi-density foam					
Seatpost		SP-263 alloy micro-adjust					
Seat binder	T962846	Quick release					
Additional		Rack mounts, 2 water bottle mounts					
Colors		Ice Forest Green • Titanium decal Gloss Ice Cream • Blue decal					
Frame sizes		15 17 19 21 23 17W 20W					
Handlebar width		560 560 560 560 560					
Stem length	Part No. ➤	57141 57141 57141 57141 57141					
Crank length	Part No. ➤	62122 62123 62123 62123 62124					
Seatpost length	Part No. ➤	61278 61278 61278 61279 61279					
Steerer, mm		123 123 123 133 173					
Head angle		70.0 70.5 70.5 71.5 71.5					
Seat angle		74.0 74.0 73.0 73.0 73.0					
MM Standover		658 728 753 784 828					
Seat tube		381 432 483 533 584					
Head tube		90 90 90 100 140					
Eff top tube		545 550 560 570 580					
Reach		614 631 641 652 674					
Chainstays		430 430 430 430 430					
BB height		281 281 281 281 281					
Offset		50 50 50 50 50					
Trail		73 70 70 63 63					
Wheelbase		1038 1039 1039 1041 1052					
IN Standover		25.9 28.7 29.6 30.9 32.6					
Seat tube		15.0 17.0 19.0 21.0 23.0					
Head tube		3.5 3.5 3.5 3.9 5.5					
Eff top tube		21.5 21.7 22.0 22.4 22.8					
Reach		24.2 24.8 25.2 25.7 26.5					
Chainstays		16.9 16.9 16.9 16.9 16.9					
BB height		11.1 11.1 11.1 11.1 11.1					
Offset		2.0 2.0 2.0 2.0 2.0					
Trail		2.9 2.8 2.8 2.5 2.5					
Wheelbase		40.9 40.9 40.9 41.0 41.4					

25.7 lb.
11.67 kg.

Main tubes	Part No.	CroMoly							24	34	42
Stays		High tensile steel							11	59	84
Fork		CroMoly							13	50	71
Headset		Tange Seiki Passage	22.2/30.2/26.4, 30.9 mm stack						15	44	62
Handlebars		Steel, 30mm rise, 5° bend	25.4mm clamp diameter						18	36	51
Stem		Steel hybrid	22.2 mm insertion						21	31	44
Bar ends		-							24	27	39
Grips	56033	GripShift logo							28	23	33
Shifters	63039/42	GripShift MRX170									41
Front derailleur	61477	Shimano Altus CT92E	Down pull, E-type, bracket								
Rear derailleur	61495	Shimano Acera-X									
Brakes	61081/2	Shimano Altus CT91									
Brake levers	62725	Tektro 376AP									
Crankset		Shimano Altus CT92 42/34/24, Riveted rings									
Bottom bracket	61000	Shimano BB-CT91E	68 x 116								
Pedals	57181	Wellgo LU-945	9/16" axle								
Cassette	61171	Shimano HG30 11-28	7spd								
Chain	61245	HG50	106L length								
Front wheel	973470										
Front hub	61657	Shimano Alivio									
Front tire	56469	Trek MultiTrack	700 x 35c								
Rear wheel	973469										
Rear hub	61659	Shimano Alivio	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.								
Rear tire	56469	Trek MultiTrack	700 x 35c								
Tubes		Schraeder valve									
Rims	970418	Matrix Vapor	610 E.R.D.,								
Spokes		14G stainless	32 spokes/299 front/297/298 rear(D/ND)/3x								
Saddle	64445/6	Velo									
Seatpost		Micro-adjust, alloy	26.6 mm diameter								
Seat binder	T962846	Quick release									
Additional		Rack mounts, 2 water bottle mounts									
Colors		Ice Inkwell Blue • Silver decal									
		Garnet Red • Gold decal									
Frame sizes		15	17	19	21	23	17W	20W			
Handlebar width	Part No. ➤	560	560	560	560	560	560	560			
Stem length	Part No. ➤	100	100	100	100	100	100	100			
Crank length	Part No. ➤	170	170	170	170	170	170	170			
Seatpost length	Part No. ➤	300	350	350	350	350	300	300			
	Part No. ➤	-	57102	57102	57102	57102	-	-			
Steerer, mm		123	123	123	133	173					
Head angle		70.0	70.5	70.5	71.5	71.5	70.5	71.5			
Seat angle		74.0	74.0	73.0	73.0	73.0	73.0	73.0			
MM	Standover	702	727	750	781	826					
	Seat tube	381	432	483	533	584	432	483			
	Head tube	85	85	85	100	140	125	155			
	Eff top tube	545	550	560	570	580	533	536			
	Reach	587	593	603	615	625	576	581			
	Chainstays	436	436	436	436	436	436	436			
	BB height	281	281	281	281	281	281	281			
	Offset	40	40	40	40	40	40	40			
	Trail	83	80	80	74	74	80	74			
	Wheelbase	1033	1034	1034	1036	1047	1036	1041			
IN	Standover	27.6	28.6	29.5	30.7	32.5					
	Seat tube	15.0	17.0	19.0	21.0	23.0	17.0	19.0			
	Head tube	3.3	3.3	3.3	3.9	5.5	4.9	6.1			
	Eff top tube	21.5	21.7	22.0	22.4	22.8	21.0	21.1			
	Reach	23.1	23.3	23.7	24.2	24.6	22.7	22.9			
	Chainstays	17.2	17.2	17.2	17.2	17.2	17.2	17.2			
	BB height	11.1	11.1	11.1	11.1	11.1	11.1	11.1			
	Offset	1.6	1.6	1.6	1.6	1.6	1.6	1.6			
	Trail	3.3	3.1	3.1	2.9	2.9	3.1	2.9			
	Wheelbase	40.7	40.7	40.7	40.8	41.2	40.8	41.0			

Main tubes	Part No.	High tensile steel								24	34	42			
		Stays	High tensile steel								11	59	84	104	
		Fork	High tensile steel								13	50	71	88	
		Headset	58960	VP H67W	22.2/30.0/27.0, 35.0 mm stack							15	44	62	76
		Handlebars		Steel, 5° bend; Women's: 60mm rise, 25.4mm clamp diameter								18	36	51	64
		Stem		Steel ATB	22.2 mm insertion							21	31	44	54
		Bar ends		-								24	27	39	48
		Grips	63060	GripShift logo								28	23	33	41
		Shifters	63039/42	GripShift MRX170											
		Front derailleur	61477	Shimano Altus CT92E	Down pull, E-type, bracket										
Rear derailleur	61494	Shimano Altus CT92 GS													
Brakes	61081/2	Shimano Altus CT91													
Brake levers	64810	Chang Star 273A													
Crankset		Shimano Altus CT92 42/34/24, Riveted rings													
Bottom bracket	58458	VP-B33/5L	68 x 5L (32/54/30)												
Pedals	57180	Wellgo LU-945	9/16" axle												
Cassette	61171	Shimano HG30 11-28	7spd												
Chain	29705	UG50	108L length												
Front wheel	60932														
Front hub		Aluminum, sealed													
Front tire	56469	Trek MultiTrack	700 x 35c												
Rear wheel	60933														
Rear hub	62267	Quick release cassette	HyperGlide Compact cassette, 7 spd, 135 mm O.L.D.												
Rear tire	56469	Trek MultiTrack	700 x 35c												
Tubes	25994	Schraeder valve													
Rims		Rigida AS26													
Spokes		14G UCP	36 spokes/295 front/293/294 rear(D/ND)/3x												
Saddle	56630-1	Trek Hi-density foam													
Seatpost		Steel, chrome plated	26.6 mm diameter												
Seat binder	64874-5	Kalloy M6 x 55 (women's 60)													
Additional		2 water bottle mounts													
Colors		Gloss Red • White decal													
		Gloss Mirror Black • Silver decal													
Frame sizes		15	17	19	21	23	25	17W	20W	23W					
Handlebar width	Part No. ➤	580	580	610	610	610	610	580	610	610					
Stem length	Part No. ➤	62540	62540	62541	62541	62541	62541	62540	62541	62541					
Crank length	Part No. ➤	64864	64864	64864	64865	64865	64866	64864	64864	64864					
Seatpost length	Part No. ➤	170	170	170	170	170	170	170	170	170					
	Part No. ➤	61273	61273	61273	61273	61273	61273	61273	61273	61273					
	Part No. ➤	300	300	300	300	300	300	250	300	300					
	Part No. ➤	57102	57102	57102	57102	57102	57102	54326	57102	57102					
Steerer, mm		122	122	132	137	177		157	202	217					
Head angle		70.0	70.5	70.5	71.5	71.5	70.5	71.5							
Seat angle		74.0	74.0	73.0	73.0	73.0	73.0	73.0							
MM	Standover	702	727	750	781	826									
	Seat tube	381	432	483	533	584	635								
	Head tube	85	85	85	100	140	125	155							
	Eff top tube	545	550	560	570	580	533	536							
	Reach	598	603	613	625	635	594	591							
	Chainstays	436	436	436	436	436	436	436							
	BB height	281	281	281	281	281	281	281							
	Offset	40	40	40	40	40	40	40							
	Trail	83	80	80	74	74	80	74							
	Wheelbase	1033	1034	1034	1036	1047	1036	1041							
IN	Standover	27.6	28.6	29.5	30.7	32.5									
	Seat tube	15.0	17.0	19.0	21.0	23.0	25.0								
	Head tube	3.3	3.3	3.3	3.9	5.5	4.9	6.1							
	Eff top tube	21.5	21.7	22.0	22.4	22.8	21.0	21.1							
	Reach	23.5	23.8	24.1	24.6	25.0	23.4	23.3							
	Chainstays	17.2	17.2	17.2	17.2	17.2	17.2	17.2							
	BB height	11.1	11.1	11.1	11.1	11.1	11.1	11.1							
	Offset	1.6	1.6	1.6	1.6	1.6	1.6	1.6							
	Trail	3.3	3.1	3.1	2.9	2.9	3.1	2.9							
	Wheelbase	40.7	40.7	40.7	40.8	41.2	40.8	41.0							

Main tubes	Part No.	High tensile steel							28 38 48
Stays		High tensile steel							14 54 74 98
Fork		High tensile steel							16 48 65 82
Headset	58960	HPO1H	22.2/30.0/27.0, 35.5 mm stack						18 42 58 73
Handlebars		Steel, 60mm rise	25.4mm clamp diameter						20 38 52 65
Stem		Steel ATB	22.2 mm insertion						22 35 47 59
Bar ends		-							24 32 43 54
Grips	63060	Kraton							28 27 37 47
Shifters	63039/42	GripShift MRX170							
Front derailleur	61382	Shimano Tourney TY30	Down pull, 28.6 mm/ 1 1/8"						
Rear derailleur	61494	Shimano Tourney TY30 GS							
Brakes	61081/2	Shimano Altus CT91							
Brake levers	64810	Chang Star 273A							
Crankset		SR 48/38/28	Riveted rings						
Bottom bracket	58458	YST BB-612	68						
Pedals	57180	Wellgo LU-945	9/16" axle						
Cassette	61231	Shimano HG37 14-28	7spd						
Chain	29705	UG50							
Front wheel	60930								
Front hub		Alloy quick release							
Front tire	56469	Trek MultiTrack	700 x 35c						
Rear wheel	60931								
Rear hub		Alloy, nutted	Threaded, 7 spd, nutted rear, 135 mm O.L.D.						
Rear tire	56469	Trek MultiTrack	700 x 35c						
Tubes	25994	Schraeder valve							
Rims		Aluminum alloy							
Spokes		14G UCP	36 spokes/295.front/292/293 rear(D/ND)/3x						
Saddle	56630-1	Trek Hi-density foam							
Seatpost		Alloy	26.6 mm diameter						
Seat binder		M6 x 55							
Additional		Rack mounts, 2 water bottle mounts							
Colors		Baja Blue • Black decal							
Frame sizes		15	17	19	21	23	25	17W	20W
Handlebar width		580	580	580	610	610	610	580	610
Stem length	Part No. ▶	62540	62540	62540	62541	62541	62541	62540	62541
Crank length	Part No. ▶	105	105	105	105	105	105	105	105
Seatpost length	Part No. ▶	64864	64864	64865	64865	64865	64866	64865	64865
	Part No. ▶	170	170	170	170	170	170	170	170
	Part No. ▶	64359	64359	64359	64359	64359	64359	64359	64359
	Part No. ▶	300	300	300	300	300	300	250	300
	Part No. ▶	57102	57102	57102	57102	57102	57102	54326	57102
Steerer, mm		123	125	128	138	183	195	168	201
Head angle		70.0	70.5	70.5	71.5	71.5	70.5	71.5	
Seat angle		74.0	74.0	73.0	73.0	73.0	73.0	73.0	
MM Standover		702	727	750	781	826			
Seat tube		381	432	483	533	584	635		
Head tube		85	85	85	100	140	125	155	
Eff top tube		545	550	560	570	580	533	536	
Reach		589	595	605	617	627	585	583	
Chainstays		436	436	436	436	436	436	436	
BB height		281	281	281	281	281	281	281	
Offset		40	40	40	40	40	40	40	
Trail		83	80	80	74	74	80	74	
Wheelbase		1033	1034	1034	1036	1047	1036	1041	
IN Standover		27.6	28.6	29.5	30.7	32.5			
Seat tube		15.0	17.0	19.0	21.0	23.0	25.0		
Head tube		3.3	3.3	3.3	3.9	5.5	4.9	6.1	
Eff top tube		21.5	21.7	22.0	22.4	22.8	21.0	21.1	
Reach		23.2	23.4	23.8	24.3	24.7	23.0	22.9	
Chainstays		17.2	17.2	17.2	17.2	17.2	17.2	17.2	
BB height		11.1	11.1	11.1	11.1	11.1	11.1	11.1	
Offset		1.6	1.6	1.6	1.6	1.6	1.6	1.6	
Trail		3.3	3.1	3.1	2.9	2.9	3.1	2.9	
Wheelbase		40.7	40.7	40.7	40.8	41.2	40.8	41.0	

Assembly Details

Seatposts

With OCLV Road, like their Y and Mountain counterparts, DO NOT grease the seatpost. A fiberglass sleeve bonded into the 'seat tube' prevents corrosion, and any grease may cause the seatpost to slip, even with correct seatpost binder torque.

Trek road bikes are designed to accept 27.2 mm seat posts (except the 470 and 370, which are 26.6mm) with a tolerance of 27.10 to 27.20 mm outer diameter. Measure the seatpost for conformity to this tolerance prior to installation.

For seat post binder bolts, tighten to 85-125 lb•in (9.6-14.1 NM).

Bottom bracket

Be sure bottom bracket threads are clean and well greased before insertion. Failure to do so may cause galling of the threads, especially when inserting into an aluminum bottom bracket shell or aluminum bonded insert (like on our OCLV bikes).

Chainkeepers and Chainstay guards

OCLV frames must always be fitted with a chainkeeper and chainstay guard to protect against damage in case of chainsuck or overshifting past the inner chainring.

Special Torque Specs

With newer 3 Tube Carbon frames, an internal aluminum sleeve is bonded into the seat tube to prevent possible crushing of the seat tube through extreme overtightening of the front derailleur clamp. However, prior to 1993 this was not done. Instead a plastic insert was used in the derailleur clamp to prevent overtightening. Be especially careful not to overtighten when attaching front derailleurs to older 3 Tube Carbon bikes.

Tighten tandem bottom bracket eccentric expander bolts to 180 lb•in (20.3 NM).

Special Parts

	TCG Part #
Chainkeeper	T83663
Chainstay guard	T950130
Tandem bottom bracket eccentric (w/hardware)	T82672
Extra length brake nuts	T950112
Front derailleur braze-on plate (5000, 5200, 5500)	T83201
Front derailleur braze-on plate (5020)	T973749
OCLV bottom bracket cable guide	T942820
Tandem bottom bracket cable guide	T92798
Road SP18 (2300, etc.) bottom bracket cable guide	T963350
Front derailleur frame clamp AD15, 34.9	40090
Top tube foam insert	T82052
Brake Actuator Unit w/barrel adjuster	T950695

Removing Headset Cups

When removing an headset in an OCLV frame, make sure the headset removal tool is engaging the headset cup. OCLV framesets do not utilize a continuous headtube, but instead use two short inserts to support the headset cups. If the headset tool is outside the insert, rather than inside the insert and pressing on the cup, frame damage can result.

OCLV Road Frame Hardware

On OCLV frames, the large diameter tubes add stiffness and strength. However, this increased size can require unconventional fastening of parts. That's why we use a braze-on style front derailleur, and extra long brake attachment nuts.

Road Bikes (continued)

The longer nuts are required for the rear brake on all OCLV frames. It is also required on our new Air Rail fork, found on the 5500 and 5200.

The 5020 uses a different braze-on plate to position the Shimano 105 Triple front derailleur correctly.

Internal Cable Guide Sleeve

Trek Aluminum and 3 Tube Carbon Road bikes use an internally routed rear brake cable for clean, good looks. In some cases of extremely bumpy roads, the cable can bounce inside the top tube, causing an annoying rattle. To prevent this, we provide a foam sleeve which is used to pad the housing inside the top tube.

There are a variety of techniques to install the sleeve, but here's one:

Stand the bike on the floor with the seatpost removed from the frame (do not clamp the seat tube in a repair stand; the chance of damaging the decals is too great). With the cable installed in the housing, thread the cable (and as the cable enters the frame, the housing, too) through the front cable entry hole. With your free hand, insert a finger down the set tube and into the top tube. Allow the cable end to contact the end of your finger, and while pushing the housing further into the frame's front hole, let the pressure of the cable end push your finger back out of the top tube.

With the cable pulled well outside the top tube, slide the sleeve over the cable end and housing, and into the top tube. To help with this, after the cable end is protruding out of the back of the sleeve, pinch the housing through the foam, and pull the housing out from the front of the top tube. But don't let the cable slide back inside the sleeve.

Next, with the sleeve slid as far into the top tube as possible, again reach into the top tube with a finger and find the end of the cable. Use your finger to guide the cable to the rear exit hole of the top tube. When the cable exits the hole, ease the housing out, grease and install the seatpost, and finish your assembly as normal.

At some future time, you may need to install new housing in the frame. Although its preferable that the housing be inside the sleeve, it is not necessary to prevent most rattles. Just install the cable and housing as you normally would.

O.L.D. vs Rear Triangle Spacing

O.L.D. (Over Locknut Dimension) is a measurement of the hub width on the outside of the axle locknuts. When we list OLD, we're referring to the rear hub. In addition, we have listed the frame dimensions rather than the hub. This is technically incorrect, but more useful because many of our road frames are designed with a 128mm rear axle spacing to use either a 130 OLD 7/8/9 speed hub, or a 126 OLD 6 speed hub. It does not damage the frame in any way to use either of these hub sizes in a bike with a listed 128 OLD.

Our Price: \$

5500

Main tubes	Part No. ▼	Trek design OCLV carbon						39 53
Stays		Trek design OCLV carbon						12 86 117
Fork		System 4 Road OCLV						13 79 108
Headset		Tange Seiki Levin VR254	22.2/30.2/26.4, 35.2 mm stack					14 74 100
Handlebars		System 3 Road, alloy	26.0mm clamp diameter					15 69 93
Stem		3TTT Synthesis	22.2 mm insertion					17 61 82
Grips	T972947	Cinelli cork tape						18 57 78
Shifters	61578	Shimano Dura-Ace STI Dual Control						18 57 78
Front derailleur	61572	Shimano Dura-Ace Down pull, Braze-on style						21 49 67
Rear derailleur	61553	Shimano Dura-Ace						23 45 61
Brakes	61527	Shimano Dura-Ace Dual Pivot						
Brake levers		(Dual Control)						
Crankset		Shimano Dura-Ace 53/39	130 mm bolt hole circle					
Bottom bracket	61525	Shimano Dura-Ace	68 x 115					
Pedals	60212	Shimano Dura-Ace SPD clipless, 9/16" axle						
Cassette	61531	Shimano Dura-Ace 12-23, 9spd						
Chain	61535	Shimano Dura-Ace	106L length					
Front wheel	56038							
Front hub	56038	Spynergy w/Ti Salsa Flip-Offs						
Front tire		Continental Grand Prix, foldable, 700 x 23c						
Rear wheel	56043							
Rear hub	56043	Spynergy w/Ti Salsa Flip-Offs, HyperGlide cassette, 9 spd, 128 mm O.L.D.						
Rear tire		Continental Grand Prix, foldable, 700 x 23c						
Tubes	62251	Presta superlight						
Rims		Spynergy						
Spokes		Spynergy						
Saddle	T970005	Selle Bassano, silver plated 531 rails, leather cover						
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter						
Seat binder	T973565	System OCLV w/integral bolt, 35.1 (nude) clamp diameter						
Additional		2 water bottle mounts						
Colors		Gloss Nude • Silver decal						
Frame sizes		50	52	54	56	58	60	62
Handlebar width		420	430	440	440	460	460	460
Stem length	Part No. ➤	T972982	T972983	T972984	T972984	T972985	T972985	T972985
		90	100	110	110	120	130	130
Crank length	Part No. ➤	T951961	T951962	T951963	T951963	T951964	T951965	T951965
		170	170	172.5	172.5	172.5	175	175
Seatpost length	Part No. ➤	61542	61542	61544	61544	61544	61546	61546
		250	250	250	250	250	250	250
	Part No. ➤							
Steerer, mm								
Head angle		72.0	72.5	73.0	73.8	73.8	74.0	74.0
Seat angle		75.0	75.0	74.0	73.5	73.0	73.0	72.5
MM	Standover	749	759	773	793	811	830	848
	Seat tube	500	520	540	560	580	600	620
	Head tube	97	97	104	121	140	158	177
	Eff top tube	518	528	545	560	570	580	590
	Reach	608	628	655	680	690	710	720
	Chainstays	408	408	410	410	412	412	412
	BB height	266	266	266	268	268	268	268
	Offset	47	47	47	43	43	43	43
	Trail	60	57	54	53	53	52	52
	Wheelbase	979	982	987	986	994	1001	1006
IN	Standover	29.5	29.9	30.4	31.2	31.9	32.7	33.4
	Seat tube	19.7	20.5	21.3	22.0	22.8	23.6	24.4
	Head tube	3.8	3.8	4.1	4.8	5.5	6.2	7.0
	Eff top tube	20.4	20.8	21.5	22.0	22.4	22.8	23.2
	Reach	23.9	24.7	25.8	26.8	27.2	28.0	28.3
	Chainstays	16.1	16.1	16.1	16.1	16.2	16.2	16.2
	BB height	10.5	10.5	10.5	10.6	10.6	10.6	10.6
	Offset	1.9	1.9	1.9	1.7	1.7	1.7	1.7
	Trail	2.4	2.2	2.1	2.1	2.1	2.0	2.0
	Wheelbase	38.5	38.7	38.9	38.8	39.1	39.4	39.6

19.3 lb.
8.76 kg.

Main tubes	Part No. ▼	Trek design OCLV carbon							39 53
Stays		Trek design OCLV carbon							12 86 117
Fork		System 4 Road OCLV							13 79 108
Headset		Tange Seiki Levin VR254	22.2/30.2/26.4, 35.2 mm stack						14 74 100
Handlebars		System 3 Road, alloy	26.0mm clamp diameter						15 69 93
Stem		3TTT Synthesis	22.2 mm insertion						17 61 82
Grips	T942637	White cork tape							19 54 74
Shifters	61951/2	Shimano Ultegra STI Dual Control							21 49 67
Front derailleur	61474	Shimano Ultegra Down pull, Braze-on style							23 45 61
Rear derailleur	61513	Shimano Ultegra							19.8 lb. 8.99 kg.
Brakes	61115	Shimano Ultegra Super SLR							
Brake levers		(Dual Control)							
Crankset		Shimano Ultegra 53/39	130 mm bolt hole circle						
Bottom bracket	61034	Shimano BB-UN72	68 x 115						
Pedals	60213	Shimano Ultegra SPD clipless, 9/16" axle							
Cassette	61212	Shimano HG90 12-23	8spd						
Chain	61247	Shimano HG90	106L length						
Front wheel	973455								
Front hub	61770	Shimano Ultegra							
Front tire		Continental Grand Prix, foldable, 700 x 23c							
Rear wheel	973454								
Rear hub	61776	Shimano Ultegra	HyperGlide cassette, 8 spd, 128 mm O.L.D.						
Rear tire		Continental Grand Prix, foldable, 700 x 23c							
Tubes	62251	Presta superlight							
Rims	961892	Matrix Aurora, Ti anodized	610 E.R.D., Velox 16mm rim strip						
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/299 front/296/298 rear(D/ND)/3x							
Saddle	T970003	Selle Bassano, silver plated 531 rails, leather cover							
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter							
Seat binder	T973565	System OCLV w/integral bolt, 35.5 (painted) clamp diameter							
Additional		2 water bottle mounts							
Colors		Gloss Ice Inkwell • White decal							
Frame sizes		50	52	54	56	58	60	62	
Handlebar width		400	400	420	440	440	440	460	
Stem length	Part No. ▼	57176	57176	57177	57178	57178	57178	57179	
Crank length	Part No. ▼	T951961	T951962	T951963	T951964	T951964	T951965	T951965	
Seatpost length	Part No. ▼	61350	61350	61352	61352	61352	61354	61354	
	Part No. ▼	57130	57130	57130	57130	57130	57130	57130	
Steerer, mm		146	146	153	170	189	208	226	
Head angle		72.0	72.5	73.0	73.8	73.8	74.0	74.0	
Seat angle		75.0	75.0	74.0	73.5	73.0	73.0	72.5	
MM Standover		749	759	773	793	811	830	848	
Seat tube		500	520	540	560	580	600	620	
Head tube		97	97	104	121	140	158	177	
Eff top tube		518	528	545	560	570	580	590	
Reach		608	628	655	680	690	710	720	
Chainstays		408	408	410	410	412	412	412	
BB height		266	266	266	268	268	268	268	
Offset		47	47	47	43	43	43	43	
Trail		60	57	54	53	53	52	52	
Wheelbase		979	982	987	986	994	1001	1006	
IN Standover		29.5	29.9	30.4	31.2	31.9	32.7	33.4	
Seat tube		19.7	20.5	21.3	22.0	22.8	23.6	24.4	
Head tube		3.8	3.8	4.1	4.8	5.5	6.2	7.0	
Eff top tube		20.4	20.8	21.5	22.0	22.4	22.8	23.2	
Reach		23.9	24.7	25.8	26.8	27.2	28.0	28.3	
Chainstays		16.1	16.1	16.1	16.1	16.2	16.2	16.2	
BB height		10.5	10.5	10.5	10.6	10.6	10.6	10.6	
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7	
Trail		2.4	2.2	2.1	2.1	2.1	2.0	2.0	
Wheelbase		38.5	38.7	38.9	38.8	39.1	39.4	39.6	

Main tubes	Part No. ▼	Trek design OCLV carbon						39 53				
Stays		Trek design OCLV carbon						13 79 108				
Fork		System 3 Road OCLV						14 74 100				
Headset		Tange Seiki Levin CDS	22.2/30.2/26.4, 33.7 mm stack					15 69 93				
Handlebars		System 2 Road, alloy	26.0mm clamp diameter					17 61 82				
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion						19 54 74				
Grips	T970511	Black cork tape						21 49 67				
Shifters	6194619	Shimano 105SC STI Dual Control						23 45 61				
Front derailleur	61474	Shimano Ultegra	Down pull, Braze-on style					26 40 54				
Rear derailleur	61513	Shimano Ultegra										
Brakes	61114	Shimano 105SC Dual Pivot										
Brake levers		(Dual Control)										
Crankset		Shimano 105SC 53/39	130 mm bolt hole circle					20.0 lb. 9.08 kg.				
Bottom bracket	61015	Shimano BB-UN52	68 x 107									
Pedals	60213	Shimano Ultegra SPD clipless, 9/16" axle										
Cassette	61210	Shimano HG70 13-26	8spd									
Chain	61246	Shimano HG70	108L length									
Front wheel	973457											
Front hub	61766	Shimano 105SC										
Front tire		Continental Grand Prix, foldable, 700 x 23c										
Rear wheel	973456											
Rear hub	61764	Shimano 105SC						HyperGlide cassette, 8 spd, 128 mm O.L.D.				
Rear tire		Continental Grand Prix, foldable, 700 x 23c										
Tubes	62251	Presta superlight										
Rims	961860	Matrix Aurora	610 E.R.D., Velox 16mm rim strip									
Spokes		DT 14/15G butted stainless	32 spokes/299 front/296/298 rear(D/ND)/3x									
Saddle	T970007	Selle Bassano, 531 rails										
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter										
Seat binder		System OCLV w/integral bolt, 35.5 (painted) clamp diameter										
Additional		2 water bottle mounts										
Colors		Gloss Red • Black decal										
Frame sizes		50	52	54	56	58	60	62				
Handlebar width		400	400	420	440	440	440	460				
Stem length	Part No. ➤	57171	57171	57172	57173	57173	57173	57174				
Crank length	Part No. ➤	57064	57066	57066	57068	57068	57069	57069				
Seatpost length	Part No. ➤	61342	61342	61343	61343	61343	61344	61344				
	Part No. ➤	57130	57130	57130	57130	57130	57130	57130				
Steerer, mm		142	142	150	167	185	204	223				
Head angle		72.0	72.5	73.0	73.8	73.8	74.0	74.0				
Seat angle		75.0	75.0	74.0	73.5	73.0	73.0	72.5				
MM Standover		749	759	773	793	811	830	848				
Seat tube		500	520	540	560	580	600	620				
Head tube		97	97	104	121	140	158	177				
Eff top tube		518	528	545	560	570	580	590				
Reach		598	628	645	680	690	710	720				
Chainstays		408	408	410	410	412	412	412				
BB height		266	266	266	268	268	268	268				
Offset		47	47	47	43	43	43	43				
Trail		60	57	54	53	53	52	52				
Wheelbase		979	982	987	986	994	1001	1006				
IN Standover		29.5	29.9	30.4	31.2	31.9	32.7	33.4				
Seat tube		19.7	20.5	21.3	22.0	22.8	23.6	24.4				
Head tube		3.8	3.8	4.1	4.8	5.5	6.2	7.0				
Eff top tube		20.4	20.8	21.5	22.0	22.4	22.8	23.2				
Reach		23.5	24.7	25.4	26.8	27.2	28.0	28.3				
Chainstays		16.1	16.1	16.1	16.1	16.2	16.2	16.2				
BB height		10.5	10.5	10.5	10.6	10.6	10.6	10.6				
Offset		1.9	1.9	1.9	1.7	1.7	1.7	1.7				
Trail		2.4	2.2	2.1	2.1	2.1	2.0	2.0				
Wheelbase		38.5	38.7	38.9	38.8	39.1	39.4	39.6				

Main tubes	Part No.	Trek design OCLV carbon	30	42	52		
Stays		Trek design OCLV carbon	13	61	85	106	
Fork		System 3 Road OCLV	14	57	79	98	
Headset		Tange Seiki Levin CDS 22.2/30.2/26.4, 33.7 mm stack	15	53	74	92	
Handlebars		System 2 Road, alloy 26.0mm clamp diameter	17	47	65	81	
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion	19	42	58	72	
Grips	T970511	Black cork tape	21	38	53	65	
Shifters	61946/9	Shimano 105SC STI Dual Control	23	35	48	60	
Front derailleur	61472	Shimano 105SC, triple Down pull, Braze-on style	26	31	43	53	
Rear derailleur	61512	Shimano 105GS					
Brakes	61114	Shimano 105SC Dual Pivot					
Brake levers		(Dual Control)					
Crankset		Shimano 105SC 52/42/30 74/130 mm bolt hole circle					
Bottom bracket	61019	Shimano BB-UN52 68 x 118					
Pedals	60213	Shimano Ultegra SPD clipless, 9/16" axle					
Cassette	61210	Shimano HG70 13-26 8spd					
Chain	61246	Shimano HG70 108L length					
Front wheel	973457						
Front hub	61766	Shimano 105SC					
Front tire		Continental Grand Sport 700 x 25c					
Rear wheel	973456						
Rear hub	61764	Shimano 105SC HyperGlide cassette, 8 spd, 128 mm O.L.D.					
Rear tire		Continental Grand Sport 700 x 25c					
Tubes	62251	Presta superlight					
Rims	961860	Matrix Aurora 610 E.R.D., Velox 16mm rim strip					
Spokes		DT 14/15G butted stainless 32 spokes/299 front/296/298 rear(D/ND)/3x					
Saddle	T970512	Selle Bassano, 531 rails, leather cover					
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter					
Seat binder	T973565	System OCLV w/integral bolt, 35.5 (painted) clamp diameter					
Additional		2 water bottle mounts					
Colors		Gloss Titanium • Titanium decal					
Frame sizes		50 52 54 56 58 60 62					
Handlebar width		400 400 420 440 440 440 460					
Stem length	Part No. ➔	57171 57171 57172 57173 57173 57173 57174					
Crank length	Part No. ➔	57064 57066 57066 57068 57068 57069 57069					
Seatpost length	Part No. ➔	61345 61345 61345 61346 61346 61346 61346					
	Part No. ➔	57130 57130 57130 57130 57130 57130 57130					
Steerer, mm		144 144 152 169 187 206 225					
Head angle		72.0 72.5 73.0 73.8 73.8 74.0 74.0					
Seat angle		75.0 75.0 74.0 73.5 73.0 73.0 72.5					
MM	Standover	749 759 773 793 811 830 848					
	Seat tube	500 520 540 560 580 600 620					
	Head tube	97 97 104 121 140 158 177					
	Eff top tube	518 528 545 560 570 580 590					
	Reach	598 628 645 680 690 710 720					
	Chainstays	408 408 410 410 412 412 412					
	BB height	266 266 266 268 268 268 268					
	Offset	47 47 47 43 43 43 43					
	Trail	60 57 54 53 53 52 52					
	Wheelbase	979 982 987 986 994 1001 1006					
IN	Standover	29.5 29.9 30.4 31.2 31.9 32.7 33.4					
	Seat tube	19.7 20.5 21.3 22.0 22.8 23.6 24.4					
	Head tube	3.8 3.8 4.1 4.8 5.5 6.2 7.0					
	Eff top tube	20.4 20.8 21.5 22.0 22.4 22.8 23.2					
	Reach	23.5 24.7 25.4 26.8 27.2 28.0 28.3					
	Chainstays	16.1 16.1 16.1 16.1 16.2 16.2 16.2					
	BB height	10.5 10.5 10.5 10.6 10.6 10.6 10.6					
	Offset	1.9 1.9 1.9 1.7 1.7 1.7 1.7					
	Trail	2.4 2.2 2.1 2.1 2.1 2.0 2.0					
	Wheelbase	38.5 38.7 38.9 38.8 39.1 39.4 39.6					

20.5 lb.
9.22 kg.

Main tubes	Part No.	Trek butted carbon	39	53			
Stays		Easton tapered aluminum alloy	12	86	117		
Fork		System 2 Road epoxy bonded aluminum	13	79	108		
Headset		Tange Seiki Levin CDS 22.2/30.2/26.4, 33.7 mm stack	14	74	100		
Handlebars		System 2 Road, alloy 26.0mm clamp diameter	15	69	93		
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion	17	61	82		
Grips		White cork tape	19	54	74		
Shifters	61951/2	Shimano Ultegra STI Dual Control	21	49	67		
Front derailleur	61474	Shimano Ultegra Down pull, 34.9 mm/ 1 3/8"	23	45	61		
Rear derailleur	61513	Shimano Ultegra					
Brakes	61115	Shimano Ultegra Super SLR					
Brake levers		(Dual Control)					
Crankset		Shimano Ultegra 53/39 130 mm bolt hole circle					
Bottom bracket	61034	Shimano BB-UN72 68 x 115					
Pedals	60213	Shimano Ultegra SPD clipless, 9/16" axle					
Cassette	61212	Shimano HG90 12-23 8spd					
Chain	61247	Shimano HG90 106L length					
Front wheel	973455						
Front hub	61770	Shimano Ultegra					
Front tire		Continental Grand Prix, foldable, 700 x 23c					
Rear wheel	973454						
Rear hub	61764	Shimano Ultegra HyperGlide cassette, 8 spd, 128 mm O.L.D.					
Rear tire		Continental Grand Prix, foldable, 700 x 23c					
Tubes	62251	Presta superlight					
Rims	961892	Matrix Aurora, Ti anodized 610 E.R.D., Velox 16mm rim strip					
Spokes		DT 14/15G butted stainless, alloy nipples, 32 spokes/299 front/296/298 rear(D/ND)/3x					
Saddle	T961255	SSM Techno Dynamic, CroMoly rails, leather cover					
Seatpost		System 2, forged dual-bolt adjustable head, 27.2 mm diameter					
Seat binder	T82263/4	System Road, 5mm allen, M6 x 25					
Additional		Rack mounts, 2 water bottle mounts					
Colors		Gloss Saturn Silver/Natural • Ice Red decal					
Frame sizes		47 50 52 54 56 58 60 62					
Handlebar width		400 400 400 420 440 440 440 460					
Stem length	Part No. ➔	57171 57171 57171 57172 57173 57173 57173 57174					
Crank length	Part No. ➔	57063 57064 57066 57068 57068 57068 57069 57069					
Seatpost length	Part No. ➔	61350 61350 61350 61352 61352 61352 61354 61354					
	Part No. ➔	57130 57130 57130 57130 57130 57130 57130 57130					
Steerer, mm		128 128 147 167 187 206 226 235					
Head angle		72.5 73.0 73.0 73.5 73.5 73.5 73.5 74.0					
Seat angle		73.5 73.5 73.5 73.5 73.5 73.5 73.5 73.5					
MM	Standover	724 753 771 792 811 829 848 858					
	Seat tube	470 500 520 540 560 580 600 620					
	Head tube	86 86 104 124 145 165 183 193					
	Eff top tube	518 530 530 550 550 570 570 585					
	Reach	583 610 630 650 670 690 700 715					
	Chainstays	415 415 415 415 415 415 415 415					
	BB height	267 267 267 267 267 267 267 267					
	Offset	47 47 47 43 43 43 43 43					
	Trail	56 54 54 55 55 55 55 52					
	Wheelbase	963 972 972 984 984 1004 1004 1014					
IN	Standover	28.5 29.6 30.4 31.2 31.9 32.6 33.4 33.8					
	Seat tube	18.5 19.7 20.5 21.3 22.0 22.8 23.6 24.4					
	Head tube	3.4 3.4 4.1 4.9 5.7 6.5 7.2 7.6					
	Eff top tube	20.4 20.9 20.9 21.7 21.7 22.4 22.4 23.0					
	Reach	23.0 24.0 24.8 25.6 26.4 27.2 27.6 28.1					
	Chainstays	16.3 16.3 16.3 16.3 16.3 16.3 16.3 16.3					
	BB height	10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5					
	Offset	1.9 1.9 1.9 1.7 1.7 1.7 1.7 1.7					
	Trail	2.2 2.1 2.1 2.2 2.2 2.2 2.2 2.0					
	Wheelbase	37.9 38.3 38.3 38.7 38.7 39.5 39.5 39.9					

21.3 lb.
9.67 kg.

Main tubes	Part No.	Trek butted carbon							39 53
Stays		Easton tapered aluminum alloy							13 79 108
Fork		System 2 Road epoxy bonded aluminum							14 74 100
Headset		Tange Seiki Levin CDS	22.2/30.2/26.4, 33.7 mm stack						15 69 93
Handlebars		System 2 Road, alloy	26.0mm clamp diameter						17 61 82
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion							19 54 74
Grips	T942637	White cork tape							21 49 67
Shifters	61943/4	Shimano RX100 STI Dual Control							23 45 61
Front derailleur	61469	Shimano 105SC	Down pull, 34.9 mm/ 1 3/8"						26 40 54
Rear derailleur	61511	Shimano 105SC							
Brakes	61113	Shimano RX100 Dual Pivot							
Brake levers		(Dual Control)							
Crankset		Shimano 105SC 53/39	130 mm bolt hole circle						
Bottom bracket	61015	Shimano BB-UN52	68 x 107						
Pedals	60216	Shimano SPD M535 clipless	9/16" axle						
Cassette	61210	Shimano HG70 13-26	8spd						
Chain	61245	Shimano HG50	108L length						
Front wheel	973459								
Front hub	61754	Shimano RX100							
Front tire		Continental Super Sport	700 x 23c						
Rear wheel	973458								
Rear hub	61756	Shimano RX100	HyperGlide cassette, 8 spd, 128 mm O.L.D.						
Rear tire		Continental Super Sport	700 x 23c						
Tubes	62251	Presta superlight							
Rims	961860	Matrix Aurora	610 E.R.D., Velox 16mm rim strip						
Spokes		DT 14/15G butted stainless	32 spokes/299 front/296/298 rear(D/ND)/3x						
Saddle	58207	SSM Techno Dynamic							
Seatpost		System 1, alloy micro-adjust	27.2 mm diameter						
Seat binder	T82263/4	System Road, 5mm allen, M6 x 25							
Additional		Rack mounts, 2 water bottle mounts							
Colors		Gloss Ice Inkwell Blue/Natural • Ice Inkwell Blue decal							
Frame sizes		47	50	52	54	56	58	60	62
Handlebar width		380	400	400	420	440	440	440	460
Stem length	Part No. ➤	57170	57171	57171	57172	57173	57173	57173	57174
Crank length	Part No. ➤	57063	57064	57066	57066	57068	57068	57069	57069
Seatpost length	Part No. ➤	61342	61342	61342	61343	61343	61343	61344	61344
	Part No. ➤	57105	57105	57105	57105	57105	57105	57105	57105
Steerer, mm		130	130	149	169	189	208	228	237
Head angle		72.5	73.0	73.0	73.5	73.5	73.5	73.5	74.0
Seat angle		73.5	73.5	73.5	73.5	73.5	73.5	73.5	73.5
MM	Standover	724	753	771	792	811	829	848	858
	Seat tube	470	500	520	540	560	580	600	620
	Head tube	86	86	104	124	145	165	183	193
	Eff top tube	518	530	530	550	550	570	570	585
	Reach	583	610	630	650	670	690	700	715
	Chainstays	415	415	415	415	415	415	415	415
	BB height	267	267	267	267	267	267	267	267
	Offset	47	47	47	43	43	43	43	43
	Trail	56	54	54	55	55	55	55	52
	Wheelbase	963	972	972	984	984	1004	1004	1014
IN	Standover	28.5	29.6	30.4	31.2	31.9	32.6	33.4	33.8
	Seat tube	18.5	19.7	20.5	21.3	22.0	22.8	23.6	24.4
	Head tube	3.4	3.4	4.1	4.9	5.7	6.5	7.2	7.6
	Eff top tube	20.4	20.9	20.9	21.7	21.7	22.4	22.4	23.0
	Reach	23.0	24.0	24.8	25.6	26.4	27.2	27.6	28.1
	Chainstays	16.3	16.3	16.3	16.3	16.3	16.3	16.3	16.3
	BB height	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	Offset	1.9	1.9	1.9	1.7	1.7	1.7	1.7	1.7
	Trail	2.2	2.1	2.1	2.2	2.2	2.2	2.2	2.0
	Wheelbase	37.9	38.3	38.3	38.7	38.7	39.5	39.5	39.9

21.5 lb.
9.76 kg.

Main tubes	Part No.	Trek butted carbon							30 42 52
Stays		Easton tapered aluminum alloy							13 61 85 106
Fork		System 2 Road epoxy bonded aluminum							14 57 79 98
Headset		Tange Seiki Levin CDS	22.2/30.2/26.4, 33.7 mm stack						15 53 74 92
Handlebars		System 1 Road, alloy	26.0mm clamp diameter						17 47 65 81
Stem		System 1 90° Road, CroMoly, 22.2 mm insertion							19 42 58 72
Grips	T942637	White cork tape							21 38 53 65
Shifters	61946/9	Shimano 105SC STI	Dual Control						23 35 48 60
Front derailleur	61472	Shimano RX100T	Down pull, 34.9 mm/ 1 3/8"						26 31 43 53
Rear derailleur	61512	Shimano 105GS							
Brakes	61114	Shimano 105SC Dual Pivot							
Brake levers		(Dual Control)							
Crankset		Shimano 105SC 52/42/30	74/130 mm bolt hole circle						
Bottom bracket	61019	Shimano BB-UN52	68 x 122.5						
Pedals	60216	Shimano SPD M535 clipless	9/16" axle						
Cassette	61210	Shimano HG70 13-26	8spd						
Chain	61246	Shimano HG70	108L length						
Front wheel	973457								
Front hub	61766	Shimano 105SC							
Front tire		Continental Super Sport Ultra, 700 x 25c							
Rear wheel	973456								
Rear hub	61764	Shimano 105SC	HyperGlide cassette, 8 spd, 128 mm O.L.D.						
Rear tire		Continental Super Sport Ultra	700 x 23c						
Tubes	62251	Presta superlight							
Rims	961860	Matrix Aurora	610 E.R.D., Velox 16mm rim strip						
Spokes		DT 14/15G butted stainless	32 spokes/299 front/296/298 rear(D/ND)/3x						
Saddle	58208	Velo, CroMoly rails, leather cover							
Seatpost		System 1, alloy micro-adjust	27.2 mm diameter						
Seat binder	T82263/4	System Road, 5mm allen, M6 x 25							
Additional		Rack mounts, 2 water bottle mounts							
Colors		Gloss Ice Forest Green/Natural • Ice forest green decal							
Frame sizes		47	50	52	54	56	58	60	62
Handlebar width		380	400	400	420	440	440	440	460
Stem length	Part No. ➤	57165	57166	57166	57167	57168	57168	57168	57169
Crank length	Part No. ➤	62538	62539	62539	62539	62540	62541	62541	62541
Seatpost length	Part No. ➤	61345	61345	61345	61345	61346	61346	61346	61346
	Part No. ➤	57105	57105	57105	57105	57105	57105	57105	57105
Steerer, mm		130	130	149	169	189	208	228	237
Head angle		72.5	73.0	73.0	73.5	73.5	73.5	73.5	74.0
Seat angle		73.5	73.5	73.5	73.5	73.5	73.5	73.5	73.5
MM	Standover	724	753	771	792	811	829	848	858
	Seat tube	470	500	520	540	560	580	600	620
	Head tube	86	86	104	124	145	165	183	193
	Eff top tube	518	530	530	550	550	570	570	585
	Reach	580	607	607	627	646	685	685	700
	Chainstays	415	415	415	415	415	415	415	415
	BB height	267	267	267	267	267	267	267	267
	Offset	47	47	47	43	43	43	43	43
	Trail	56	54	54	55	55	55	55	52
	Wheelbase	963	972	972	984	984	1004	1004	1014
IN	Standover	28.5	29.6	30.4	31.2	31.9	32.6	33.4	33.8
	Seat tube	18.5	19.7	20.5	21.3	22.0	22.8	23.6	24.4
	Head tube	3.4	3.4	4.1	4.9	5.7	6.5	7.2	7.6
	Eff top tube	20.4	20.9	20.9	21.7	21.7	22.4	22.4	23.0
	Reach	22.8	23.9	23.9	24.7	25.4	27.0	27.0	27.6
	Chainstays	16.3	16.3	16.3	16.3	16.3	16.3	16.3	16.3
	BB height	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5
	Offset	1.9	1.9	1.9	1.7	1.7	1.7	1.7	1.7
	Trail	2.2	2.1	2.1	2.2	2.2	2.2	2.2	2.0
	Wheelbase	37.9	38.3	38.3	38.7	38.7	39.5	39.5	39.9

21.8 lb.
9.90 kg.

Main tubes	Part No.	Easton ProGram taper wall aluminum alloy								39 53
Stays		Easton tapered aluminum alloy								11 94 127
Fork		System 2 Road epoxy bonded aluminum								12 86 117
Headset		Tange Seiki Passage 22.2/30.2/26.4, 30.9 mm stack								14 74 100
Handlebars		System 2 Road, alloy 26.0mm clamp diameter								16 64 88
Stem		System 2 Road, heat treated CroMoly, 22.2 mm insertion								18 57 78
Grips	T970511	White cork tape								21 49 67
Shifters	61940/1	Shimano RSX STI Dual Control								24 43 58
Front derailleur	61466	Shimano RX100 Down pull, 34.9 mm/ 1 3/8"								
Rear derailleur	61509	Shimano RX100								
Brakes	61112	Shimano RSX Dual Pivot								
Brake levers		(Dual Control)								
Crankset		Shimano RX100 53/39 130 mm bolt hole circle								
Bottom bracket	61002	Shimano BB-LP26 68 x 110								
Pedals	57184	System 2 Road w/clips and straps, 9/16" axle								
Cassette	61172	Shimano HG50 11-24 7spd								
Chain	61245	Shimano HG50 108L length								
Front wheel	973461	Shimano RSX								
Front hub	61746	Continental Super Sport 700 x 23c								
Front tire										
Rear wheel	973460	Shimano RSX								
Rear hub	61756	Continental Super Sport 700 x 23c								
Rear tire		HyperGlide Compact cassette, 7 spd, 128 mm O.L.D.								
Tubes	62251	Presta superlight								
Rims	961860	Matrix Aurora 610 E.R.D., Velox 16mm rim strip								
Spokes		DT 14/15G butted stainless 32 spokes/299 front/296/298 rear(D/ND)/3x								
Saddle	58207	SSM Techno Dynamic								
Seatpost		System 1, alloy micro-adjust 27.2 mm diameter								
Seat binder	T82263/4	System Road, 5mm allen, M6 x 25								
Additional		Rack mounts, 2 water bottle mounts								
Colors		Gloss Judy Yellow • Blue decal								
Frame sizes		47 50 52 54 56 58 60 62								
Handlebar width		380 400 400 420 440 440 440 460								
Stem length	Part No. ➤	57170 57171 57171 57172 57173 57173 57173 57174								
Crank length	Part No. ➤	57063 57064 57066 57066 57068 57068 57069 57069								
Seatpost length	Part No. ➤	61339 61339 61339 61339 61340 61340 61340 61340								
	Part No. ➤	57105 57105 57105 57105 57105 57105 57105 57105								
Steerer, mm		127 127 146 166 186 205 225 234								
Head angle		72.5 73.0 73.0 73.5 73.5 73.5 73.5 74.0								
Seat angle		73.5 73.5 73.5 73.5 73.5 73.5 73.5 73.5								
MM										
Standover		724 753 771 792 811 829 848 858								
Seat tube		470 500 520 540 560 580 600 620								
Head tube		86 86 104 124 145 165 183 193								
Eff top tube		518 530 530 550 550 570 570 585								
Reach		583 610 630 650 670 690 700 715								
Chainstays		415 415 415 415 415 415 415 415								
BB height		267 267 267 267 267 267 267 267								
Offset		47 47 47 43 43 43 43 43								
Trail		56 54 54 55 55 55 55 52								
Wheelbase		963 972 972 984 984 1004 1004 1014								
IN										
Standover		28.5 29.6 30.4 31.2 31.9 32.6 33.4 33.8								
Seat tube		18.5 19.7 20.5 21.3 22.0 22.8 23.6 24.4								
Head tube		3.4 3.4 4.1 4.9 5.7 6.5 7.2 7.6								
Eff top tube		20.4 20.9 20.9 21.7 21.7 22.4 22.4 23.0								
Reach		23.0 24.0 24.8 25.6 26.4 27.2 27.6 28.1								
Chainstays		16.3 16.3 16.3 16.3 16.3 16.3 16.3 16.3								
BB height		10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5								
Offset		1.9 1.9 1.9 1.7 1.7 1.7 1.7 1.7								
Trail		2.2 2.1 2.1 2.2 2.2 2.2 2.2 2.0								
Wheelbase		37.9 38.3 38.3 38.7 38.7 39.5 39.5 39.9								

21.5 lb.
9.76 kg.

Main tubes	Part No.	Easton EA60 ProGram tapered aluminum alloy							26 36 46
Stays		Easton tapered aluminum alloy							11 63 87 111
Fork		Trek butted CroMoly aero unicrown							12 57 79 101
Headset		Tange Seiki Passage 22.2/30.2/26.4, 30.9 mm stack							14 49 68 87
Handlebars		System 1 Road, alloy 26.0mm clamp diameter							16 43 60 76
Stem		System 1 90° Road, CroMoly 22.2 mm insertion							18 38 53 68
Grips	T942637	White cork tape							21 33 45 58
Shifters	61940/1	Shimano RSX STI Dual Control							24 29 40 51
Front derailleur	61472	Shimano RX100T Down pull, 34.9 mm/ 1 3/8"							
Rear derailleur	61508	Shimano RSX GS							
Brakes	61112	Shimano RSX Dual Pivot							
Brake levers		(Dual Control)							
Crankset		Shimano RSX 46/36/26 74/110 mm bolt hole circle							
Bottom bracket	61019	Shimano BB-LP26 68 x 118							
Pedals		System 1 Road w/clips and straps, 9/16" axle							
Cassette	61172	Shimano HG50 11-24 7spd							21.7 lb.
Chain	61245	Shimano HG50 104L length							9.85 kg.
Front wheel	973461	Shimano RSX							
Front hub	61746	Continental Super Sport 700 x 25c							
Front tire									
Rear wheel	973460	Shimano RSX							
Rear hub		Continental Super Sport HyperGlide Compact cassette, 7 spd, 128 mm O.L.D.							
Rear tire		700 x 25c							
Tubes	62251	Presta superlight							
Rims	961860	Matrix Aurora 610 E.R.D., Velox 16mm rim strip							
Spokes		DT 14/15G butted stainless 32 spokes/299 front/296/298 rear(D/ND)/3x							
Saddle	58208	Velo, CroMoly rails, leather cover							
Seatpost		System 1, alloy micro-adjust 27.2 mm diameter							
Seat binder	T82263/4	System Road, 5mm allen, M6 x 25							
Additional		Rack mounts, 2 water bottle mounts							
Colors		Gloss Deep Purple • Titanium decal							
Frame sizes		47 50 52 54 56 58 60 62							
Handlebar width		380 400 400 420 440 440 440 460							
Stem length	Part No. ➤	57165 57166 57166 57167 57168 57168 57168 57169							
		65 80 80 100 100 120 120 120							
Crank length	Part No. ➤	62538 62539 62539 62540 62540 62541 62541 62541							
		170 170 170 170 175 175 175 175							
Seatpost length	Part No. ➤	61334 61334 61334 61334 61335 61335 61335 61335							
		250 250 250 250 250 250 250 250							
	Part No. ➤	57105 57105 57105 57105 57105 57105 57105 57105							
Steerer, mm		127 127 146 166 186 205 225 234							
Head angle		72.5 73.0 73.0 73.5 73.5 73.5 73.5 74.0							
Seat angle		73.5 73.5 73.5 73.5 73.5 73.5 73.5 73.5							
MM									
Standover		724 753 771 792 811 829 848 858							
Seat tube		470 500 520 540 560 580 600 620							
Head tube		86 86 104 124 145 165 183 193							
Eff top tube		518 530 530 550 550 570 570 585							
Reach		580 607 607 646 646 685 685 700							
Chainstays		415 415 415 415 415 415 415 415							
BB height		267 267 267 267 267 267 267 267							
Offset		47 47 47 43 43 43 43 43							
Trail		56 54 54 55 55 55 55 52							
Wheelbase		963 972 972 984 984 1004 1004 1014							
IN									
Standover		28.5 29.6 30.4 31.2 31.9 32.6 33.4 33.8							
Seat tube		18.5 19.7 20.5 21.3 22.0 22.8 23.6 24.4							
Head tube		3.4 3.4 4.1 4.9 5.7 6.5 7.2 7.6							
Eff top tube		20.4 20.9 20.9 21.7 21.7 22.4 22.4 23.0							
Reach		22.8 23.9 23.9 25.4 25.4 27.0 27.0 27.6							
Chainstays		16.3 16.3 16.3 16.3 16.3 16.3 16.3 16.3							
BB height		10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5							
Offset		1.9 1.9 1.9 1.7 1.7 1.7 1.7 1.7							
Trail		2.2 2.1 2.1 2.2 2.2 2.2 2.2 2.0							
Wheelbase		37.9 38.3 38.3 38.7 38.7 39.5 39.5 39.9							

Main tubes	Part No.	Trek double butted CroMoly						36 46	
		Trek CroMoly						11	87 111
Stays		Full CroMoly						12	79 101
Fork	59463	Tange Seiki Passage						14	68 87
Headset		HL DR-AL-9B, alloy						16	60 76
Handlebars		CroMoly TIG						18	53 68
Stem		cork/foam						21	45 58
Grips	61940/1	Shimano RSX STI						24	40 51
Shifters	54522	Shimano RSX							
Front derailleur	54555	Shimano RSX SS							
Rear derailleur	61112	Shimano RSX Dual Pivot							
Brakes		(Dual Control)							
Brake levers		Shimano RSX 46/36							
Crankset		Shimano BB-LP26							
Bottom bracket	61002	Victor VP516 w/clips and straps, 9/16" axle							
Pedals	57184	Shimano HG50 11-24							
Cassette	61172	KMC HG50							
Chain	29705								
Front wheel	60928								
Front hub	61746	Shimano RSX							
Front tire	56408	Trek IsoTech 3							
Rear wheel	60929								
Rear hub	61703	Shimano RSX							
Rear tire	56408	Trek IsoTech 3							
Tubes	38595	Presta valve							
Rims		Rigida SPH-60							
Spokes		14/15G butted stainless							
Saddle	56630	San Marco Linea							
Seatpost		SP-51, micro-adjust, alloy							
Seat binder	51709	Kallay 8 x 25 allen bolt							
Additional		Rack mounts, 2 water bottle mounts							
Colors		Gloss Ice Red • Yellow decal							
Frame sizes		43	50	54	56	58	60		
Handlebar width		390	410	410	430	430	430		
Stem length	Part No. ➤	64879	64880	64880	64881	64881	64881		
Crank length	Part No. ➤	64878	64878	64876	64876	64876	64877		
Seatpost length	Part No. ➤	61334	61334	61334	61334	61335	61335		
	Part No. ➤	54326	54326	54326	54326	54326	54326		
Steerer, mm		115	115	130	145	165	180		
Head angle		72.5	72.5	73.0	73.0	73.5	74.0		
Seat angle		75.0	75.0	74.0	73.0	73.0	73.0		
MM Standover		716	748	776	798	813	835		
Seat tube		430	500	540	560	580	600		
Head tube		85	85	105	123	141	162		
Eff top tube		525	522	540	555	566	575		
Reach		605	602	640	655	666	695		
Chainstays		415	415	415	415	415	415		
BB height		267	267	267	267	267	267		
Offset		47	47	47	43	43	43		
Trail		57	57	54	55	55	52		
Wheelbase		978	980	986	989	995	998		
IN Standover		28.2	29.4	30.6	31.4	32.0	32.9		
Seat tube		16.9	19.7	21.3	22.0	22.8	23.6		
Head tube		3.3	3.3	4.1	4.8	5.6	6.4		
Eff top tube		20.7	20.6	21.3	21.9	22.3	22.6		
Reach		23.8	23.7	25.2	25.8	26.2	27.4		
Chainstays		16.3	16.3	16.3	16.3	16.3	16.3		
BB height		10.5	10.5	10.5	10.5	10.5	10.5		
Offset		1.9	1.9	1.9	1.7	1.7	1.7		
Trail		2.2	2.2	2.1	2.2	2.2	2.0		
Wheelbase		38.5	38.6	38.8	38.9	39.2	39.3		

Main tubes	Part No.	Trek CroMoly						28 38 48	
		High tensile steel						13	57 77 98
Stays		Full CroMoly						15	49 67 85
Fork	59463	HPO1H						17	44 59 75
Headset		HL DR-AL-9B, alloy						19	39 53 67
Handlebars		CroMoly TIG						21	35 48 60
Stem		cork/foam						23	32 44 55
Grips	61931	Shimano 400EX down tube						26	28 39 49
Shifters	61382	Shimano Tourney TY30							
Front derailleur	61494	Shimano Acera-X							
Rear derailleur		Shimano 300EX							
Brakes		Dia-Compe BL-07 Aero							
Brake levers	61106	SR 48/38/28							
Crankset		Shimano BB-LP26							
Bottom bracket	61019	Victor VP-393 w/clips and straps, 9/16" axle							
Pedals	57184	Shimano HG50 13-26							
Cassette	51214	UG50							
Chain	29705								
Front wheel	60926								
Front hub		Alloy quick release							
Front tire	56408	Trek IsoTech 2							
Rear wheel	60927								
Rear hub	61655	Shimano HG50 cassette							
Rear tire	56408	Trek IsoTech 2							
Tubes	38595	Presta valve							
Rims		Weinmann 217							
Spokes		14/15G UCP, butted							
Saddle	56630	Trek Hi-density foam							
Seatpost		SP-51, micro-adjust, alloy							
Seat binder		Kallay 8 x 25							
Additional		Rack mounts, 2 water bottle mounts							
Colors		Gloss Dark Blue • White decal							
Frame sizes		43	50	54	56	58	60		
Handlebar width		390	410	410	430	430	430		
Stem length	Part No. ➤	64879	64880	64880	64881	64881	64881		
Crank length	Part No. ➤	64878	64878	64876	64876	64876	64877		
Seatpost length	Part No. ➤	64359	64359	64359	64359	64359	64359		
	Part No. ➤	54326	54326	54326	54326	54326	54326		
Steerer, mm		125	125	140	155	175	190		
Head angle		72.5	72.5	73.0	73.0	73.5	74.0		
Seat angle		75.0	75.0	74.0	73.0	73.0	73.0		
MM Standover		716	748	776	798	813	835		
Seat tube		430	500	540	560	580	600		
Head tube		85	85	105	123	141	162		
Eff top tube		525	522	540	555	566	575		
Reach		601	598	636	651	662	690		
Chainstays		415	415	415	415	415	415		
BB height		267	267	267	267	267	267		
Offset		47	47	47	43	43	43		
Trail		57	57	54	55	55	52		
Wheelbase		978	980	986	989	995	998		
IN Standover		28.2	29.4	30.6	31.4	32.0	32.9		
Seat tube		16.9	19.7	21.3	22.0	22.8	23.6		
Head tube		3.3	3.3	4.1	4.8	5.6	6.4		
Eff top tube		20.7	20.6	21.3	21.9	22.3	22.6		
Reach		23.7	23.6	25.0	25.6	26.1	27.2		
Chainstays		16.3	16.3	16.3	16.3	16.3	16.3		
BB height		10.5	10.5	10.5	10.5	10.5	10.5		
Offset		1.9	1.9	1.9	1.7	1.7	1.7		
Trail		2.2	2.2	2.1	2.2	2.2	2.0		
Wheelbase		38.5	38.6	38.8	38.9	39.2	39.3		

Main tubes	Part No.	Trek Double butted CroMoly	26	36	46
Stays		Trek CroMoly	11	64	88 113
Fork		Trek touring CroMoly w/front rack mounts	13	54	75 96
Headset		Tange Seiki Levin CDS 22.2/30.2/26.4, 33.7 mm stack	15	47	65 88
Handlebars		System 1 Road, alloy 26.0mm clamp diameter	18	39	54 69
Stem		System 1 90° Road, CroMoly 22.2 mm insertion	21	33	46 59
Grips	T972790	Natural tape	24	29	41 52
Shifters	61940/11	Shimano RSX STI Dual Control	28	25	35 44
Front derailleur	61464	Shimano RSX Down pull, 31.8 mm/ 1 1/4"			
Rear derailleur	61508	Shimano RSX GS			
Brakes	61091/2	Shimano STX-RC cantilevers			
Brake levers		(Dual Control)			
Crankset		Shimano RSX 46/36/26 74/110 mm bolt hole circle			
Bottom bracket	61019	Shimano BB-LP26 68 x 118			
Pedals	57184	System 2 Road w/clips and straps, 9/16" axle			
Cassette	61173	Shimano HG50 11-28 7spd			
Chain	61246	Shimano HG70 110L length			
Front wheel	973465				
Front hub		Shimano STX			
Front tire		Continental Super Sport 700 x 28c			
Rear wheel	973466				
Rear hub		Shimano STX			
Rear tire		Continental Super Sport 700 x 28c			
Tubes	62251	Presta superlight			
Rims	970712	Matrix Vapor 610 E.R.D., Velox 19mm rim strip			
Spokes		DT 14G 36 spokes/297 front/294/295 rear(D/ND)/3x			
Saddle	58208	Velo, CroMoly rails, leather cover			
Seatpost		System 1, alloy micro-adjust 27.2 mm diameter			
Seat binder	T950527	System Steel w/integral bolt 31.8 clamp diameter			
Additional		Rear rack (T952287), 6 water bottle mounts, front and rear rack mounts			
Colors		Gloss Ice Forest Green • Gold decal			
Frame sizes		17 19 21 23 25			
Handlebar width		400 400 420 440 460			
Stem length	Part No. ➤	57166 57166 57167 57168 57169			
		65 80 100 100 120			
Crank length	Part No. ➤	62538 62539 62540 62540 62541			
		170 170 175 175 175			
Seatpost length	Part No. ➤	61334 61334 61335 61335 61335			
		250 250 250 250 250			
	Part No. ➤	57105 57105 57105 57105 57105			
Steerer, mm		139 139 139 169 214			
Head angle		71.0 71.0 71.0 72.0 72.5			
Seat angle		74.0 74.0 73.5 73.0 72.0			
MM	Standover	718 740 768 806 852			
	Seat tube	432 483 533 584 635			
	Head tube	90 90 90 120 165			
	Eff top tube	540 545 555 566 590			
	Reach	601 621 650 661 704			
	Chainstays	450 450 450 450 450			
	BB height	268 268 268 268 268			
	Offset	52 52 52 52 52			
	Trail	63 63 63 57 54			
	Wheelbase	1044 1046 1054 1052 1062			
IN	Standover	28.3 29.1 30.2 31.7 33.5			
	Seat tube	17.0 19.0 21.0 23.0 25.0			
	Head tube	3.5 3.5 3.5 4.7 6.5			
	Eff top tube	21.3 21.5 21.9 22.3 23.2			
	Reach	23.7 24.4 25.6 26.0 27.7			
	Chainstays	17.7 17.7 17.7 17.7 17.7			
	BB height	10.6 10.6 10.6 10.6 10.6			
	Offset	2.0 2.0 2.0 2.0 2.0			
	Trail	2.5 2.5 2.5 2.2 2.1			
	Wheelbase	41.1 41.2 41.5 41.4 41.8			

25.7 lb.
11.67 kg.

Main tubes	Part No.	Trek True Temper custom butted tandem CroMoly	30	42	54
Stays		True Temper tapered tandem CroMoly	12	68	95 117
Fork		Trek butted Special Taper gauge tandem CroMoly	13	62	87 108
Headset	T82797	Tange Seiki OV-Al 28.6/37.0/33.0, 40.9 mm stack	14	58	81 100
Handlebars		System 1 Road, alloy 26.0 /25.4mm clamp diameter	16	51	71 88
Stem		System 3 90° Tandem CroMoly, 28.6 mm insertion	18	45	63 78
Grips		System 2 CroMoly adjustable rear	21	39	54 67
Shifters	61575	White cork tape	24	34	47 59
Front derailleur	61472	Shimano BS648 Barcons	28	29	41 50
Rear derailleur	61503	Shimano 105SC, triple Down pull, 31.8 mm/ 1 1/4"			
Brakes	61095/6	Shimano Deore XT SGS			
Brake levers	T970651/2	Shimano Deore XT cantilevers			
Crankset		Shimano 105SC			
Bottom bracket	61035	Sugino Fuse 54/42/30 74/130 mm bolt hole circle			
Pedals	60216	Shimano BB-UN72 68 x 122.5			
Cassette	61205	Shimano SPD M535 clipless 9/16" axle			
Chain	61247	Shimano HG70-I 12-28 8spd			
Front wheel	973472	Shimano HG90 112/152L length			
Front hub	T963113				
Front tire		Shimano Deore XT Tandem			
Rear wheel	973471	Continental Super Sport 700 x 28c			
Rear hub	T963115				
Rear tire		Shimano Deore XT Tandem HyperGlide Compact cassette, 8 spd, 145 mm O.L.D.			
Tubes	38595	Continental Super Sport 700 x 28c			
Rims	970633	Presta superlight			
Spokes		Bontrager Clyde 700c 604 E.R.D., Velox 22mm rim strip			
Saddle	/56631	13/14G butted stainless 48/48 spokes/289 front/288/289 rear(D/ND)/4x			
Seatpost		SSM Techno Dynamic, CroMoly rails, leather cover/ Trek CroMoly			
Seat binder	T950527	System 2, forged dual-bolt adjustable head, 27.2 mm diameter			
Additional	T950525	Manitou BodyShock suspension stoker seatpost, 27.2 mm diameter w/shim			
Colors		System Steel w/integral bolt 31.8 clamp diameter			
		System Steel w/integral bolt and hanger, 31.8 clamp diameter			
		Eccentric (T82672), Stoker levers (T82601), adjustable stoker stem (T960690)			
		Gloss Cream • Indigo decal			
Frame sizes		50/46 54/50 57/47 58/53			
Handlebar width		420 460 420 460 440 460 440 460			
Stem length	Part No. ➤	100 100 120 120			
		57092 57092 57093 57093			
Crank length	Part No. ➤	170 170 170 170 175 170 175 170			
		See page 59			
Seatpost length	Part No. ➤	350 300 350 300 350 300 350 300			
		57121			
Steerer, mm		146 146 183 183			
Head angle		72.0 72.0 73.0 73.0			
Seat angle		73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0			
MM	Standover	756 692 787 757 794 826 825 794			
	Seat tube				
	Head tube	101 101 137 137			
	Eff top tube	554 703 552 699 573 704 573 720			
	Reach	627 660 639 647 573 704 573 720			
	Chainstays	430 430 430 430			
	BB height	275 275 275 275 275 283 275 283			
	Offset	60 60 55 55			
	Trail	48 48 47 47			
	Wheelbase	1733 1727 1738 1758			
IN	Standover	29.8 27.2 31.0 29.8 31.3 32.5 32.5 31.3			
	Seat tube				
	Head tube	4.0 4.0 5.4 5.4			
	Eff top tube	21.8 27.7 21.7 27.5 22.6 27.7 22.6 28.3			
	Reach	24.7 26.0 25.2 25.5 22.6 27.7 22.6 28.3			
	Chainstays	16.9 16.9 16.9 16.9			
	BB height	10.8 10.8 10.8 10.8 10.8 11.1 10.8 11.1			
	Offset	2.4 2.4 2.2 2.2			
	Trail	1.9 1.9 1.9 1.9			
	Wheelbase	68.2 68.0 68.4 69.2			

T100

Our Price: \$

Main tubes	Part No.	Trek True Temper custom butted tandem CroMoly	30	42	52
Stays		True Temper tapered tandem CroMoly	12	68	95
Fork		Trek butted Special Taper gauge tandem CroMoly	13	63	88
Headset	T951127	YST 28.6/37.0/33.0, 40.4 mm stack	15	54	76
Handlebars		System 1 ATB, aluminum 230g, 25.4mm clamp diameter	18	45	64
Stem		System 2 Tandem CroMoly 28.6 mm insertion	21	39	54
		System 2 CroMoly adjustable rear	24	34	48
Grips	56033/51002	GripShift logo	28	29	41
Shifters	63036/8	GripShift SRT 400			
Front derailleur	T943385	Shimano Deore LX Top Swing, Down pull, 31.8 mm/ 1 1/4"			
Rear derailleur	61503	Shimano Deore LX SGS			
Brakes	61089/90	Shimano STX cantilevers			
Brake levers	61080	Shimano Alivio			
Crankset		Sugino Fuse 54/42/30 74/130 mm bolt hole circle			
Bottom bracket	61019	Shimano BB-UN52 68 x 122.5			
Pedals		System 1 ATB w/clips and straps, 9/16" axle			
Cassette	61187	Shimano HG70 12-28 7spd			
Chain	61245	Shimano HG50 112L/152L length			
Front wheel	973474				
Front hub	T960414	Shimano STX Tandem			
Front tire	56640	Trek Invert II 700 x 38c			
Rear wheel	973473				
Rear hub	T960415	Shimano STX Tandem HyperGlide cassette, 7 spd, 145 mm O.L.D.			
Rear tire	56640	Trek Invert II 700 x 38c			
Tubes	29982	Presta valve			
Rims	970633	Bontrager Clyde 700c 604 E.R.D., Velox 22mm rim strip			
Spokes		13/14G butted stainless 48/48 spokes/289 front/288/289 rear(D/ND)/4x			
Saddle	60910-5663	Trek Gel/Trek Women's Dual Density			
Seatpost		System 1, aluminum micro-adjust, 27.2 mm diameter			
Seat binder	T950527	System Steel w/integral bolt (F), 31.8 clamp diameter			
		System Steel w/integral bolt and hanger (R), 31.8 clamp diameter			
Additional		Eccentric (T82672), adjustable stoker stem (T960690)			
Colors		Gloss Pearl Blue• Silver decal			
Frame sizes		50/46 54/50 57/47 58/53			
Handlebar width		560 560 560 560 560 560 560 560			
Stem length	Part No. ➤	57141 57141 57141 57141 57141 57141 57141 57141			
		120 120 135 135			
Crank length	Part No. ➤	57073 57073 57074 57074			
		170 170 175 170 175 170 175 170			
Seatpost length	Part No. ➤	See page 59			
		350 300 350 300 350 300 350 300			
Steerer, mm	Part No. ➤	57106			
Head angle		146 146 182 182			
Seat angle		72.0 72.0 73.0 73.0 73.0 73.0 73.0 73.0			
MM		73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0			
Standover		756 692 787 757 794 826 825 794			
Seat tube					
Head tube		101 101 137 137			
Eff top tube		554 703 552 699 573 704 573 720			
Reach		631 639 639 627 573 704 573 720			
Chainstays		430 430 430 430			
BB height		275 275 275 275 275 283 275 283			
Offset		60 60 55 55			
Trail		48 48 47 47			
Wheelbase		1733 1727 1738 1758			
IN		29.8 27.2 31.0 29.8 31.3 32.5 32.5 31.3			
Standover					
Seat tube		4.0 4.0 5.4 5.4			
Head tube		21.8 27.7 21.7 27.5 22.6 27.7 22.6 28.3			
Eff top tube		24.8 25.2 25.1 24.7 22.6 27.7 22.6 28.3			
Reach		16.9 16.9 16.9 16.9			
Chainstays		10.8 10.8 10.8 10.8 10.8 11.1 10.8 11.1			
BB height		2.4 2.4 2.2 2.2			
Offset		1.9 1.9 1.9 1.9			
Trail		68.2 68.0 68.4 69.2			
Wheelbase					

Tandem Crank Part Numbers

Model	T100	50/46	54/50	57/47	58/53
Size		Capt	Stoker	Capt	Stoker
Length		170	170	175	170
Part No. ➤	Left	T970346	T970346	T970347	T970346
Part No. ➤	Right	T972614	T972617	T972615	T972617
Model	T200	50/46	54/50	57/47	58/53
Size		Capt	Stoker	Capt	Stoker
Length		170	170	170	170
Part No. ➤	Left	T970345	T970345	T970345	T970345
Part No. ➤	Right	T972614	T972616	T972614	T972616

Recreational, Kids and BMX

Although these bikes may not be particularly expensive, they still deserve a quality assembly. Remember, the customer riding a Mountain Cub today may be shopping for a Y50 in just a few years!

Bikes and Kids

Pay particular attention to greasing the threads on these bikes. They often are left out in the yard when it rains, etc. etc.. Beach cruisers may even be ridden in salt water (shudder!). Make sure to grease the stem bolts (all 4 handlebar clamp bolts on BMX style stems), seatpost, and stem insertion, as well as axle nuts.

Also remember that with kids bikes they must endure hard play and low maintenance. Make sure all the accessories (like chain guards) are aligned and tightened. Also check the chain tension, as this is part of the braking system on a coaster brake equipped bike.

On bikes with training wheels, the correct height of the training wheels depends on the skill of the rider. For new riders just learning: With correct air pressure in the tires and the rider seated on the bike, there should be 3-5 mm clearance between the training wheels and the ground with the bike fully upright. As a rider's skill increases, this gap may be increased to allow leaning the bike in corners, and to teach balance.

Redundant Wheel Retention Devices

With our BMX bikes, do not remove the 'top hat' washers from the front wheel axles. They are redundant retention devices, there to help protect people who neglect to correctly tighten the wheel axle nuts. The portion of the 'tophat' with a smaller diameter fits into the fork's keyhole dropout, while the larger diameter works much like a washer on the outside surface of the fork blade. Make sure they are correctly installed, and instruct the consumer to leave them in place at all times.

Rotors

Some models of BMX bikes are equipped with rotors. When equipped with a rotor, a bike with a front brake can have its handlebars rotated 360 degrees (repeatedly, if you're really good) without catching the brake cable. Bikes with rotors have a specific headset stack with specific washers. do not attempt to remove headset washers for rotor-equipped bikes.

Also pay special attention to the brake adjustment on bikes equipped with rotors. Make sure there is adequate possible adjustment of the brake cable tension with the various barrel adjusters involved.

Our Price: \$

Calypso

Main tubes	Part No.	High tensile steel		
Stays		High tensile steel		40
Fork		High tensile steel		14 75
Headset	55111	YST HP-665	22.2/30.0/27.0, 35.0 mm stack	16 66
Handlebars		Steel cruiser, 132mm rise	25.4mm clamp diameter	18 58
Stem	63060	4 bolt BMX type	22.2 mm insertion	21 50
Grips	63040	Kraton/ 2 piece foam (64823)		24 44
Shifters		GripShift MRX170	Right only	28 37
Front derailleur		-		
Rear derailleur	61491	Shimano Tourney 22 w/bracket		
Brakes	61081/2	Shimano Altus CT91		
Brake levers	64363	Tektro 371AP		
Crankset		One-piece type, 40T		
Bottom bracket	64807	One-piece type	28 TPI	
Pedals		Victor VP-805	9/16" axle	
Cassette	61168	HG60 14-28	6spd	
Chain	29705	UG50	110L length	
Front wheel	64821			
Front hub	60939	Alloy, nuttled		
Front tire	52961	Gumwall	26 x 2.0"	
Rear wheel	64815			
Rear hub	60940	Alloy, nuttled	Threaded, 6 spd, nuttled front and rear, 130 mm O.L.D.	
Rear tire	52961	Gumwall	26 x 2.0"	
Tubes	39417	Schraeder valve		
Rims		Aluminum alloy		
Spokes		14G stainless	36 spokes/264 front/261/263 rear(D/ND)/3x	
Saddle	56634	Trek Cruiser, foam padded with steel springs		
Seatpost		Steel, chrome plated	25.6 mm diameter	
Seat binder				
Additional		Chainguard (64815-6), kickstand (55257)		
Colors		Gloss Plum • Titanium decal (women's)		
		Gloss Pearl White/Gloss Ice Red fade • White decal		
Frame sizes		19	19W	
Handlebar width		700	700	
	Part No.➤	64827	64827	
Stem length		50	50	
	Part No.➤	(64834-white, 64844-plum)		
Crank length		165	165	
	Part No.➤	62705	62705	
Seatpost length		300	300	
	Part No.➤	64840	64840	
Steerer, mm		159	194	
Head angle				
Seat angle				
MM	Standover			
	Seat tube			
	Head tube	85	85	
	Eff top tube			
	Reach			
	Chainstays			
	BB height			
	Offset			
	Trail			
	Wheelbase			
IN	Standover			
	Seat tube			
	Head tube	3.3	3.3	
	Eff top tube			
	Reach			
	Chainstays			
	BB height			
	Offset			
	Trail			
	Wheelbase			

Cruiser Classic

Our Price: \$

Main tubes	Part No.	High tensile steel	40
Stays	↓	High tensile steel	18 58
Fork		High tensile steel	
Headset	55111	YST HP-665	22.2/30.0/27.0, 35.0 mm stack
Handlebars		Steel cruiser, 132mm rise	25.4mm clamp diameter
Stem		4 bolt BMX type	22.2 mm insertion
Grips	64823	4 piece foam	
Shifters		-	
Front derailleur		-	
Rear derailleur		-	
Brakes		-	
Brake levers		-	
Crankset		One piece type, 40T	
Bottom bracket	64807	One-piece type, BB-621	28 TPI
Pedals		Victor VP-805	9/16" axle
Cog		18T	1 spd
Chain	54006	KMC 410, 1/2 x 1/8"	100L length
Front wheel	60939		
Front hub	60939	Alloy , nuttet	
Front tire	52961	Blackwall	26 x 2.0"
Rear wheel	60938		
Rear hub	60938	Shimano coaster brake	Nuttet front, Coaster rear, 110 mm O.L.D.
Rear tire	52961		
Tubes	39417	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G stainless	36 spokes/264 front/260/260 rear(D/ND)/3x
Saddle	56634	Trek Cruiser, foam padded with steel springs	
Seatpost		Steel, chrome plated	25.6 mm diameter
Seat binder		Hex bolt and nut	
Additional		Chainguard (64817-9) , kickstand (55257)	
Colors		Gloss Ice Teal • White decal	Dry Ice Royal Blue • White decal
		Gloss Mirror Black • Silver decal	
Frame sizes		19 19W	
Handlebar width		700 700	
Stem length	Part No. ▶	64827 64827	
		50 50	
Crank length	Part No. ▶	64845-royal blue, 64846- black, 64847- ice teal	
		165 165	
Seatpost length	Part No. ▶	62705 62705	
		300 300	
	Part No. ▶	64840 64840	
Steerer, mm		155 190	
Head angle			
Seat angle			
MM Standover			
Seat tube		85	
Head tube			
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			
IN Standover			
Seat tube		3.3	
Head tube			
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			

Our Price: \$

Mountain Track 240

Main tubes	Part No.	HiTensile steel w/ outer butted CroMoly seat tube	24 34 42
Stays	↓	High tensile steel	11 52 73 90
Fork		High tensile steel	13 44 62 76
Headset	58960	VP H67W	22.2/30.0/27.0, 35.0 mm stack
Handlebars		Steel, 35mm rise	25.4mm clamp diameter
Stem		Steel ATB	22.2 mm insertion
Bar ends		-	18 31 45 55
Grips	63060	Paw print	21 27 38 47
Shifters	63039/42	GripShift MRX170	24 24 33 41
Front derailleur	61477	Shimano Altus CT92E	Down pull, E-type, bracket
Rear derailleur	61494	Shimano Altus CT92 GS	28 20 29 35
Brakes	61081/2	Shimano Altus CT91	
Brake levers	64809	Chang Star 274A	
Crankset		Shimano Altus CT92 42/34/24	Riveted rings
Bottom bracket	61000	Shimano BB-CT91E	68 x 116
Pedals		Wellgo LU-945	9/16" axle
Cassette	61171	Shimano HG30 11-28	7spd
Chain	29705	UG50	102L length
Front wheel	60922		
Front hub		Alloy nutted	
Front tire		Trek Connection	24 x 1.95
Rear wheel	60923		
Rear hub		Alloy nutted, HyperGlide Compact cassette, 7 spd, nutted front&rear, 130 mm O.L.D.	
Rear tire		Trek Connection	24 x 1.95
Tubes	38593	Schraeder valve	
Rims	58356	Weinmann 519	
Spokes		14G UCP	36 spokes/239 front/235/237 rear(D/ND)/3x
Saddle	56635	Trek Paw Print	
Seatpost		Alloy	26.6 mm diameter
Seat binder		Kalloy STP-B	
Additional		Rack mounts, 1 water bottle mount, derailleur guard (64837)	
Colors		Mirror Black	
		Dry Ice Plum	
Frame sizes		13B 13G	
Handlebar width		540	
Stem length	Part No. ▶	58963	
		60	
Crank length	Part No. ▶	64842	
		170	
Seatpost length	Part No. ▶	59461L/R	
		300 250	
	Part No. ▶	57102 54326	
Steerer, mm		127 142	
Head angle			
Seat angle			
MM Standover		635 597	
Seat tube			
Head tube		85 85	
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			
IN Standover		25.0 23.5	
Seat tube			
Head tube		3.3 3.3	
Eff top tube			
Reach			
Chainstays			
BB height			
Offset			
Trail			
Wheelbase			

Mountain Track 220SHX

Our Price: \$

Main tubes	Part No.	High tensile steel		28 38 48
Stays	↓	High tensile steel		
Fork		SR DuoTrack 7007	35mm travel	14 47 64 81
Headset	58960	VP H67	22.2/30.0/27.0, 33.0 mm stack	16 41 56 71
Handlebars		Steel, 35mm rise	25.4mm clamp diameter	18 37 50 63
Stem		Steel ATB	22.2 mm insertion	21 31 43 54
Bar ends		-		24 28 37 47
Grips	63060	Trek paw print		28 24 32 40
Shifters	63040/42	GripShift MRX170		
Front derailleur	61382	Shimano Tourney TY30	Down pull, 28.6 mm/ 1 1/8"	
Rear derailleur	61494	Shimano Tourney TY22 GS		
Brakes	64361/2	alloy		
Brake levers	64808	Chang Star 246C		
Crankset		SR 48/38/28	Riveted rings	
Bottom bracket	53309	VP-B32/3N	68	
Pedals		Wellgo LU-945	9/16" axle	
Cassette	61168	HG22 14-28	6spd	
Chain	29705	UG50		
Front wheel	60920			
Front hub		Nutted		
Front tire		Duro	24 x 2.0	
Rear wheel	60921			
Rear hub		Nutted rear	Threaded, 6 spd, nutted front and rear, 130 mm O.L.D.	
Rear tire		Duro	24 x 2.0	
Tubes	38593	Schraeder valve		
Rims	58356	Weinmann 519		
Spokes		14G UCP	36 spokes/238 front/236/237 rear(D/ND)/3x	
Saddle	56635	Trek paw print		
Seatpost		Alloy	26.6 mm diameter	
Seat binder		Kalloy STP-B		
Additional		Rack mounts, 1 water bottle mount, derailleur guard		
Colors		Gloss Royal Ice Blue		
Frame sizes		13		
Handlebar width		540		
Stem length	Part No. ➤	58963		
		65		
Crank length	Part No. ➤	64842		
		165		
Seatpost length	Part No. ➤	64360		
		300		
	Part No. ➤	57102		
Steerer, mm		119		
Head angle				
Seat angle				
MM Standover		635	597	
Seat tube				
Head tube		85	85	
Eff top tube				
Reach				
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				
IN Standover		25.0	23.5	
Seat tube				
Head tube		3.3	3.3	
Eff top tube				
Reach				
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				

Our Price: \$

Mountain Track 220

Main tubes	Part No.	High tensile steel		28 38 48
Stays	↓	High tensile steel		
Fork		High tensile steel		14 47 64 81
Headset	58960	VP H67	22.2/30.0/27.0, 33.0 mm stack	16 41 56 71
Handlebars		Steel, 35mm rise	25.4mm clamp diameter	18 37 50 63
Stem		Steel ATB	22.2 mm insertion	21 31 43 54
Bar ends		-		24 28 37 47
Grips	63060	Trek paw print		28 24 32 40
Shifters	63039/43	GripShift MRX170		
Front derailleur	61382	Shimano Tourney TY30	Down pull, 28.6 mm/ 1 1/8"	
Rear derailleur	61494	Shimano Tourney TY22 GS		
Brakes	64361/2	alloy		
Brake levers	64808	Chang Star 246C		
Crankset	64360	SR 48/38/28	Riveted rings	
Bottom bracket	53309	VP-B32/3N	68	
Pedals	57180	Wellgo LU-945	9/16" axle	
Cassette	61168	HG22 14-28	6spd	
Chain	29705	UG50		
Front wheel	60920			
Front hub		Nutted		
Front tire		Duro	24 x 2.0	
Rear wheel	60921			
Rear hub		Nutted rear	Threaded, 6 spd, nutted front and rear, 130 mm O.L.D.	
Rear tire		Duro	24 x 2.0	
Tubes	38593	Schraeder valve		
Rims	58356	Weinmann 519		
Spokes		14G UCP	36 spokes/238 front/236/237 rear(D/ND)/3x	
Saddle	56635	Trek paw print		
Seatpost		Alloy	26.6 mm diameter	
Seat binder		Kalloy STP-B		
Additional		Rack mounts, 1 water bottle mount, derailleur guard		
Colors		Gloss Ice Teal Dry Titanium	Gloss Ice Grape Purple Gloss Ice Royal Blue	
Frame sizes		13 13G		
Handlebar width		540		
Stem length	Part No. ➤	58963		
		65		
Crank length	Part No. ➤	64842		
		165		
Seatpost length	Part No. ➤	64360	250	
	Part No. ➤	57102		
Steerer, mm		128	143	
Head angle				
Seat angle				
MM Standover		635	597	
Seat tube				
Head tube		85	85	
Eff top tube				
Reach				
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				
IN Standover		25.0	23.5	
Seat tube				
Head tube		3.3	3.3	
Eff top tube				
Reach				
Chainstays				
BB height				
Offset				
Trail				
Wheelbase				

Mountain Lion 60SHX

Our Price: \$

Main tubes	Part No.	High tensile steel	40
Stays	↓	High tensile steel	
Fork		SR DuoTrack 7007	14 57
Headset	58960	VP H67W	16 50
Handlebars		Steel, 35mm rise	18 45
Stem		Steel ATB	21 38
Bar ends		-	24 33
Grips	63060	Trek paw print	28 29
Shifters	63040	GripShift MRX170	
Front derailleur		-	
Rear derailleur	61495	Shimano Tourney TY22	
Brakes	61081/2	Shimano Altus CT91	
Brake levers	64808	Chang Star 246C	
Crankset		Steel cotterless, 40T	
Bottom bracket	53309	VP-B32	68 x 3J (30.5/52/30.5)
Pedals		Victor VP-872N	1/2" axle
Cassette	61168	Shimano HG22 14-28	6spd
Chain	29705	UG50	100L length
Front wheel	60918		
Front hub		Nuttet	
Front tire	62297	Knobby	20 x 1.95
Rear wheel	60917		
Rear hub		Nuttet rear	Threaded, 6 spd, nutted front and rear, 130 mm O.L.D.
Rear tire	62297	Knobby	20 x 1.95
Tubes	25987	Schraeder valve	
Rims	58355	Weinmann 519	
Spokes		14G UCP	36 spokes/188 front/186/188 rear(D/ND)/3x
Saddle	62299	Trek paw print	
Seatpost		Steel, black	25.6 mm diameter
Seat binder		Kalloy 8 x 25	
Additional		1 water bottle mount (boy's), chainguard (64814), derailleur guard	
Colors		Chrome plated	
Frame sizes		11.5B 11.5G	
Handlebar width		520	
Stem length	Part No. ➤ 58963	60	
Crank length	Part No. ➤ 54842	140	
Seatpost length	Part No. ➤ 53321	300	
	Part No. ➤ 64840		
Steerer, mm		132 142	
Head angle			
Seat angle			
MM	Standover	567 525	
	Seat tube		
	Head tube	85 85	
	Eff top tube		
	Reach		
	Chainstays		
	BB height		
	Offset		
	Trail		
	Wheelbase		
IN	Standover	22.3 20.7	
	Seat tube		
	Head tube	3.3 3.3	
	Eff top tube		
	Reach		
	Chainstays		
	BB height		
	Offset		
	Trail		
	Wheelbase		

Our Price: \$

Mountain Lion 60

Main tubes	Part No.	High tensile steel	40
Stays	↓	High tensile steel	
Fork		High tensile steel	14 57
Headset	58960	VP H67W	16 50
Handlebars		Steel, 35mm rise	18 45
Stem		Steel ATB	21 38
Bar ends		-	24 33
Grips	63060	Trek paw print	28 29
Shifters	63040	GripShift MRX170, right	
Front derailleur		-	
Rear derailleur	61495	Shimano Tourney TY22	
Brakes	61081/2	Shimano Altus CT91	
Brake levers	64808	Chang Star 246C	
Crankset		Steel cotterless, 40T	
Bottom bracket	53309	VP-B32	68 x 3J (30.5/52/30.5)
Pedals		Victor VP-872N	9/16" axle
Cassette	61168	Shimano HG22 14-28	6spd
Chain	29705	UG50	100L length
Front wheel	60918		
Front hub		Nuttet	
Front tire	62297	Knobby	20 x 1.95
Rear wheel	60917		
Rear hub		Nuttet rear	Threaded, 6 spd, nutted front and rear, 130 mm O.L.D.
Rear tire	62297	Knobby	20 x 1.95
Tubes	25987	Schraeder valve	
Rims	58355	Weinmann 519	
Spokes		14G UCP	36 spokes/188 front/186/188 rear(D/ND)/3x
Saddle	62299	Trek paw print	
Seatpost		Steel, black	25.6 mm diameter
Seat binder		Kalloy 8 x 25	
Additional		1 water bottle mount, chainguard (64814), derailleur guard	
Colors		Dry Ice Plum	
		Gloss Black	
Frame sizes		11.5B 11.5G	
Handlebar width		520 520	
Stem length	Part No. ➤ 58963	60 60	
Crank length	Part No. ➤ 54842	140	
Seatpost length	Part No. ➤ 53321	300 25025	
	Part No. ➤ 64840	64839	
Steerer, mm		132 142	
Head angle			
Seat angle			
MM	Standover	567 525	
	Seat tube		
	Head tube	85 85	
	Eff top tube		
	Reach		
	Chainstays		
	BB height		
	Offset		
	Trail		
	Wheelbase		
IN	Standover	22.3 20.7	
	Seat tube		
	Head tube	3.3 3.3	
	Eff top tube		
	Reach		
	Chainstays		
	BB height		
	Offset		
	Trail		
	Wheelbase		

Mountain Lion 30

Our Price: \$

Main tubes	Part No.	High tensile steel		36
Stays		High tensile steel		19
Fork		High tensile steel		38
Headset	53302-3	LF-864B	22.2/30.0/27.0, 39.0 mm stack	
Handlebars		steel, 150mm rise	25.4mm clamp diameter	
Stem		4 bolt	22.2 mm insertion	
Grips		Trek paw print		
Brakes		-		
Brake levers		-		
Crankset	51647	One piece type, 36T		
Bottom bracket	64806	One-piece type, LF-817	28 TPI	
Pedals	64875	Victor VP-872N (white-64874)	1/2" axle	
Cog		19T	1 spd	
Chain	54006	KMC 410, 1/2 x 1/8"	86L length	
Front wheel	60915			
Front hub		Nutted		
Front tire	62297-8	Trek paw print	20 x 2.125	
Rear wheel	60916			
Rear hub		Coaster brake	Nutted front, Coaster rear, 112 mm O.L.D.	
Rear tire	62297-8	Trek paw print	20 x 2.125	
Tubes	25987	Schraeder valve		
Rims		Steel		
Spokes		14G UCP	36 spokes/187 front/184/187 rear(D/ND)/3x	
Saddle	62299	Trek paw print		
Seatpost		Steel, black	22.2 mm diameter	
Seat binder		Steel hex bolt and nut		
Additional		Chainguard and pads (64833-6)		
Colors		Gloss Metallic Purple	Gloss Metallic Pink	
		Gloss Ice Red	Gloss Chrome Blue	
Frame sizes		9.5B 9.5G		
Handlebar width		550		
Stem length	Part No.	55118 55119		
Crank length	Part No.	64841		
Seatpost length	Part No.	51647		
	Part No.	64839		
Steerer, mm		130	130	
Head angle				
Seat angle				
MM	Standover	567	525	
	Seat tube			
	Head tube	105	85	
	Eff top tube			
	Reach			
	Chainstays			
	BB height			
	Offset			
	Trail			
	Wheelbase			
IN	Standover	22.3	20.7	
	Seat tube			
	Head tube	4.1	3.3	
	Eff top tube			
	Reach			
	Chainstays			
	BB height			
	Offset			
	Trail			
	Wheelbase			

Our Price: \$

Mountain Cub

Main tubes	Part No.	High tensile steel		32
Stays		High tensile steel		19
Fork		High tensile steel		26
Headset	58960-64828	LF-841B	21.2/32.5/27.0, 33.0 mm stack	
Handlebars		steel, 130mm rise	25.4mm clamp diameter	
Stem	51647	4 bolt BMX type	21.2 mm insertion	
Grips		Trek paw print		
Brakes		-		
Brake levers		-		
Crankset		One piece type, 32T		
Bottom bracket	64806	One-piece type	28 TPI	
Pedals	64871	Wellgo LU-480 (white-64872)	9/16" axle	
Cog		19T	1 spd	
Chain	54006	KMC 410, 1/2 x 1/8"	76L length	
Front wheel	60913			
Front hub		Steel nutted		
Front tire	62294-6	Trek paw print	16 x 1.75	
Rear wheel	60914			
Rear hub		Coaster brake	Nutted front, Coaster rear, 112 mm O.L.D.	
Rear tire	62294-6	Trek paw print	16 x 1.75	
Tubes	25985	Schraeder valve		
Rims		Steel		
Spokes		14G UCP	28 spokes/137 front/133/137 rear(D/ND)/3x	
Saddle	62299	Trek paw print		
Seatpost		Steel	22.2 mm diameter	
Seat binder		Steel hex bolt and nut		
Additional		Training wheels (64848-51), chainguard (64811-3), and pads (64829-32)		
Colors		Gloss Ice Pink	Gloss Neon Purple	
		Gloss Ice Red	Gloss Bright Blue	
Frame sizes		8.5B 8.5G		
Handlebar width		510 510		
Stem length	Part No.	55116 55117		
Crank length	Part No.	64841		
Seatpost length	Part No.	51647		
	Part No.	64838		
Steerer, mm		130	130	
Head angle				
Seat angle				
MM	Standover	451	427	
	Seat tube			
	Head tube	102	102	
	Eff top tube			
	Reach	0		
	Chainstays			
	BB height			
	Offset			
	Trail			
	Wheelbase			
IN	Standover	17.8	16.8	
	Seat tube			
	Head tube	4.0	4.0	
	Eff top tube			
	Reach	0.0		
	Chainstays			
	BB height			
	Offset			
	Trail			
	Wheelbase			

Subspecies

Our Price: \$

Main tubes	Part No.	CroMoly	44
Stays		CroMoly	16 55
Fork		CroMoly	
Headset	62789	Dia-Compe SE-1 Aheadset 25.4/34.0/30.0, 34.0 mm stack	
Handlebars	62687	Trek Pro CroMoly 25.4mm clamp diameter	
Stem	62691	4 bolt alloy Ahead 30.0 mm steerer clamp height	
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62710	Tektro 867A cantilever (rear)	
Brake levers	62693	Tektro RBP-291A	
Crankset	62704	One piece CroMoly, 2pc. spider and sprocket, 44T, 110mm bolt hole circle	
Bottom bracket	62703	One-piece type 24 TPI	
Pedals	62707	LU-313 1/2" axle	
Cog	62774	16T 1 spd	
Chain	54006	410A, 1/2x1/8" 90L length	
Front wheel	62291		25.5 lb. 11.58 kg.
Front hub		Alloy fat body, sealed	
Front tire	62777	Knobby blackwall 20 x 2.125	
Rear wheel	62292		
Rear hub		Alloy fat body, sealed Threaded, 1 spd, nutted front and rear, 110 mm O.L.D.	
Rear tire	62776	Knobby blackwall 20 x 1.75	
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP 48 spokes/183 front/183/182 rear(D/ND)/3x	
Saddle	62696	Trek molded	
Seatpost	62791	CroMoly micro-adjust, chrome plated, 25.4 mm diameter	
Seat binder	62717	Alloy, 2 bolt	
Additional		Chainguard (62719)	
Colors		Matte Chrome	
Frame sizes			
Handlebar width		700	
Stem length	Part No. ➤ 62687	55	
Crank length	Part No. ➤ 62691	175	
Seatpost length	Part No. ➤ 62704	350	
	Part No. ➤ 62791		
Steerer, mm		152	
Head angle		74.0	
Seat angle		71.0	
MM			
Standover		203	
Seat tube		100	
Head tube		546	
Eff top tube		599	
Reach		375	
Chainstays			
BB height			
Offset			
Trail			
Wheelbase		915	
IN			
Standover		8.0	
Seat tube		3.9	
Head tube		21.5	
Eff top tube		23.6	
Reach		14.8	
Chainstays			
BB height			
Offset			
Trail			
Wheelbase		36.0	

Our Price: \$

Subvert 1.0G

Main tubes	Part No.	HiTensile w/CroMoly seat tube	42
Stays		High tensile steel	18 47
Fork		High tensile steel	
Headset	62709	Steel 21.2/32.5/27.0, 39.0 mm stack	
Handlebars	62689	Steel Freestyle 25.4mm clamp diameter	
Stem	62690	Alloy 4 bolt 21.2 mm insertion	
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62787/8	Dia-Compe Bulldog front and rear	
Brake levers	62694	Tektro 286A	
Crankset	62705	One piece type, 42T	
Bottom bracket	62703	One-piece type 24 TPI	
Pedals	62708	LU-469 1/2" axle	
Cog	62773	18T 1 spd	
Chain	54006	410A, 1/2x1/8" 90L length	
Front wheel	62287		26.0 lb. 11.80 kg.
Front hub		Alloy fat body, sealed	
Front tire	62780	Freestyle 20 x 2.0	
Rear wheel	62290		
Rear hub		Alloy fat body, sealed Threaded, 1 spd, nutted front and rear, 110 mm O.L.D.	
Rear tire	62780	Freestyle 20 x 2.0	
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP 48 spokes/183 front/183/182 rear(D/ND)/3x	
Saddle	62698	Molded plastic w/hand holds	
Seatpost	62701	Steel, chrome plated 25.4 mm diameter	
Seat binder	62717	Alloy 2 bolt	
Additional		Odyssey Gyro rotor (62685), chainguard (62719)	
Colors		Chrome	
		Matte Mustard	
Frame sizes			
Handlebar width		670	
Stem length	Part No. ➤	50	
Crank length	Part No. ➤ 62690	170	
Seatpost length	Part No. ➤ 62705/6	350	
	Part No. ➤ 62701		
Steerer, mm		144	
Head angle		75.0	
Seat angle		74.0	
MM			
Standover		203	
Seat tube		100	
Head tube		482	
Eff top tube		530	
Reach		375	
Chainstays			
BB height			
Offset			
Trail			
Wheelbase		926	
IN			
Standover		8.0	
Seat tube		3.9	
Head tube		19.0	
Eff top tube		20.9	
Reach		14.8	
Chainstays			
BB height			
Offset			
Trail			
Wheelbase		36.5	

Subvert 2.0G

Our Price: \$

Main tubes	Part No.	CroMoly	42
Stays		High tensile steel	18 47
Fork		HiTensile w/CroMoly steerer	
Headset	62709	Steel	21.2/32.5/27.0, 39.0 mm stack
Handlebars	62689	Steel Freestyle	25.4mm clamp diameter
Stem	62690	Alloy 4 bolt	21.2 mm insertion
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62786/7	Dia-Compe 990/R, Bulldog/F	
Brake levers	62694	Tektro 286A	
Crankset	62703	One piece type, 42T	
Bottom bracket	62703	One-piece type	24 TPI
Pedals		LU-313	1/2" axle
Cog	62773	18T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62287		26.0 lb. 11.80 kg.
Front hub		Alloy fat body, sealed	
Front tire	62780	Freestyle	20" x 2.0
Rear wheel	62290		
Rear hub		Alloy fat body, sealed	Threaded, 1 spd, nuttred front and rear , 110 mm O.L.D.
Rear tire	62780	Freestyle	20" x 2.0
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	48 spokes/183 front/183/182 rear(D/ND)/3x
Saddle	62698	Molded plastic w/hand holds	
Seatpost	62701	Steel	25.4 mm diameter
Seat binder	62717		
Additional		Odyssey rotor (62685), chainguard (62719)	
Colors		Matte Metallic Green	
Frame sizes			
Handlebar width	Part No. ➤	670	
Stem length	Part No. ➤	62689	
Crank length	Part No. ➤	50	
Seatpost length	Part No. ➤	62690	
	Part No. ➤	175	
	Part No. ➤	62704	
	Part No. ➤	350	
	Part No. ➤	62701	
Steerer, mm		144	
Head angle		75.0	
Seat angle		74.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		482	
Reach		530	
Chainstays		375	
BB height			
Offset			
Trail			
Wheelbase		926	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		19.0	
Reach		20.9	
Chainstays		14.8	
BB height			
Offset			
Trail			
Wheelbase		36.5	

Our Price: \$

Subvert 3.0G

Main tubes	Part No.	CroMoly	42
Stays		CroMoly	18 47
Fork		CroMoly	
Headset	62789	Dia-Compe SE-1 Aheadset	25.4/34.0/30.0, 24.5 mm stack
Handlebars	62689	Trek CroMoly Freestyle	25.4mm clamp diameter
Stem	62691	Alloy 4 bolt Ahead	30.0 mm steerer clamp height
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62785/6	Dia-Compe 990 U-brake front and rear	
Brake levers	62694	Tektro 286A	
Crankset	62704	One piece CroMoly, 42T	
Bottom bracket	62703	One-piece type	24 TPI
Pedals	62702	LU-313	1/2" axle
Cog	62773	18T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62289		25.7 lb. 11.69 kg.
Front hub		Alloy, sealed	
Front tire	62780	Freestyle	20" x 2.0
Rear wheel	62290		
Rear hub		Alloy, sealed	Threaded, 1 spd, nuttred front and rear , 110 mm O.L.D.
Rear tire	62780	Freestyle	20" x 2.0
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP	48 spokes/183 front/183/182 rear(D/ND)/3x
Saddle	62698	Molded plastic w/hand holds	
Seatpost	62791	CroMoly, microadjust, chrome plated, 25.4 mm diameter	
Seat binder	62717	Alloy 2 bolt	
Additional		Fishbone UFO Rotor (62686), chainguard (62719)	
Colors		Matte Dark Plum	
Frame sizes			
Handlebar width	Part No. ➤	670	
Stem length	Part No. ➤	62689	
Crank length	Part No. ➤	55	
Seatpost length	Part No. ➤	62691	
	Part No. ➤	175	
	Part No. ➤	62704	
	Part No. ➤	350	
	Part No. ➤	-	
Steerer, mm		144	
Head angle		75.0	
Seat angle		74.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		482	
Reach		535	
Chainstays		375	
BB height			
Offset			
Trail			
Wheelbase		876	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		19.0	
Reach		21.1	
Chainstays		14.8	
BB height			
Offset			
Trail			
Wheelbase		34.5	

Subdude

Our Price: \$

Main tubes	Part No.	High tensile steel	42
Stays		High tensile steel	16 53
Fork		High tensile steel	
Headset	62709	Steel 21.2/32.5/27.0, 37.0 mm stack	
Handlebars	62687	Steel 25.4mm clamp diameter	
Stem	62690	4 bolt BMX 21.2 mm insertion	
Grips	62783	Trek logo	
Brakes	62710	Chang Star 854AG cantilever (rear)	
Brake levers	62694	Chang Star 275A-1	
Crankset	62705	One piece type, 42T 110 mm bolt hole circle	
Bottom bracket	62703	One-piece type 24 TPI	
Pedals	62708	LU-469 1/2" axle	
Cog	62774	16T 1 spd	
Chain	54006	410A, 1/2x1/8" 88L length	
Front wheel	62280		25.0 lb. 11.35 kg.
Front hub		Steel, sealed	
Front tire	62777	Knobby blackwall 20 x 2.125	
Rear wheel	62281		
Rear hub		Steel, sealed Threaded, 1 spd, nuttred front and rear , 110 mm O.L.D.	
Rear tire	62776	Knobby blackwall 20 x 1.75	
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP 36 spokes/190 front/187/187 rear(D/ND)/3x	
Saddle	62715	Padded	
Seatpost	62699	Steel, chrome plated 25.4 mm diameter	
Seat binder	62717	Alloy 2 bolt	
Additional colors		Chrome	
		Matte Royal Blue	
Frame sizes			
Handlebar width	Part No. ➤	670	
Stem length	Part No. ➤	62687 50	
Crank length	Part No. ➤	62690 170	
Seatpost length	Part No. ➤	62705 350	
	Part No. ➤	62699	
Steerer, mm		142	
Head angle		73.5	
Seat angle		71.0	
MM	Standover		
	Seat tube	203	
	Head tube	100	
	Eff top tube	476	
	Reach	524	
	Chainstays	368	
	BB height		
	Offset		
	Trail		
	Wheelbase	914	
IN	Standover		
	Seat tube	8.0	
	Head tube	3.9	
	Eff top tube	18.7	
	Reach	20.6	
	Chainstays	14.5	
	BB height		
	Offset		
	Trail		
	Wheelbase	36.0	

Our Price: \$

Submission

Main tubes	Part No.	HiTensile w/CroMoly seat tube	44
Stays		High tensile steel	16 55
Fork		High tensile steel	
Headset	62789	Dia-Compe SE-1 Aheadset 25.4/34.0/30.0, 24.5 mm stack	
Handlebars	62687	Steel 25.4mm clamp diameter	
Stem	62691	Alloy 4 bolt Ahead 30.0 mm steerer clamp height	
Grips	62783	Trek logo, Kraton	
Brakes	62710	Tektro 867A cantilever (rear)	
Brake levers	62711	Tektro 286A	
Crankset	62705	One piece type, 2pc. spider and sprocket, 44T, 110mm bolt hole circle	
Bottom bracket	62703	One-piece type 24 TPI	
Pedals	62708	LU-469 1/2" axle	
Cog	62774	16T 1 spd	
Chain	54006	410A, 1/2x1/8" 88L length	
Front wheel	62280		25.0 lb. 11.35 kg.
Front hub		Steel, sealed	
Front tire	62777	Knobby 20 x 2.125	
Rear wheel	62281		
Rear hub		Steel, sealed Threaded, 1 spd, nuttred front and rear , 110 mm O.L.D.	
Rear tire	62776	Knobby 20 x 1.75	
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP 36 spokes/190 front/187/187 rear(D/ND)/3x	
Saddle	62715	Trek padded	
Seatpost	62791	Steel micro-adjust, chrome plated, 25.4 mm diameter	
Seat binder	62717	Alloy 2 bolt	
Additional colors		Chainguard (62719)	
		Chrome	
		Matte Black	
Frame sizes			
Handlebar width	Part No. ➤	670	
Stem length	Part No. ➤	62687 50	
Crank length	Part No. ➤	62691 170	
Seatpost length	Part No. ➤	62705 350	
	Part No. ➤	62791	
Steerer, mm		152	
Head angle		73.5	
Seat angle		71.0	
MM	Standover		
	Seat tube	203	
	Head tube	100	
	Eff top tube	476	
	Reach	524	
	Chainstays	369	
	BB height		
	Offset		
	Trail		
	Wheelbase	890	
IN	Standover		
	Seat tube	8.0	
	Head tube	3.9	
	Eff top tube	18.7	
	Reach	20.6	
	Chainstays	14.5	
	BB height		
	Offset		
	Trail		
	Wheelbase	35.0	

Subhead

Our Price: \$

Main tubes	Part No.	CroMoly	44
Stays		High tensile steel	
Fork		CroMoly	16 55
Headset	62789	Dia-Compe SE-1 Aheadset 25.4/34.0/30.0, 24.5 mm stack	
Handlebars	62687	Steel 25.4mm clamp diameter	
Stem	62691	Alloy 4 bolt Ahead 30.0 mm steerer clamp height	
Grips	62783	Trek logo, Kraton, replaceable ends	
Brakes	62710	Tektro 867A cantilever (rear)	
Brake levers	62711	Tektro 286A	
Crankset	62704	One piece type, 2pc. spider and sprocket, 44T, 110 mm bolt hole circle	
Bottom bracket	62703	One-piece type 24 TPI	
Pedals	62707	LU-313 1/2" axle	
Cog	62774	16T 1 spd	
Chain	54006	410A, 1/2x1/8" 90L length	
Front wheel	62335		24.7 lb. 11.24 kg.
Front hub		Alloy, sealed	
Front tire	62777	Knobby 20 x 2.125	
Rear wheel	62336		
Rear hub		Alloy, sealed	
Rear tire	62776	Knobby Threaded, 1 spd, nitted front and rear , 110 mm O.L.D.	
Tubes	25987	Schraeder valve 20 x 1.75	
Rims		Aluminum alloy	
Spokes		14G UCP 36 spokes/190 front/187/187 rear(D/ND)/3x	
Saddle	62715	Trek padded	
Seatpost	62791	Steel micro-adjust, chrome plated, 25.4 mm diameter	
Seat binder	62717	Alloy 2 bolt	
Additional		Chainguard (62719)	
Colors		Chrome	
		Matte Burnt Orange	
Frame sizes			
Handlebar width	Part No. ➔	670	
Stem length	Part No. ➔	62687 50	
Crank length	Part No. ➔	62691 175	
Seatpost length	Part No. ➔	62704 350	
	Part No. ➔	62791	
Steerer, mm		152	
Head angle		73.5	
Seat angle		71.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		501	
Reach		549	
Chainstays		382	
BB height			
Offset			
Trail			
Wheelbase		915	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		19.7	
Reach		21.6	
Chainstays		15.0	
BB height			
Offset			
Trail			
Wheelbase		36.0	

Our Price: \$

Subatomic

Main tubes	Part No.	7005 heat treated aluminum	44
Stays		7000 series aluminum	
Fork		CroMoly/Hi-Ten	16 55
Headset	62789	Dia-Compe SE-1 Aheadset 25.4/34.0/30.0, 24.5 mm stack	
Handlebars	62687	Trek 25.4mm clamp diameter	
Stem	62691	Alloy 4 bolt Ahead 30.0 mm steerer clamp height	
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62710	Tektro 867A cantilever (rear)	
Brake levers	62711	Tektro 286A	
Crankset	62704	One-piece type, 2pc. spider and sprocket, 44T, 110 mm bolt hole circle	
Bottom bracket	62703	One-piece type 24 TPI	
Pedals	62707	LU-313 1/2" axle	
Cog	62774	16T 1 spd	
Chain	54006	410A, 1/2x1/8" 90L length	
Front wheel	62282		24.0 lb. 10.90 kg.
Front hub		Alloy, sealed	
Front tire	62779	Knobby 20 x 2.125	
Rear wheel	62283		
Rear hub		Alloy, sealed	
Rear tire	62778	Knobby Threaded, 1 spd, nitted front and rear , 110 mm O.L.D.	
Tubes	25987	Schraeder valve 20 x 1.75	
Rims		Aluminum alloy	
Spokes		14G UCP 36 spokes/190 front/188/188 rear(D/ND)/3x	
Saddle	62715	Trek padded	
Seatpost	62700	Steel micro-adjust, chrome plated, 26.8 mm diameter	
Seat binder	62716	Alloy 2 bolt	
Additional		Chainguard (62719)	
Colors		Ball Burnished	
		Matte Grey Green	
Frame sizes			
Handlebar width	Part No. ➔	700	
Stem length	Part No. ➔	62687 50	
Crank length	Part No. ➔	62691 175	
Seatpost length	Part No. ➔	62704 350	
	Part No. ➔	62700	
Steerer, mm		152	
Head angle		73.5	
Seat angle		71.0	
MM Standover			
Seat tube		203	
Head tube		100	
Eff top tube		501	
Reach		549	
Chainstays		382	
BB height			
Offset			
Trail			
Wheelbase		915	
IN Standover			
Seat tube		8.0	
Head tube		3.9	
Eff top tube		19.7	
Reach		21.6	
Chainstays		15.0	
BB height			
Offset			
Trail			
Wheelbase		36.0	

Subatomic SS

Our Price: \$

Main tubes	Part No.	7005 heat treated aluminum	44
Stays		7000 series aluminum	16 55
Fork		CroMoly	
Headset	62789	Dia-Compe SE-1 Aheadset 25.4/34.0/30.0, 24.5 mm stack	
Handlebars	62687	Trek CroMoly 25.4mm clamp diameter	
Stem	62691	Alloy 4 bolt Ahead 30.0 mm steerer clamp height	
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62692	Tektro 875A V-brake (rear)	
Brake levers	62693	Tektro RBP-291A	
Crankset	62704	One piece CroMoly, 2pc. spider and sprocket, 44T, 110mm bolt hole circle	
Bottom bracket	62703	One-piece type 24 TPI	
Pedals	62684	LU-953 1/2" axle	
Cog	62774	16T 1 spd	
Chain	54006	410A, 1/2x1/8" 90L length	24.0 lb. 10.90 kg.
Front wheel	62335		
Front hub		Alloy, sealed	
Front tire	62779	Knobby 20 x 2.125	
Rear wheel	62336		
Rear hub		Alloy, sealed Threaded, 1 spd, nitted front and rear , 110 mm O.L.D.	
Rear tire	62778	Knobby 20 x 1.75	
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP 36 spokes/188 front/188/188 rear(D/ND)/3x	
Saddle	62715	Trek padded	
Seatpost	62700	CroMoly micro-adjust, chrome plated, 26.8 mm diameter	
Seat binder	62716	Alloy 2 bolt	
Additional		Chainguard (62719)	
Colors		Ball Burnished	
Frame sizes			
Handlebar width		700	
Stem length	Part No. ➤ 62687	50	
Crank length	Part No. ➤ 62691	175	
Seatpost length	Part No. ➤ 62704	350	
	Part No. ➤ 62700		
Steerer, mm		162	
Head angle		73.5	
Seat angle		71.0	
MM Standover			
Seat tube		229	
Head tube		100	
Eff top tube		546	
Reach		594	
Chainstays		420	
BB height			
Offset			
Trail			
Wheelbase		915	
IN Standover			
Seat tube		9.0	
Head tube		3.9	
Eff top tube		21.5	
Reach		23.4	
Chainstays		16.5	
BB height			
Offset			
Trail			
Wheelbase		36.0	

Our Price: \$

Subculture

Main tubes	Part No.	7005 heat treated aluminum	44
Stays		7000 series aluminum	16 55
Fork		CroMoly	
Headset	62790	Dia-Compe SE-1 Aheadset 25.4/34.0/30.0, 24.5 mm stack	
Handlebars	62687	CroMoly 25.4mm clamp diameter	
Stem	62691	Alloy 4 bolt Ahead 30.0 mm steerer clamp height	
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62692	Tektro 875A V brake (rear)	
Brake levers	62693	Tektro RBP-291A	
Crankset	62704	One piece CroMoly, 2pc. spider and sprocket, 44T, 110mm bolt hole circle	
Bottom bracket	62703	One-piece type 24 TPI	
Pedals	62684	LU-953 1/2" axle	
Cog	62774	16T 1 spd	
Chain	54006	410A, 1/2x1/8" 90L length	23.7 lb. 10.78 kg.
Front wheel	62335		
Front hub		Alloy, sealed	
Front tire	62779	Tioga Comp III skinwall 20 x 2.125	
Rear wheel	62336		
Rear hub		Alloy, sealed Threaded, 1 spd, nitted front and rear , 110 mm O.L.D.	
Rear tire	62779	Tioga Comp III skinwall 20 x 1.75	
Tubes	25987	Schraeder valve	
Rims		Aluminum alloy	
Spokes		14G UCP 36 spokes/188 front/188/188 rear(D/ND)/3x	
Saddle	62695	Kevlar corners, CroMoly rails	
Seatpost	62700	CroMoly microadjust, chrome plated, 26.8 mm diameter	
Seat binder	62716	Alloy 2 bolt	
Additional		Chainguard (62719)	
Colors		Ball Burnished	
Frame sizes			
Handlebar width		700	
Stem length	Part No. ➤ 62687	55	
Crank length	Part No. ➤ 62691	175	
Seatpost length	Part No. ➤ 62704	350	
	Part No. ➤ 62700		
Steerer, mm		162	
Head angle		73.5	
Seat angle		71.0	
MM Standover			
Seat tube		229	
Head tube		100	
Eff top tube		546	
Reach		599	
Chainstays		420	
BB height			
Offset			
Trail			
Wheelbase		915	
IN Standover			
Seat tube		9.0	
Head tube		3.9	
Eff top tube		21.5	
Reach		23.6	
Chainstays		16.5	
BB height			
Offset			
Trail			
Wheelbase		36.0	

Subculture SS

Our Price: \$

Main tubes	Part No.	7005 heat treated aluminum	44
Stays		7000 series aluminum	16 55
Fork		CroMoly	
Headset	62790	Dia-Compe SE-1 Aheadset	25.4/34.0/30.0, 24.5 mm stack
Handlebars	62687	CroMoly	25.4mm clamp diameter
Stem	62691	Alloy 4 bolt	30.0 mm steerer clamp height
Grips	62783	Trek logo, Kraton w/replaceable endcaps	
Brakes	62692	Tektro 876AG V-brake (rear)	
Brake levers	62693	Tektro RBP-291A	
Crankset	62681	Three piece CroMoly, 44T	110 mm bolt hole circle
Bottom bracket	62680	Sealed	24 TPI
Pedals	62684	LU-952	9/16" axle
Cog	62774	16T	1 spd
Chain	54006	410A, 1/2x1/8"	90L length
Front wheel	62285		23.7 lb. 10.78 kg.
Front hub		Alloy, sealed bearing	
Front tire	62779	Tioga Comp III skinwall	20 x 2.125
Rear wheel	62286		
Rear hub		Alloy, sealed bearing	Threaded, 1 spd, nuttred front and rear , 110 mm O.L.D.
Rear tire	62779	Tioga Comp III skinwall	20 x 1.75
Tubes	25987	Schraeder valve	
Rims		Araya 7X	
Spokes		14G UCP	36 spokes/188 front/188/188 rear(D/ND)/3x
Saddle	62695	Kevlar corners, CroMoly rails	
Seatpost	62700	CroMoly microadjust, chrome plated, 26.8 mm diameter	
Seat binder	62716	Alloy 2 bolt	
Additional		Chainguard (62719)	
Colors		Ball Burnished	
Frame sizes			
Handlebar width	Part No. ➔	700	
Stem length	Part No. ➔	62687	
Crank length	Part No. ➔	55	
Seatpost length	Part No. ➔	62691	
	Part No. ➔	180	
	Part No. ➔	62681	
	Part No. ➔	350	
	Part No. ➔	62700	
Steerer, mm		162	
Head angle		73.5	
Seat angle		71.0	
MM			
Standover		229	
Seat tube		100	
Head tube		546	
Eff top tube		599	
Reach		394	
Chainstays			
BB height			
Offset			
Trail			
Wheelbase		915	
IN			
Standover		9.0	
Seat tube		3.9	
Head tube		21.5	
Eff top tube		23.6	
Reach		15.5	
Chainstays			
BB height			
Offset			
Trail			
Wheelbase		36.0	

WARRANTY

Trek Bicycle Corporation Limited Warranty

The Trek Bicycle Corporation warrants each new Trek bicycle frame and rigid fork against defects in workmanship and materials for the lifetime of the original owner, except OCLV carbon and full suspension bikes which are warranted for the first five years of ownership by original owner. Trek Bicycle Corporation likewise warrants all original parts, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable.

Claims under this warranty must be made through an authorized Trek dealer. Proof of purchase is required. A warranty registration card must be completed and received by the Trek Bicycle Corporation before a warranty claim may be processed.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, or installation of parts or accessories not originally intended or compatible with the bicycle as sold.

The warranty does not apply to damage or failure due to accident, misuse, abuse, or neglect. Modification of the frame or components shall void this warranty.

Trek Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. Labor charges for parts changeovers are not covered by the warranty.

This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not effect the statutory rights of the consumer.

What to do with a Defective Frame or Fork

When a consumer comes to you with a frame or fork that is covered by the warranty, please do the following:

1. Evaluate the item. Trek approves over 90% of all the items that are returned for warranty. Don't be afraid to make a warranty call if it is an obvious warranty claim. We trust you and want you to give your customers the best service possible.
2. Call your Inside Sales Rep. They will issue a UPS Call Tag, or a Returned Goods Authorization (RGA) number for the frameset. Trek will repair or replace the item and return it to you. Warranty items cannot be accepted without either a Call Tag or an RGA. This will ensure that the item is properly handled and processed quickly.
3. Completely remove ALL parts from the frame or fork before packaging. We make every effort to return a warranty claim as fast as possible. Since tracking parts from a frameset would slow this process considerably, we rely on you to remove and save all parts.

UPS Call Tags and Returned Goods Authorization (RGA) numbers

There are two ways to return a frameset to Trek. UPS Call Tags usually take 5-10 working days to appear at your door. With a Call Tag, there is no shipping charge to you.

To substantially decrease the time for a Call Tag, you can ship the frame or fork to us via normal UPS ground service and we will credit you for the shipping expense. To have a Call Tag or RGA issued, call your Inside Rep with the following information:

1. Serial Number
2. Size
3. Model number
4. Color
5. Nature of the problem

The Inside Rep will give you the Returned Goods Authorization (RGA) number. Write the number on the outside of the box and keep note of the number for reference if needed for checking on the item.

Items that cannot be repaired will be replaced. Our manufacturing and warranty departments have committed to turning around repairs in 5 working days of receipt of the item. This provides excellent service to the customer.

If an item is to be repaired, have the consumer choose a color from the current production year for the repaint. We can only offer colors from the current production year.