

TREK

2007 MOUNTAIN





PAVEMENT IS A DIRTY WORD

Say it and we'll wash your mouth out with a bar of soap. Because to us, frankly, the idea of riding a mountain bike only on the road is a little obscene. Our bikes are made to get dirty. They're a highly evolved species built not just to revel in dirt, but dominate it. Totally. Pavement? That's for getting to the mountains. Otherwise forget about it.

THE STORIES

- 1 WATERLOO
WHERE GREAT BIKES ARE BORN
- 3 PROJECT ONE
CYCLING GETS PERSONAL
- 5 WOMEN'S SPECIFIC DESIGN
BETTER FIT FOR A BETTER RIDE
- 7 TREK ADVOCACY
CAUSES WORTHY OF SUPPORT
- 8 THE TREK DEALER
YOUR PARTNER ON THE RIDE
- 9 R1 TUNED SUSPENSION
TUNED TO PERFORM
- 11 FULL SUSPENSION OVERVIEW
MOVE WITH THE MOUNTAIN
- 13 TOP FUEL TECHNOLOGY
KING OF CROSS COUNTRY
- 15 FUEL EX TECHNOLOGY
TOTAL CONTROL, TOTAL DOMINATION
- 17 REMEDY TECHNOLOGY
ALL-MOUNTAIN VERSATILITY
- 19 SESSION TECHNOLOGY
HARDER THAN HARDCORE
- 21 HARDTAIL OVERVIEW
MAKE YOUR CONNECTION
- 23 ELITE SERIES TECHNOLOGY
THE SPEED OF LIGHT
- 25 69ER TECHNOLOGY
ALL OR NOTHING
- 26 JACK TECHNOLOGY
URBAN ASSAULT VEHICLE

THE BIKES

- 27 TOP FUEL
- 29 FUEL EX
- 33 REMEDY
- 34 SESSION
- 35 ELITE SERIES
- 36 JACK
- 37 69ER
- 37 HARDTAIL
- 47 SPECIFICATIONS
- 52 GEOMETRIES

HARDTAIL

RIDE FAST, RIDE HARD

Sometimes it pays to keep it simple. Just a straightforward connection between you and the ground on a lightweight, highly efficient bike. One that's perfect for powering up trails, bouncing off bumps, skittering through corners and generally having yourself a heck of a fun ride.

ELITE SERIES

Old school meets high-tech. Our Elite series hardtails are handcrafted from Trek's advanced OCLV 110 Carbon, so they're light, durable and unbeatable on performance. Just ask the Trek Volkswagen Racing Team — if you can catch them.



JACK

If you know aggro, you should know Jack™ Technically a bike, it's more like an assault vehicle. Equally ready to take on the hills outside of town or the skatepark down the street. With the speed, handling and durability to tackle pretty much any trick you think up, no matter how insane.



69ER

It's a cult. Not a shaved-head, flower-selling, commune-dwelling cult. But one that worships single-speed mountain bikes. Its newest object of veneration? The 69er™ Built by Trek's Advanced Concepts Group. Proven by two-time SS world champ Travis Brown. Now available to the rest of the faithful. You in?



ALUMINUM HARDTAIL

Lighter and stiffer for 2007, redesigned with a racier new look and performance to match. SLR™ Aluminum frames now share the hydroformed top tube of our vaunted Fuel bikes. ZR 9000™ frames add the Fuel's hydroformed down tube as well. Both lines shave off 100 grams of weight and now accommodate 100mm forks. It's high-level performance without a high-altitude price.



Enduring Performer

Chris Eatough of the Trek Volkswagen Racing team isn't just in it for the long haul. He's in it to win it. And his Top Fuel is with him all the way. Through two national and six world championships 24-hour solo victories. And through his '06 victory in the Lumberjack 100, where he set a new course record.

"My bike really made a big difference," Eatough says. "Four inches of plush suspension helped me maintain my speed the entire race."



TOP FUEL 9.8

FRAME > OCLV 110 Carbon;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > Fox 32 F100 X
w/air pressure, Pro Tune, rebound, 100mm
REAR SUSPENSION > Manitou S-Type SRL
w/air pressure, rebound, lockout
WHEELSET > Bontrager Race Lite
CRANK > Bontrager Race X Lite 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Silver
> Frame available.



TOP FUEL 8

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > Fox 32 F100 RL w/air
pressure, compression, rebound, lockout, 100mm
REAR SUSPENSION > Manitou S-Type SRL
w/air pressure, rebound, lockout
WHEELSET > Bontrager Race
CRANK > Shimano Deore LX 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Baja Blue/Bright Silver



TOP FUEL 7

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > RockShox Reba
SL w/positive and negative air pressure, Motion
Control, rebound, compression, lockout, 100mm
REAR SUSPENSION > Manitou Radium RL
w/air pressure, rebound, lockout
WHEELSET > Bontrager Select
CRANK > Shimano Deore 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Titanite Black/Metallic Onyx



TOP FUEL SL


FRAME > OCLV 110 Carbon;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > RockShox Sid
World Cup w/positive and negative air pressure,
Motion Control, floodgate, compression,
rebound, carbon crown and steerer, 80mm
REAR SUSPENSION > Manitou S-Type SR
SPV w/air pressure, SPV pressure, rebound
WHEELSET > Bontrager Race X Lite "SE"
CRANK > Bontrager Race XXX Lite Carbon
44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Pearl Carbon
> Frame available.



TOP FUEL 9.9

FRAME > OCLV 110 Carbon;
ZR 9000 swingarm w/90mm travel
FRONT SUSPENSION > Manitou R-Seven
Platinum Snap Valve w/air pressure, SPV pressure,
rebound, 100mm
REAR SUSPENSION > Manitou S-Type SRL
w/air pressure, rebound, lockout
WHEELSET > Bontrager Race X Lite
CRANK > Shimano XTR 44/32/22
REAR DERAILLEUR > Shimano XTR
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Chi Red/Team
> Frame available.





FUEL EX 9.5

FRAME > OCLV 110 Carbon;
 ZR 9000 swingarm w/120mm travel
 FRONT SUSPENSION > Fox Talas RLC w/air pressure, travel, rebound, lockout, 90-130mm
 REAR SUSPENSION > Fox Float RP23 w/air pressure, 3-position Pro Pedal, Pro Pedal adjust, rebound
 WHEELSET > Bontrager Race X Lite
 CRANK > Shimano XTR 44/32/22
 REAR DERAILLEUR > Shimano XTR
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Matte Pearl Carbon
 > Frame available.



FUEL EX 9.0

FRAME > OCLV 110 Carbon;
 ZR 9000 swingarm w/120mm travel
 FRONT SUSPENSION > Fox Talas RL w/air pressure, travel, rebound, lockout, 90-130mm
 REAR SUSPENSION > Fox Float RP23 w/air pressure, 3-position Pro Pedal, Pro Pedal adjust, rebound
 WHEELSET > Bontrager Race Lite
 CRANK > Shimano Deore XT 44/32/22
 REAR DERAILLEUR > SRAM X-0
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Satin Carbon
 > Frame available.



FUEL EX 9

FRAME > ZR 9000 Alloy main frame;
 ZR 9000 swingarm w/120mm travel
 FRONT SUSPENSION > Fox Talas RL w/air pressure, travel, rebound, lockout, 90-130mm
 REAR SUSPENSION > Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout
 WHEELSET > Bontrager Race Lite
 CRANK > Shimano Deore XT 44/32/22
 REAR DERAILLEUR > SRAM X-0
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Satin Grey Duotone
 > Frame available.



FUEL EX 8

FRAME > ZR 9000 Alloy main frame;
 ZR 9000 swingarm w/120mm travel
 FRONT SUSPENSION > Fox Float 130 RL w/air pressure, rebound, lockout, 130mm
 REAR SUSPENSION > Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout
 WHEELSET > Bontrager Race
 CRANK > Shimano Deore LX 44/32/22
 REAR DERAILLEUR > Shimano XTR
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Orange/Silver Custom Flames



FUEL EX 8

FRAME > ZR 9000 Alloy main frame;
 ZR 9000 swingarm w/120mm travel
 FRONT SUSPENSION > Fox Float 130 RL w/air pressure, rebound, lockout, 130mm
 REAR SUSPENSION > Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout
 WHEELSET > Bontrager Race
 CRANK > Shimano Deore LX 44/32/22
 REAR DERAILLEUR > Shimano XTR
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Satin Onyx





FUEL EX 7

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/120mm travel
FRONT SUSPENSION > RockShox Recon
351 Air w/postive air pressure, Motion Control,
rebound, compression, lockout, 130mm
REAR SUSPENSION > Fox Float RPL
w/air pressure, Pro Pedal, rebound, lockout
WHEELSET > Bontrager Select
CRANK > Shimano Deore 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Satin Nickel



FUEL EX 7 WSD

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/120mm travel
FRONT SUSPENSION > RockShox Recon
351 Air w/postive air pressure, Motion Control,
rebound, compression, lockout, 130mm
REAR SUSPENSION > Fox Float RPL
w/air pressure, Pro Pedal, rebound, lockout
WHEELSET > Bontrager Select
CRANK > Shimano Deore 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > Women's 14, 16, 18"
COLOR > Satin Navy



FUEL EX 6

FRAME > ZR 9000 Alloy main frame
w/100mm travel
FRONT SUSPENSION > RockShox Tora 318
Solo Air w/Motion Control, rebound, compression,
LO, 100mm
REAR SUSPENSION > RockShox MC 3.1
w/Motion Control adjust
WHEELSET > Bontrager Superstock Disc
CRANK > Bontrager Race 44/32/22
REAR DERAILLEUR > SRAM X-7
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Chi Red



FUEL EX 5

FRAME > Alpha SLR Aluminum w/100mm travel
FRONT SUSPENSION > RockShox Tora 289
U-Turn w/travel, rebound, 85-130mm
REAR SUSPENSION > RockShox BAR 1.1
w/air pressure
WHEELSET > Shimano M475 disc hubs;
Bontrager Ranger rims
CRANK > Shimano M442 44/32/22
REAR DERAILLEUR > SRAM X-5
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Satin Blue



FUEL EX 5 WSD

FRAME > Alpha SLR Aluminum w/100mm travel
FRONT SUSPENSION > RockShox Tora 289
U-Turn w/travel, rebound, 85-130mm
REAR SUSPENSION > RockShox BAR 1.1
w/air pressure
WHEELSET > Shimano M475 disc hubs;
Bontrager Ranger rims
CRANK > Shimano M442 44/32/22
REAR DERAILLEUR > SRAM X-5
SIZES > Women's 14, 16, 18"
COLOR > Aquamarine Duotone



REMEDY 66

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/152-154mm (6") travel
FRONT SUSPENSION > Fox 36 Talas RC2
w/air pressure, high speed and low speed
compression, rebound, 100-160mm
REAR SUSPENSION > Manitou Swinger
3-way w/air pressure, No-Tools SPV, rebound
WHEELSET > Bontrager Rhythm Elite
CRANK > Shimano Deore XT 44/32/22
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Pewter Anodized



REMEDY 6

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/152-154mm (6") travel
FRONT SUSPENSION > Manitou Nixon Elite
w/air pressure, SPV pressure, SPV volume, travel,
rebound, 130-160mm
REAR SUSPENSION > Manitou Swinger
3-way w/air pressure, No-Tools SPV, rebound
WHEELSET > Bontrager Rhythm Comp
CRANK > Bontrager Race 44/32/22
REAR DERAILLEUR > Shimano Deore XT
SIZES > 15.5, 17.5, 19.5, 21.5"
COLOR > Matte Navy



REMEDY 5

FRAME > ZR 9000 Alloy
FRONT SUSPENSION > Manitou Black
Platinum Air w/SPV, rebound, LO, 120mm
REAR SUSPENSION > Manitou Swinger
3-way
WHEELSET > Bontrager Select Disc
CRANK > Bontrager Race 44/32/22
REAR DERAILLEUR > SRAM X-7
SIZES > 15.5, 17.5, 19.5, 20.5"
COLOR > Matte Black



SESSION 10

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/254mm (10") travel
FRONT SUSPENSION > Manitou Travis
Triple Intrinsic w/rebound, compression, 203mm
REAR SUSPENSION > Manitou Revox
ISX coil w/preload, Intrinsic pressure, volume,
rebound, compression
WHEELSET > Bontrager King Earl
w/150mm rear
CRANK > Bontrager King Earl 38T
w/e.13 SRS chainguide
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5"
COLOR > Gloss White
> Frame available.



SESSION 77

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/178mm (7") travel
FRONT SUSPENSION > Manitou Travis
Single Intrinsic w/rebound, compression, 180mm
REAR SUSPENSION > Manitou Swinger
4-way coil w/preload, No-Tools SPV, SPV
volume, rebound
WHEELSET > Bontrager King Earl
CRANK > Bontrager King Earl 22/32
w/bash guard
REAR DERAILLEUR > SRAM X-0
SIZES > 15.5, 17.5, 19.5"
COLOR > Bluegray Anodized
> Frame available.



SESSION 7

FRAME > ZR 9000 Alloy main frame;
ZR 9000 swingarm w/178mm (7") travel
FRONT SUSPENSION > Manitou Travis
Single w/rebound, compression, 180mm
REAR SUSPENSION > Manitou Swinger
4-way coil w/preload, No-Tools SPV, SPV
volume, rebound
WHEELSET > Bontrager Earl
CRANK > Bontrager Big Earl 22/32
w/bash guard
REAR DERAILLEUR > SRAM X-9
SIZES > 15.5, 17.5, 19.5"
COLOR > Matte Black



ELITE 9.9

FRAME > OCLV 110 Carbon
 FRONT SUSPENSION > RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, 85mm
 WHEELSET > Bontrager Race X Lite
 CRANK > Shimano XTR 44/32/22
 REAR DERAILLEUR > Shimano XTR
 SIZES > 15.5, 17.5, 19.5, 20.5"
 COLOR > Chi Red
 > Frame available.



ELITE 9.8

FRAME > OCLV 110 Carbon
 FRONT SUSPENSION > Fox 32 F80 RL w/air pressure, compression, rebound, lockout, 85mm
 WHEELSET > Bontrager Race Lite
 CRANK > Bontrager Race Lite 44/32/22
 REAR DERAILLEUR > SRAM X-0
 SIZES > 15.5, 17.5, 19.5, 20.5"
 COLOR > Matte Pearl Carbon



ELITE 9.7

FRAME > OCLV 110 Carbon
 FRONT SUSPENSION > RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 85mm
 WHEELSET > Bontrager Race
 CRANK > Bontrager Race 44/32/22
 REAR DERAILLEUR > SRAM X-9
 SIZES > 15.5, 17.5, 19.5, 20.5"
 COLOR > Matte Titanite Black/
 Matte Bright Silver



JACK 3

FRAME > Alpha Aluminum
 FRONT SUSPENSION > Manitou Stance Static, 80mm
 WHEELSET > Shimano M475 disc hubs; Sun Rhyno Lite rims
 CRANK > Bontrager King Earl 36/24 w/bash guard
 REAR DERAILLEUR > Shimano Deore LX
 SIZES > 13, 15, 17"
 COLOR > Gloss White



JACK 2

FRAME > Alpha Aluminum
 FRONT SUSPENSION > Manitou Slate Comp FFD, 100mm
 WHEELSET > Shimano M475 disc hubs; Sun Ditch Witch rims
 CRANK > Bontrager Big Earl 42/32/22
 REAR DERAILLEUR > Shimano Alivio
 SIZES > 13, 15, 17"
 COLOR > Gloss Orange



JACK 1

FRAME > Alpha Aluminum
 FRONT SUSPENSION > RST Gila T7 w/preload, 100mm
 WHEELSET > Shimano M475 disc hubs; Bontrager Camino rims
 CRANK > Shimano M341 42/32/22
 REAR DERAILLEUR > Shimano Acera
 SIZES > 13, 15, 17"
 COLOR > Gloss Navy





69er

FRAME > ZR 9000 Alloy
 FRONT SUSPENSION > Maverick Custom Double crown, 100mm (15.5" size: Single crown)
 WHEELSET > Bontrager Race Lite Single Speed; 29" front, 26" rear
 CRANK > Bontrager Single Speed 34T
 REAR DERAILLEUR > n/a
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Matte Root Beer



8500

FRAME > ZR 9000 Alloy
 FRONT SUSPENSION > Fox 32 F100 RL w/air pressure, compression, rebound, lockout, 100mm
 WHEELSET > Bontrager Race
 CRANK > Shimano Deore XT 44/32/22
 REAR DERAILLEUR > Shimano Deore XT
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Matte Black



8000

FRAME > ZR 9000 Alloy
 FRONT SUSPENSION > RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 100mm
 WHEELSET > Bontrager Select
 CRANK > Shimano Deore LX 44/32/22
 REAR DERAILLEUR > Shimano Deore XT
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Matte Smooth Silver



6700

FRAME > Alpha SLR Aluminum
 FRONT SUSPENSION > RockShox Tora 318 Air w/positive air pressure, Motion Control, rebound, compression, lockout, 100mm
 WHEELSET > Shimano M525 disc hubs; Bontrager Ranger rims
 CRANK > Bontrager Race 44/32/22
 REAR DERAILLEUR > SRAM X-9
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Baja Blue/Platinum Silver




6700 WSD

FRAME > Alpha SLR Aluminum
 FRONT SUSPENSION > RockShox Tora 318 Air w/positive air pressure, Motion Control, rebound, compression, lockout, 100mm
 WHEELSET > Shimano M525 disc hubs; Bontrager Ranger rims
 CRANK > Bontrager Race 44/32/22
 REAR DERAILLEUR > SRAM X-9
 SIZES > Women's 14, 16, 18"
 COLOR > Aquamarine Duotone



Women's Specific Design





6500

FRAME > Alpha SLR Aluminum
 FRONT SUSPENSION > Manitou Slate
 Comp w/preload, lockout, 100mm
 WHEELSET > Shimano M525 disc hubs;
 Bontrager Ranger rims
 CRANK > Shimano M442 Octalink 44/32/22
 REAR DERAILLEUR > Shimano Deore LX
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Race Yellow/Metallic Black



6500

FRAME > Alpha SLR Aluminum
 FRONT SUSPENSION > Manitou Slate
 Comp w/preload, lockout, 100mm
 WHEELSET > Shimano M525 disc hubs;
 Bontrager Ranger rims
 CRANK > Shimano M442 Octalink 44/32/22
 REAR DERAILLEUR > Shimano Deore LX
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Black Chrome



6500 WSD

FRAME > Alpha SLR Aluminum
 FRONT SUSPENSION > Manitou Slate
 Comp w/preload, lockout, 100mm
 WHEELSET > Shimano M525 disc hubs;
 Bontrager Ranger rims
 CRANK > Shimano M442 Octalink 44/32/22
 REAR DERAILLEUR > Shimano Deore LX
 SIZES > Women's 14, 16, 18"
 COLOR > White Duotone



Women's Specific Design



6000

FRAME > Alpha SLR Aluminum
 FRONT SUSPENSION > RockShox Dart 1
 w/preload, 100mm
 WHEELSET > Shimano M475 disc hubs;
 Bontrager Ranger rims
 CRANK > Shimano M442 44/32/22
 REAR DERAILLEUR > Shimano Deore
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Brushed Aluminum



6000

FRAME > Alpha SLR Aluminum
 FRONT SUSPENSION > RockShox Dart 1
 w/preload, 100mm
 WHEELSET > Shimano M475 disc hubs;
 Bontrager Ranger rims
 CRANK > Shimano M442 44/32/22
 REAR DERAILLEUR > Shimano Deore
 SIZES > 15.5, 17.5, 19.5, 21.5"
 COLOR > Metallic Orange/Metallic Black



4500

FRAME > Alpha SL Aluminum
 FRONT SUSPENSION > RockShox Dart 1
 w/preload, 80mm
 WHEELSET > Alloy front, Shimano RM60 rear
 hub; Bontrager Camino rims
 CRANK > Shimano MC09 42/32/22
 REAR DERAILLEUR > Shimano Deore
 SIZES > 13, 16, 18, 19.5, 21, 22.5, 24"
 COLOR > Matte Black/Matte Candy Red



4500

FRAME > Alpha SL Aluminum
 FRONT SUSPENSION > RockShox Dart 1
 w/preload, 80mm
 WHEELSET > Alloy front, Shimano RM60 rear
 hub; Bontrager Camino rims
 CRANK > Shimano MC09 42/32/22
 REAR DERAILLEUR > Shimano Deore
 SIZES > 13, 16, 18, 19.5, 21, 22.5, 24"
 COLOR > Steel Gray/Metallic Black



4500 WSD

FRAME > Alpha SL Aluminum
 FRONT SUSPENSION > RockShox Dart 1
 w/preload, 80mm
 WHEELSET > Alloy front, Shimano RM60 rear
 hub; Bontrager Camino rims
 CRANK > Shimano MC09 42/32/22
 REAR DERAILLEUR > Shimano Deore
 SIZES > Women's 14, 16, 18"
 COLOR > Mint



Women's Specific Design



4300 DISC

FRAME > Alpha SL Aluminum
 FRONT SUSPENSION > RST Gila T7
 w/preload, 80mm
 WHEELSET > Shimano M65 disc hubs;
 Bontrager Ranger rims
 CRANK > SR XCC-T102 42/34/24
 REAR DERAILLEUR > Shimano Alivio
 SIZES > 13, 16, 18, 19.5, 21"
 COLOR > Matte Smoke Silver/
 Matte Smooth Silver



4300

FRAME > Alpha SL Aluminum
 FRONT SUSPENSION > RST Gila T7
 w/preload, 80mm
 WHEELSET > Alloy front, Shimano RM60 rear
 hub; Bontrager Camino rims
 CRANK > SR XCC-T102 42/34/24
 REAR DERAILLEUR > Shimano Alivio
 SIZES > 13, 16, 18, 19.5, 21, 22.5"
 COLOR > Pearl Yellow/Metallic Charcoal



4300

FRAME > Alpha SL Aluminum
 FRONT SUSPENSION > RST Gila T7
 w/preload, 80mm
 WHEELSET > Alloy front, Shimano RM60 rear
 hub; Bontrager Camino rims
 CRANK > SR XCC-T102 42/34/24
 REAR DERAILLEUR > Shimano Alivio
 SIZES > 13, 16, 18, 19.5, 21, 22.5"
 COLOR > Matte Smoke Silver/
 Matte Smooth Silver



4300 WSD

FRAME > Alpha SL Aluminum
 FRONT SUSPENSION > RST Gila T7
 w/preload, light spring, 80mm
 WHEELSET > Alloy front, Shimano RM60 rear
 hub; Bontrager Camino rims
 CRANK > SR XCC-T102 42/34/24
 REAR DERAILLEUR > Shimano Alivio
 SIZES > Women's 14, 16, 18"
 COLOR > Platinum Silver



Women's Specific Design



3900

FRAME > Alpha Aluminum
 FRONT SUSPENSION > InSync Grind 1
 w/preload, 70mm
 WHEELSET > Alloy front, Shimano RM30 rear
 hub; Matrix 550 rims
 CRANK > SR XCC-T102 42/34/24
 REAR DERAILLEUR > Shimano Acera
 SIZES > 13, 16, 18, 19.5, 21, 22.5"
 COLOR > Matte Black/Matte Smooth Silver



3900

FRAME > Alpha Aluminum
 FRONT SUSPENSION > InSync Grind 1
 w/preload, 70mm
 WHEELSET > Alloy front, Shimano RM30 rear
 hub; Matrix 550 rims
 CRANK > SR XCC-T102 42/34/24
 REAR DERAILLEUR > Shimano Acera
 SIZES > 13, 16, 18, 19.5, 21, 22.5"
 COLOR > Trans Blue



3900 WSD

FRAME > Alpha Aluminum
 FRONT SUSPENSION > InSync Grind 1
 w/preload, 70mm
 WHEELSET > Alloy front, Shimano RM30 rear
 hub; Matrix 550 rims
 CRANK > SR XCC-T102 42/34/24
 REAR DERAILLEUR > Shimano Acera
 SIZES > Women's 13, 16, 19.5"
 COLOR > Trans Blue



Women's Specific Design



3900 WSD

FRAME > Alpha Aluminum
 FRONT SUSPENSION > InSync Grind 1
 w/preload, 70mm
 WHEELSET > Alloy front, Shimano RM30 rear
 hub; Matrix 550 rims
 CRANK > SR XCC-T102 42/34/24
 REAR DERAILLEUR > Shimano Acera
 SIZES > Women's 13, 16, 19.5"
 COLOR > Pearl Green



Women's Specific Design



3700

FRAME > Alpha Aluminum
 FRONT SUSPENSION > RST 191 C7, 63mm
 WHEELSET > Alloy hubs; Matrix 550 rims
 CRANK > SR XCC-T208 48/38/28
 REAR DERAILLEUR > Shimano Acera
 SIZES > 13, 16, 18, 19.5, 21, 22.5"
 COLOR > Matte Red/Matte Dark Red





3700

FRAME > Alpha Aluminum
 FRONT SUSPENSION > RST 191 C7, 63mm
 WHEELSET > Alloy hubs; Matrix 550 rims
 CRANK > SR XCC-T208 48/38/28
 REAR DERAILLEUR > Shimano Acera
 SIZES > 13, 16, 18, 19.5, 21, 22.5"
 COLOR > Matte Black/Lava Black



3700 WSD

FRAME > Alpha Aluminum
 FRONT SUSPENSION > RST 191 C7, 63mm
 WHEELSET > Alloy hubs; Matrix 550 rims
 CRANK > SR XCC-T208 48/38/28
 REAR DERAILLEUR > Shimano Acera
 SIZES > Women's 13, 16, 19.5"
 COLOR > Crystal Blue

WSD
 Women's Specific Design



820

FRAME > High tensile steel
 w/Cro-Moly seat tube
 FRONT SUSPENSION > RST 191 C7, 63mm
 WHEELSET > Alloy hubs; Matrix 550 rims
 CRANK > SR XCC-T208 48/38/28
 REAR DERAILLEUR > Shimano Acera
 SIZES > 13, 16, 18, 19.5, 21"
 COLOR > Matte Navy/Matte Bluegray



820

FRAME > High tensile steel
 w/Cro-Moly seat tube
 FRONT SUSPENSION > RST 191 C7, 63mm
 WHEELSET > Alloy hubs; Matrix 550 rims
 CRANK > SR XCC-T208 48/38/28
 REAR DERAILLEUR > Shimano Acera
 SIZES > 13, 16, 18, 19.5, 21"
 COLOR > Hot Orange/Metallic Dark Silver



820 WSD

FRAME > High tensile steel
 w/Cro-Moly seat tube
 FRONT SUSPENSION > RST 191 C7, 63mm
 WHEELSET > Alloy hubs; Matrix 550 rims
 CRANK > SR XCC-T208 48/38/28
 REAR DERAILLEUR > Shimano Acera
 SIZES > Women's 13, 16"
 COLOR > Pearl White/Metallic Silver

WSD
 Women's Specific Design



RACE						
Model		TOP FUEL SL	TOP FUEL 9.9	TOP FUEL 9.8	TOP FUEL 8	TOP FUEL 7
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Matte Pearl Carbon	Chi Red/Team	Matte Silver	Baja Blue/Bright Silver	Titanite Black/Metallic Onyx
	Frame	OCLV 110 Carbon; ZR 9000 swingarm w/90mm travel	OCLV 110 Carbon; ZR 9000 swingarm w/90mm travel	OCLV 110 Carbon; ZR 9000 swingarm w/90mm travel	ZR 9000 Alloy main frame; ZR 9000 swingarm w/90mm travel	ZR 9000 Alloy main frame; ZR 9000 swingarm w/90mm travel
	Fork	RockShox Sid World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, 80mm	Manitou R-Seven Platinum Snap Valve w/air pressure, SPV pressure, rebound, 100mm	Fox 32 F100 X w/air pressure, Pro Tune, rebound, 100mm	Fox 32 F100 RL w/air pressure, compression, rebound, lockout, 100mm	RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 100mm
	Rear Shock	Manitou S-Type SR SPV w/air pressure, SPV pressure, rebound	Manitou S-Type SRL w/air pressure, rebound, lockout	Manitou S-Type SRL w/air pressure, rebound, lockout	Manitou S-Type SRL w/air pressure, rebound, lockout	Manitou Radium RL w/air pressure, rebound, lockout
WHEELS	Wheels	Bontrager Race X Lite "SE"	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race	Bontrager Select
	Tires	Schwalbe Fast Fred, 26x2.0", folding	Schwalbe Fast Fred, 26x2.0", folding	Bontrager Jones ACX, 26x2.1", 120 tpi, folding	Bontrager Jones ACX, 26x2.1", 120 tpi, folding	Bontrager Jones ACX, 26x2.1", 60 tpi, folding
DRIVETRAIN	Shifters	SRAM X-0, 9 speed	Shimano XTR, 9 speed	SRAM X-9, 9 speed	SRAM X-7, 9 speed	Shimano Deore, 9 speed
	Front Derailleur	Shimano XTR	Shimano XTR	SRAM X-9	Shimano Deore LX	Shimano Deore
	Rear Derailleur	SRAM X-0	Shimano XTR	SRAM X-0	SRAM X-0	Shimano Deore XT
	Crankset	Bontrager Race XXX Lite Carbon 44/32/22	Shimano XTR 44/32/22	Bontrager Race X Lite 44/32/22	Shimano Deore LX 44/32/22	Shimano Deore 44/32/22
	Cassette	Shimano Duuo-Ace 11-27	Shimano XTR 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG-950 11-34, 9 speed
Pedals	n/a	n/a	n/a	Shimano 520, clipless	Shimano 505, clipless	
COMPONENTS	Saddle	Bontrager Race X Lite Pro	Bontrager Race X Lite Pro	Bontrager Race Lite	Bontrager Race	Bontrager Race Basic
	Seatpost	Bontrager Race X Lite ACC	Bontrager Race X Lite ACC	Bontrager Race X Lite ACC	Bontrager Race	Bontrager Select
	Handlebars	Bontrager Race XXX Lite, 0mm rise, 31.8mm	Bontrager Race XXX Lite, 0mm rise, 31.8mm	Bontrager Race X Lite carbon, 0mm rise, 31.8mm	Bontrager Race Lite, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm
	Stem	Bontrager Race XXX Lite, 12 degree, 31.8mm	Bontrager Race XXX Lite, 12 degree, 31.8mm	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm
	Headset	Chris King sealed cartridge	Cane Creek S-8 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset Slimstak w/cartridge bearings, sealed, alloy	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Avid SD SL V-brakes w/Avid SD Ultimate levers	Shimano XTR, hydraulic disc, 6" front, 5" rear rotor	Avid Juicy 7, hydraulic disc, 6" rotors	Avid Juicy 5, hydraulic disc, 6" rotors	Avid Juicy 3, hydraulic disc, 6" rotors

TRAIL						
	Model	FUEL EX 9.5	FUEL EX 9.0	FUEL EX 9	FUEL EX 8	FUEL EX 7
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Matte Pearl Carbon	Satin Carbon	Satin Grey Duotone	Satin Onyx or Orange/Silver Custom Flames	Satin Nickel
	Frame	OCLV 110 Carbon; ZR 9000 swingarm w/120mm travel	OCLV 110 Carbon; ZR 9000 swingarm w/120mm travel	ZR 9000 Alloy main frame; ZR 9000 swingarm w/120mm travel	ZR 9000 Alloy main frame; ZR 9000 swingarm w/120mm travel	ZR 9000 Alloy main frame; ZR 9000 swingarm w/120mm travel
	Fork	Fox Talas RLC w/air pressure, travel, rebound, lockout, 90-130mm	Fox Talas RL w/air pressure, travel, rebound, lockout, 90-130mm	Fox Talas RL w/air pressure, travel, rebound, lockout, 90-130mm	Fox Float 130 RL w/air pressure, rebound, lockout, 130mm	RockShox Recon 351 Air w/positive air pressure, Motion Control, rebound, compression, lockout, 130mm
	Rear Shock	Fox Float RP23 w/air pressure, 3-position Pro Pedal, Pro Pedal adjust, rebound	Fox Float RP23 w/air pressure, 3-position Pro Pedal, Pro Pedal adjust, rebound	Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout	Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout	Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout
WHEELS	Wheels	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Select
	Tires	Bontrager Jones XR 26x2.2/2.25", 120 tpi, folding	Bontrager Jones XR 26x2.2/2.25", 120 tpi, folding	Bontrager Jones XR 26x2.2/2.25", 120 tpi, folding	Bontrager Jones XR 26x2.2/2.25", 120 tpi, folding	Bontrager Jones XR 26x2.2/2.25", 60 tpi, folding
DRIVETRAIN	Shifters	Shimano XTR, 9 speed	SRAM X-9, 9 speed	Shimano X-7, 9 speed	Shimano Deore, 9 speed	Shimano Deore, 9 speed
	Front Derailleur	Shimano XTR	SRAM X-9	Shimano Deore LX	Shimano Deore LX	Shimano Deore
	Rear Derailleur	Shimano XTR	SRAM X-0	SRAM X-0	Shimano XTR	Shimano Deore XT
	Crankset	Shimano XTR 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore LX 44/32/22	Shimano Deore 44/32/22
	Cassette	Shimano XTR 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed
Pedals	n/a	n/a	n/a	Shimano 520, clipless	Shimano 505, clipless	
COMPONENTS	Saddle	Bontrager Race X Lite Pro	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race Basic
	Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race X Lite ACC carbon	Bontrager Race Lite	Bontrager Race	Bontrager Select
	Handlebars	Bontrager Race XXX Lite, 40mm rise, 31.8mm	Bontrager Race X Lite, 40mm rise, 31.8mm	Bontrager Race Lite, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm
	Stem	Bontrager Race XXX Lite, 12 degree, 31.8mm	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm
	Headset	Cane Creek S-8 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset Slimstak w/cartridge bearings, sealed, alloy	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Shimano XTR, hydraulic disc, 6" rotors	Avid Juicy 7, hydraulic disc, 6" rotors w/carbon levers	Avid Juicy 7, hydraulic disc, 6" rotors	Avid Juicy 5, hydraulic disc, 6" rotors	Avid BB-7, mechanical disc w/Avid FR-5 levers

TRAIL						ALL MOUNTAIN
	Model	FUEL EX 7 WSD	FUEL EX 6	FUEL EX 5	FUEL EX 5 WSD	REMEDY 66
FRAMESET	Sizes	Women's 14, 16, 18"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	Women's 14, 16, 18"	15.5, 17.5, 19.5, 21.5"
	Colors	Satin Navy	Chi Red	Satin Blue	Aquamarine Duotone	Pewter Anodized
	Frame	ZR 9000 Alloy main frame; ZR 9000 swingarm w/120mm travel	ZR 9000 Alloy main frame w/100mm travel	Alpha SLR Aluminum w/100mm travel	Alpha SLR Aluminum w/100mm travel	ZR 9000 Alloy main frame; ZR 9000 swingarm w/152-154mm (6") travel
	Fork	RockShox Recon 351 Air w/positive air pressure, Motion Control, rebound, compression; lockout, 130mm	RockShox Tora 318 Solo Air w/Motion Control, rebound, compression, LO, 100mm	RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm	RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm	Fox 36 Talas RC2 w/air pressure, high speed and low speed compression, rebound, 100-160mm
	Rear Shock	Fox Float RPL w/air pressure, Pro Pedal, rebound, lockout	RockShox MC 3.1 w/Motion Control adjust	RockShox BAR 1.1 w/air pressure	RockShox BAR 1.1 w/air pressure	Manitou Swinger 3-way w/air pressure, No-Tools SPV, rebound
WHEELS	Wheels	Bontrager Select	Bontrager Superstock Disc	Shimano M475 disc hubs; Bontrager Ranger rims	Shimano M475 disc hubs; Bontrager Ranger rims	Bontrager Rhythm Elite
	Tires	Bontrager Jones XR 26x2.2/2.25", 60 tpi, folding	Bontrager ACX, 26x2.2"	Bontrager Jones XR 26x2.2/2.25", 27 tpi	Bontrager Jones XR 26x2.2/2.25", 27 tpi	Bontrager Jones ACX 26x2.35", 120 tpi, folding
DRIVETRAIN	Shifters	Shimano Deore, 9 speed	SRAM X-7	SRAM X-5, 9 speed	SRAM X-5, 9 speed	SRAM X-9, 9 speed
	Front Derailleur	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	SRAM X-9
	Rear Derailleur	Shimano Deore XT	SRAM X-7	SRAM X-5	SRAM X-5	SRAM X-0
	Crankset	Shimano Deore 44/32/22	Bontrager Race 44/32/22	Shimano M442 44/32/22	Shimano M442 44/32/22	Shimano Deore XT 44/32/22
	Cassette	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG970 11-34, 9 speed
	Pedals	Shimano 505, clipless	Shimano 505, clipless	Alloy platform w/clips and straps	Alloy platform w/clips and straps	n/a
COMPONENTS	Saddle	Bontrager Select FIT	Bontrager Select	Bontrager Race Basic Lux	Bontrager Select FIT	Bontrager Race Lite
	Seatpost	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Race Lite
	Handlebars	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Race Lite, 40mm rise, 31.8mm
	Stem	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Sport, 10 degree	Bontrager Sport, 10 degree	Bontrager Race Lite, 7 degree, 31.8mm
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed
	Brakeset	Avid BB-7, mechanical disc w/Avid FR-5 levers	Hayes MX-1, mechanical disc w/Hayes alloy levers	Avid BB-5, mechanical disc w/alloy levers	Avid BB-5, mechanical disc w/alloy levers	Avid Juicy 7, hydraulic disc, 8" front, 7" rear

ALL MOUNTAIN			FREERIDE			
	Model	REMEDY 6	REMEDY 5	SESSION 10	SESSION 77	SESSION 7
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 20.5"	15.5, 17.5, 19.5"	15.5, 17.5, 19.5"	15.5, 17.5, 19.5"
	Colors	Matte Navy	Matte Black	Gloss White	Bluegray Anodized	Matte Black
	Frame	ZR 9000 Alloy main frame; ZR 9000 swingarm w/152-154mm (6") travel	ZR 9000 Alloy	ZR 9000 Alloy main frame; ZR 9000 swingarm w/254mm (10") travel	ZR 9000 Alloy main frame; ZR 9000 swingarm w/178mm (7") travel	ZR 9000 Alloy main frame; ZR 9000 swingarm w/178mm (7") travel
	Fork	Manitou Nixon Elle w/air pressure, SPV pressure, SPV volume, travel, rebound, 130-160mm	Manitou Black Platinum Air w/SPV, rebound, LO, 120mm	Manitou Travis Triple Intrinsic w/rebound, compression, 203mm	Manitou Travis Single Intrinsic w/rebound, compression, 180mm	Manitou Travis Single w/rebound, compression, 180mm
	Rear Shock	Manitou Swinger 3-way w/air pressure, No-Tools SPV, rebound	Manitou Swinger 3-way	Manitou Revox ISX coil w/preload, Intrinsic pressure, volume, rebound, compression	Manitou Swinger 4-way coil w/preload, No-Tools SPV, SPV volume, rebound	Manitou Swinger 4-way coil w/preload, No-Tools SPV, SPV volume, rebound
WHEELS	Wheels	Bontrager Rhythm Comp	Bontrager Select Disc	Bontrager King Earl w/150mm rear	Bontrager King Earl	Bontrager Earl
	Tires	Bontrager Jones ACX 26x2.35", 120 tpi, folding	Bontrager ACX, folding, 26x2.2"	Bontrager Big Earl 26x2.6", 60 tpi	Bontrager Big Earl 26x2.6", 60 tpi	Bontrager Big Earl 26x2.6", 60 tpi
DRIVETRAIN	Shifters	Shimano Deore, 9 speed	SRAM X-7	SRAM X-0, 9 speed	SRAM X-0, 9 speed	SRAM X-7, 9 speed
	Front Derailleur	Shimano Deore LX	Shimano Deore	e.13 SRS Chain Retention System	SRAM X-9	Shimano Deore
	Rear Derailleur	Shimano Deore XT	SRAM X-7	SRAM X-0	SRAM X-0	SRAM X-9
	Crankset	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager King Earl 38t w/e.13 SRS chainguide	Bontrager King Earl 22/32 w/bash guard	Bontrager Big Earl 22/32 w/bash guard
	Cassette	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed
	Pedals	n/a	Shimano 505, clipless	Bontrager King Earl platform	Bontrager King Earl platform	Bontrager Big Earl platform
	Saddle	Bontrager Race	Bontrager Select	Bontrager Big Earl	Bontrager Big Earl	Bontrager Earl K
COMPONENTS	Seatpost	Bontrager Race	Bontrager Select	Bontrager King Earl	Bontrager King Earl	Bontrager Big Earl
	Handlebars	Bontrager Race, 40mm rise, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager King Earl, 50mm rise, 31.8mm	Bontrager King Earl, 50mm rise, 31.8mm	Bontrager Earl, 50mm rise, 31.8mm
	Stem	Bontrager Race, 7 degree, 31.8mm	Bontrager Race X Lite Carbon, 40mm rise, 31.8mm	Manitou IS2 Integrated stem, 31.8mm	Bontrager Big Earl, 10 degree, 31.8mm, 1.5"	Bontrager Big Earl, 10 degree, 31.8mm, 1.5"
	Headset	Aheadset Slimstak w/cartridge bearings, sealed, alloy	Aheadset, sealed, alloy	Cane Creek Double XC w/cartridge bearings, 1.5 to 1.125"	Cane Creek Double X w/cartridge bearings, 1.5"	Cane Creek Double X w/cartridge bearings, 1.5"
	Brakeset	Avid Juicy 5, hydraulic disc, 8" front, 7" rear	Hayes HFX-9, hydraulic disc, 6" rotors	Avid Juicy CODE, hydraulic disc, 8" rotors	Avid Juicy CODE, hydraulic disc, 8" rotors	Avid Juicy 7, hydraulic disc, 8" rotors

ELITE SERIES			JACK			
	Model	ELITE 9.9	ELITE 9.8	ELITE 9.7	JACK 3	JACK 2
FRAMESET	Sizes	15.5, 17.5, 19.5, 20.5"	15.5, 17.5, 19.5, 20.5"	15.5, 17.5, 19.5, 20.5"	13, 15, 17"	13, 15, 17"
	Colors	Chl Red	Matte Pearl Carbon	Matte Black/Matte Platinum	Gloss White	Gloss Orange
	Frame	OCLV 110 Carbon	OCLV 110 Carbon	OCLV 110 Carbon	Alpha Aluminum	Alpha Aluminum
	Fork	RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, 85mm	Fox 32 F80 RL w/air pressure, compression, rebound, lockout, 85mm	RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, 85mm	Manitou Stance Static, 80mm	Manitou Slatc Comp FFD, 100mm
WHEELS	Wheels	Bontager Race X Lite	Bontager Race Lite	Bontager Race	Shimano M475 disc hubs: Sun Rhino Lite rims	Shimano M475 disc hubs: Sun Ditch Witch rims
	Tires	Bontager Jones ACX, 26x2.1", 120 tpi, folding	Bontager Jones ACX, 26x2.1", 120 tpi, folding	Bontager Jones ACX, 26x2.1", 120 tpi, folding	Bontager Earl, 26x2.4", 27 tpi	Bontager Earl, 26x2.4", 27 tpi
DRIVETRAIN	Shifters	Shimano XTR, 9 speed	SRAM X-9, 9 speed	SRAM X-7, 9 speed	Shimano Deore, 9 speed	Shimano Alivio, 8 speed
	Front Derailleur	Shimano XTR	SRAM X-9	Shimano Deore LX	Shimano Deore	Shimano Alivio
	Rear Derailleur	Shimano XTR	SRAM X-0	SRAM X-9	Shimano Deore LX	Shimano Alivio
	Crankset	Shimano XTR 44/32/22	Bontager Race Lite 44/32/22	Bontager Race 44/32/22	Bontager King Earl 36/24 w/bash guard	Bontager Blg Earl 42/32/22
	Cassette	Shimano XTR 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG830 11-32, 8 speed
	Pedals	n/a	n/a	n/a	Bontager Blg Earl platform	Alloy platform
	Saddle	Bontager Race X Lite Pro	Bontager Race Lite	Bontager Race	Bontager Blg Earl	Bontager Blg Earl Jump
	Seatpost	Bontager Race X Lite ACC	Bontager Race X Lite ACC carbon	Bontager Race	Bontager King Earl	Bontager Sport
COMPONENTS	Handlebars	Bontager Race XXX Lite, 0mm rise, 31.8mm	Bontager Race X Lite, 0mm rise, 31.8mm	Bontager Race, 0mm rise, 31.8mm	Bontager Blg Earl, 70mm rise, 31.8mm	Bontager Blg Earl, 70mm rise, 31.8mm
	Stem	Bontager Race XXX Lite, 12 degree, 31.8mm	Bontager Race Lite, 7 degree, 31.8mm	Bontager Race, 7 degree, 31.8mm	Bontager Earl, 10 degree, 31.8mm	Bontager Earl, 10 degree, 31.8mm
	Headset	Cane Creek S-8 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset w/semi-cartridge bearings, Cro-Moly	Aheadset w/semi-cartridge bearings, Cro-Moly
	Brakeset	Shimano XTR, hydraulic disc, 6" front, 5" rear rotor	Avid July 7, hydraulic disc w/carbon levers, 6" rotors	Avid July 5, hydraulic disc, 6" rotors	Avid July 5, hydraulic disc, 8" front, 6" rear	Hayes MX-2, mechanical disc, 8" front, 6" rear


		JACK	SINGLE SPEED	ALUMINUM HARDTAIL			
		Model	JACK 1	69ER	8500	8000	6700
FRAMESET	Sizes	13, 15, 17"		15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Gloss Navy		Matte Root Beer	Matte Black	Matte Smooth Silver	Baja Blue/Platinum Silver
	Frame	Alpha Aluminum		ZR 9000 Alloy	ZR 9000 Alloy	ZR 9000 Alloy	Alpha SLR Aluminum
	Fork	RST Gila T7 w/preload, 100mm		Maverick Custom Double crown, 100mm (15.5" size: Single crown)	Fox 32 F100 RL w/air pressure, compression, rebound, lockout, 100mm	RockShox Reba SL w/postive and negative air pressure, Motion Control, rebound, compression, lockout, 100mm	RockShox Tora 318 Air w/postive air pressure, Motion Control, rebound, compression, lockout, 100mm
WHEELS	Wheels	Shimano M475 disc hubs; Bontrager Camino rims		Bontrager Race Lite Single Speed, 29" front, 26" rear	Bontrager Race	Bontrager Select	Shimano M525 disc hubs; Bontrager Ranger rims
	Tires	Bontrager Earl, 26x2.4", 27 tpi		Bontrager Jones ACX, 29x2.1 front, 26x2.1 rear; 120tpi, folding	Bontrager Jones ACX, 26x2.1", 120 tpi, folding	Bontrager Jones ACX, 26x2.1", 60 tpi, folding	Bontrager Jones ACX, 26x2.1", 60 tpi, folding
DRIVETRAIN	Shifters	Shimano EF50, 8 speed		n/a	Shimano Deore XT Dual Control, 9 speed	Shimano Deore LX Dual Control, 9 speed	SRAM X-7, 9 speed
	Front Derailleur	Shimano C050		n/a	Shimano Deore XT	Shimano Deore LX	Shimano Deore
	Rear Derailleur	Shimano Acera		n/a	Shimano Deore XT	Shimano Deore XT	SRAM X-9
	Crankset	Shimano M341 42/32/22		Bontrager Single Speed 34T	Shimano Deore XT 44/32/22	Shimano Deore LX 44/32/22	Bontrager Race 44/32/22
	Cassette	SRAM PG830 11-32, 8 speed		Bontrager 17T w/cog chainguide	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed
	Pedals	Alloy platform		n/a	n/a	Shimano 505, clipless	Shimano 505, clipless
	Saddle	Bontrager Earl Jump		Bontrager Race Lite	Bontrager Race	Bontrager Race	Bontrager Race Basic Lux
	Seatpost	Bontrager Sport		Bontrager Race Lite	Bontrager Race X Lite ACC carbon	Bontrager Race	Bontrager Select
COMPONENTS	Handlebars	Bontrager Earl, 50mm rise, 31.8mm		Bontrager Big Sweep, 0mm rise, 31.8mm	Bontrager Race Lite, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm
	Stem	Bontrager Earl, 10 degree, 31.8mm		Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm
	Headset	Aheadset w/semi-cartridge bearings, sealed		Cane Creek S-3 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset Slimstak w/cartridge bearings, sealed, alloy
	Brakeset	Tektro V w/Shimano EF50 levers		Avid July 7, hydraulic disc, 6" rotors	Shimano XT, hydraulic disc, 6" rotors	Shimano LX, hydraulic disc, 6" rotors	Avid July 3, hydraulic disc, 6" rotors

ALUMINUM HARDTAIL						
Model		6700 WSD	6500	6500 WSD	6000	4500
FRAMESET	Sizes	Women's 14, 16, 18"	15.5, 17.5, 19.5, 21.5"	Women's 14, 16, 18"	15.5, 17.5, 19.5, 21.5"	13, 16, 18, 19.5, 21, 22.5, 24"
	Colors	Aquamarine Duotone	Black Chrome or Race Yellow/Metallic Black	White Duotone	Brushed Aluminum or Metallic Orange/Metallic Black	Matte Black/Matte Candy Red or Steel Gray/Metallic Black
	Frame	Alpha SLR Aluminum	Alpha SLR Aluminum	Alpha SLR Aluminum	Alpha SLR Aluminum	Alpha SL Aluminum
	Fork	RockShox Tora 318 Air w/positive air pressure, Motion Control, rebound, compression, lockout, 100mm	Manitou Slatc Comp w/preload, lockout, 100mm	Manitou Slatc Comp w/preload, lockout, 100mm	RockShox Dart 1 w/preload, 100mm	RockShox Dart 1 w/preload, 80mm
WHEELS	Wheels	Shimano M525 disc hubs; Bontrager Ranger rims	Shimano M525 disc hubs; Bontrager Ranger rims	Shimano M525 disc hubs; Bontrager Ranger rims	Shimano M475 disc hubs; Bontrager Ranger rims	Alloy front, Shimano RM60 rear hub; Bontrager Camino rims
	Tires	Bontrager Jones ACX, 26x2.1", 60 tpi, folding	Bontrager Jones ACX, 26x2.1", 27 tpi	Bontrager Jones ACX, 26x2.1", 27 tpi	Bontrager Jones ACX, 26x2.1", 27 tpi	Bontrager Jones ACX, 26x2.1", 27 tpi
DRIVETRAIN	Shifters	SRAM X-7, 9 speed	Shimano Deore, 9 speed	Shimano Deore, 9 speed	Shimano Deore, 9 speed	Shimano Alivio, 8 speed
	Front Derailleur	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Acera
	Rear Derailleur	SRAM X-9	Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano Deore
	Crankset	Bontrager Race 44/32/22	Shimano M442 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Shimano M442 44/32/22	Shimano MC09 42/32/22
	Cassette	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG830 11-32, 8 speed
	Pedals	Shimano 505, clipless	Shimano 505, clipless	Shimano 505, clipless	Alloy platform	Alloy platform
	Saddle	Bontrager Select FIT Basic	Bontrager Race Basic Lux	Bontrager Select FIT Basic	Bontrager Select	Bontrager Select Basic
COMPONENTS	Seatpost	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport
	Handlebars	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise
	Stem	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Sport, 10 degree	Bontrager Sport, 10 degree
	Headset	Aheadset Slimstak w/cartridge bearings, sealed, alloy	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Avid Juicy 3, hydraulic disc, 6" rotors	Hayes Sole XC, hydraulic disc, 6" rotors	Hayes Sole XC, short reach levers, 6" rotors	Avid BB-5, mechanical disc w/alloy levers	Avid SD-3 w/alloy levers

ALUMINUM HARDTAIL						
Model		4500 WSD	4300 DISC	4300	4300 WSD	3900
FRAMESET	Sizes	Women's 14, 16, 18"	13, 16, 18, 19.5, 21"	13, 16, 18, 19.5, 21, 22.5"	Women's 14, 16, 18"	13, 16, 18, 19.5, 21, 22.5"
	Colors	Mint	Matte Smoke Silver/Matte Smooth Silver	Matte Smoke Silver/Matte Smooth Silver or Pearl Yellow/Metallic Charcoal	Platinum Silver	Trans Blue or Matte Black/Matte Smooth Silver
	Frame	Alpha SL Aluminum	Alpha SL Aluminum	Alpha SL Aluminum	Alpha SL Aluminum	Alpha Aluminum
	Fork	RockShox Dart 1 w/preload, 80mm	RST Gila T7 w/preload, 80mm	RST Gila T7 w/preload, 80mm	RST Gila T7 w/preload, light spring, 80mm	InSync Grind 1 w/preload, 70mm
WHEELS	Wheels	Alloy front, Shimano RM60 rear hub; Bontrager Camino rims	Shimano M65 disc hubs; Bontrager Ranger rims	Alloy front, Shimano RM60 rear hub; Bontrager Camino rims	Alloy front, Shimano RM60 rear hub; Bontrager Camino rims	Alloy front, Shimano RM30 rear hub; Matrix 550 rims
	Tires	Bontrager Jones ACX, 26x2.1", 27 tpi	Bontrager Jones ACX, 26x2.1", 27 tpi	Bontrager Connection Trail, 26x2.0"	Bontrager Connection Trail, 26x2.0"	Bontrager Connection Trail, 26x2.0"
DRIVETRAIN	Shifters	Shimano Alivio, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 8 speed
	Front Derailleur	Shimano Acera	Shimano C050	Shimano C050	Shimano C050	Shimano C050
	Rear Derailleur	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano Alivio	Shimano Acera
	Crankset	Shimano MC09 42/32/22	SR XCC-T102 42/34/24	SR XCC-T102 42/34/24	SR XCC-T102 42/34/24	SR XCC-T102 42/34/24
	Cassette	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed
	Pedals	Alloy platform	Alloy platform	Alloy platform	Alloy platform	Nylon platform
	Saddle	Bontrager Select Basic FIT	Bontrager Select Basic	Bontrager Select Basic	Bontrager Select Basic FIT	Bontrager Sport
	Seatpost	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Approved
COMPONENTS	Handlebars	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Approved, 30mm rise
	Stem	Bontrager Sport, 25 degree	Bontrager Sport, 10 degree	Bontrager Sport, 25 degree	Bontrager Sport, 25 degree	Bontrager Approved, 25 degree
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Avid SD-3 w/Tektro adjustable reach alloy levers	Shimano M465, mechanical disc w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers

	ALUMINUM HARDTAIL					STEEL HARDTAIL				
	Model	3900 WSD	3700	3700 WSD	820	820 WSD	Model	3900 WSD	3700	3700 WSD
SIZES	Women's 13, 16, 19.5"	13, 16, 18, 19.5, 21, 22.5"		Women's 13, 16, 19.5"	13, 16, 18, 19.5, 21"	Women's 13, 16"	Colors	Trans Blue or Pearl Green	Matte Red/Matte Dark Red or Matte Black/Lava Black	Crystal Blue
								Hot Orange/Metallic Dark Silver or Matte Navy/Matte Bluegray	Pearl White/Metallic Silver	
FRAME	Alpha Aluminum	Alpha Aluminum	Alpha Aluminum	High tensile steel w/Cro-Moly seat tube	High tensile steel w/Cro-Moly seat tube		Fork	InSynC Grind 1 w/preload, 70mm	RST 191 C7, 63mm	RST 191 C7, 63mm
WHEELS	Alloy front; Shimano RM30 rear hubs; Matrix 550 rims	Alloy hubs; Matrix 550 rims	Alloy hubs; Matrix 550 rims	Alloy hubs; Matrix 550 rims	Alloy hubs; Matrix 550 rims	Alloy hubs; Matrix 550 rims	Tires	Bontrager Connection Trail, 26x2.0"	Bontrager Connection Trail, 26x2.0"	Bontrager Connection Trail, 26x2.0"
SHIFTERS	Shimano EF50, 8 speed	Shimano EF50, 7 speed	Shimano EF50, 7 speed	Shimano EF50, 7 speed	Shimano EF50, 7 speed	Shimano EF50, 7 speed	Front Derailleur	Shimano C050	Shimano C050	Shimano C050
REAR DERAILLEUR	Shimano Acera	Shimano Acera	Shimano Acera	Shimano Acera	Shimano Acera	Shimano Acera	Crankset	SR XCC-T102 42/34/24	SR XCC-T208 48/38/28 w/chainguard	SR XCC-T208 48/38/28 w/chainguard
CASSETTE	SRAM PG830 11-32, 8 speed	Sunrace 13-34, 7 speed	Sunrace 13-34, 7 speed	Sunrace 13-34, 7 speed	Sunrace 13-34, 7 speed	Sunrace 13-34, 7 speed	Pedals	Nylon platform	Nylon platform	Nylon platform
SEATPOST	Bontrager Sport Fit	Bontrager Sport	Bontrager Sport Fit	Bontrager Sport	Bontrager Sport	Bontrager Sport	Handlebars	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise
STEM	Bontrager Approved, 40 degree	Bontrager Approved, 25 degree	Bontrager Approved, 40 degree	Bontrager Approved, 25 degree	Bontrager Approved, 40 degree	Bontrager Approved, 40 degree	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
BRAKES	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Brakeset	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers

GEOMETRIES



		Virtual frame size	Actual frame size	A-head angle	B-seat angle	C-effective top tube	D-chain stay	E-bottom bracket	F-offset	Wheelbase	Trail	Stand over
Top Fuel SL	S	15.5"	377 / 16.8	70.0"	72.5"	55.3 / 21.8	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	104.7 / 41.2	73 / 2.9	70.9 / 27.9
Top Fuel 9.8	M	17.5"	40.7 / 16.5	70.0"	72.5"	56.1 / 22.3	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	106.6 / 42.8	73 / 2.9	71.5 / 28.1
Top Fuel 9.8	L	19.5"	45.3 / 18.2	70.0"	72.5"	62.8 / 24.7	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	112.4 / 44.2	73 / 2.9	76.8 / 29.8
Top Fuel 8	XL	21.5"	49.1 / 19.3	70.0"	72.5"	64.5 / 25.4	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	114.2 / 45.0	73 / 2.9	78.8 / 30.9
Fuel EX 9.8	S	15.5"	39.4 / 15.5	69.5"	72.0"	55.3 / 21.8	43.2 / 17.0	34.1 / 13.4	3.9 / 1.5	105.3 / 41.4	79 / 3.1	71.6 / 28.2
Fuel EX 9.0	M	17.5"	41.9 / 16.5	69.5"	72.0"	56.1 / 22.3	43.2 / 17.0	34.1 / 13.4	3.9 / 1.5	109.2 / 43.0	79 / 3.1	73.0 / 28.7
Fuel EX 9.0	L	19.5"	47.0 / 18.5	69.5"	72.0"	62.9 / 24.7	43.2 / 17.0	34.1 / 13.4	3.9 / 1.5	112.9 / 44.4	79 / 3.1	78.2 / 30.0
Fuel EX 8	XL	21.5"	50.8 / 20.0	69.5"	72.0"	64.5 / 25.4	43.2 / 17.0	34.1 / 13.4	3.9 / 1.5	114.8 / 45.2	79 / 3.1	78.9 / 31.1
Fuel EX 7 WSD	S	14"	35.0 / 13.8	69.5"	72.0"	52.5 / 20.7	43.2 / 17.0	34.1 / 13.4	3.9 / 1.5	102.5 / 40.4	73 / 2.9	69.6 / 27.4
Fuel EX 6 WSD	M	16"	39.5 / 15.5	69.5"	72.0"	54.5 / 21.4	43.2 / 17.0	34.1 / 13.4	3.9 / 1.5	104.5 / 41.4	73 / 2.9	71.8 / 28.3
Fuel EX 6	L	18"	42.5 / 16.7	69.5"	72.0"	58.5 / 23.0	43.2 / 17.0	34.1 / 13.4	3.9 / 1.5	108.5 / 42.7	73 / 2.9	72.9 / 28.7
Fuel EX 6	S	15.5"	39.4 / 15.5	71.0"	73.5"	55.0 / 21.7	42.6 / 16.8	32.7 / 12.9	3.9 / 1.5	104.1 / 41.0	73 / 2.9	73.0 / 28.7
Fuel EX 6	M	17.5"	41.9 / 16.5	71.0"	73.5"	56.8 / 23.1	42.6 / 16.8	32.7 / 12.9	3.9 / 1.5	108.0 / 42.5	73 / 2.9	74.2 / 29.2
Fuel EX 6	L	19.5"	47.0 / 18.5	71.0"	73.5"	62.5 / 24.6	42.6 / 16.8	32.7 / 12.9	3.9 / 1.5	111.7 / 44.0	73 / 2.9	77.3 / 30.4
Fuel EX 6	XL	21.5"	50.8 / 20.0	71.0"	73.5"	64.5 / 25.4	42.6 / 16.8	32.7 / 12.9	3.9 / 1.5	113.5 / 44.7	73 / 2.9	80.0 / 31.5
Bernady 66	S	15.5"	39.4 / 15.5	68.2"	71.2"	55.4 / 21.5	43.4 / 17.1	35.6 / 14.0	3.7 / 1.5	107.9 / 42.2	89 / 3.5	73.6 / 29.0
Bernady 66	M	17.5"	45.0 / 17.7	68.4"	71.3"	59.1 / 23.3	43.4 / 17.1	35.7 / 14.0	3.7 / 1.5	111.2 / 43.8	89 / 3.5	74.2 / 29.1
Bernady 66	L	19.5"	49.5 / 19.5	68.5"	71.5"	62.8 / 24.7	43.4 / 17.1	35.8 / 14.1	3.7 / 1.5	114.9 / 45.2	89 / 3.5	79.3 / 31.2
Bernady 66	XL	21.5"	52.7 / 20.7	68.5"	71.5"	64.5 / 25.4	43.4 / 17.1	35.9 / 14.1	3.7 / 1.5	115.2 / 44.8	89 / 3.5	81.7 / 32.2
Bernady 5	S	15.5"	39.4 / 15.5	69.0"	72.0"	55.3 / 21.8	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	110.4 / 43.5	85 / 3.5	75.7 / 29.8
Bernady 5	M	17.5"	45.0 / 17.7	69.0"	72.0"	59.1 / 23.3	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	114.2 / 45.0	85 / 3.5	79.2 / 31.2
Bernady 5	L	19.5"	49.5 / 19.5	69.0"	72.0"	62.7 / 24.7	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	116.2 / 46.6	85 / 3.5	81.5 / 32.1
Bernady 5	XL	21.5"	52.7 / 20.7	69.0"	72.0"	64.5 / 25.4	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	116.2 / 46.6	85 / 3.5	81.5 / 32.1
Session 10	S	15.5"	39.4 / 15.5	69.0"	72.0"	55.3 / 21.8	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	110.4 / 43.5	85 / 3.5	75.7 / 29.8
Session 10	M	17.5"	45.0 / 17.7	69.0"	72.0"	59.1 / 23.3	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	114.2 / 45.0	85 / 3.5	79.2 / 31.2
Session 10	L	19.5"	49.5 / 19.5	69.0"	72.0"	62.7 / 24.7	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	116.2 / 46.6	85 / 3.5	81.5 / 32.1
Session 10	XL	21.5"	52.7 / 20.7	69.0"	72.0"	64.5 / 25.4	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	116.2 / 46.6	85 / 3.5	81.5 / 32.1
Session 77	S	15.5"	39.4 / 15.5	69.0"	72.0"	55.3 / 21.8	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	110.4 / 43.5	85 / 3.5	75.7 / 29.8
Session 77	M	17.5"	45.0 / 17.7	69.0"	72.0"	59.1 / 23.3	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	114.2 / 45.0	85 / 3.5	79.2 / 31.2
Session 77	L	19.5"	49.5 / 19.5	69.0"	72.0"	62.7 / 24.7	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	116.2 / 46.6	85 / 3.5	81.5 / 32.1
Session 77	XL	21.5"	52.7 / 20.7	69.0"	72.0"	64.5 / 25.4	43.4 / 17.1	34.8 / 13.7	3.8 / 1.5	116.2 / 46.6	85 / 3.5	81.5 / 32.1
Elite 9.8	S	15.5"	39.4 / 15.5	70.9"	73.6"	55.0 / 21.7	42.4 / 16.7	29.6 / 11.7	3.9 / 1.5	103.9 / 40.8	74 / 2.9	72.5 / 28.5
Elite 9.8	M	17.5"	41.9 / 16.5	70.9"	73.1"	58.8 / 23.1	42.4 / 16.7	29.6 / 11.7	3.9 / 1.5	105.3 / 41.9	74 / 2.9	73.9 / 29.1
Elite 9.7	L	19.5"	47.0 / 18.5	70.9"	73.1"	62.6 / 24.6	42.4 / 16.7	29.6 / 11.7	3.9 / 1.5	110.2 / 43.4	74 / 2.9	77.0 / 30.3
Elite 9.7	XL	21.5"	50.8 / 20.0	70.9"	73.1"	64.5 / 25.4	42.4 / 16.7	29.6 / 11.7	3.9 / 1.5	112.2 / 44.4	74 / 2.9	79.8 / 31.4
Jack 3	S	13"	33.0 / 13.0	68.3"	71.0"	55.9 / 22.0	40.7 / 16.2	32.3 / 12.7	4.0 / 1.6	103.1 / 40.8	80 / 3.1	65.9 / 26.5
Jack 3	M	15"	38.1 / 15.0	68.3"	71.0"	60.1 / 23.7	40.7 / 16.2	32.3 / 12.7	4.0 / 1.6	107.3 / 42.2	80 / 3.1	67.4 / 26.5
Jack 3	L	17"	43.2 / 17.0	68.3"	71.0"	64.4 / 24.2	40.7 / 16.2	32.3 / 12.7	4.0 / 1.6	110.1 / 43.3	80 / 3.1	69.7 / 27.4
Jack 2	S	13"	33.0 / 13.0	68.3"	71.0"	53.3 / 21.0	40.7 / 16.2	32.3 / 12.7	4.0 / 1.6	103.1 / 40.8	80 / 3.1	66.9 / 26.3
Jack 2	M	15"	38.1 / 15.0	68.3"	71.0"	57.5 / 22.6	40.7 / 16.2	32.3 / 12.7	4.0 / 1.6	105.3 / 41.9	80 / 3.1	68.4 / 26.5
Jack 2	L	17"	43.2 / 17.0	68.3"	71.0"	61.7 / 24.2	40.7 / 16.2	32.3 / 12.7	4.0 / 1.6	108.1 / 43.3	80 / 3.1	70.7 / 27.4
Jack 2	XL	21.5"	50.8 / 20.0	68.3"	71.0"	64.5 / 25.4	40.7 / 16.2	32.3 / 12.7	4.0 / 1.6	110.1 / 43.3	80 / 3.1	72.9 / 28.5
69ER	S	15.5"	39.4 / 15.5	70.0"	73.5"	57.5 / 22.6	42.1 / 16.6	30.7 / 12.1	4.0 / 1.6	105.7 / 41.5	91 / 3.6	72.2 / 28.4
69ER	M	17.5"	44.4 / 17.5	69.0"	73.0"	58.8 / 23.1	42.1 / 16.6	30.7 / 12.1	4.0 / 1.6	108.5 / 42.7	89 / 3.5	75.6 / 29.8
69ER	L	19.5"	49.5 / 19.5	69.0"	73.0"	62.5 / 24.6	42.1 / 16.6	30.7 / 12.1	4.0 / 1.6	112.2 / 44.2	89 / 3.5	78.3 / 30.8
69ER	XL	21.5"	54.9 / 21.5	69.0"	72.5"	64.7 / 25.4	42.1 / 16.6	30.7 / 12.1	4.0 / 1.6	114.7 / 44.8	89 / 3.5	81.4 / 31.0
8500	S	15.5"	39.4 / 15.5	71.0"	73.5"	55.0 / 21.7	42.4 / 16.7	29.7 / 11.7	4.0 / 1.6	102.9 / 40.5	72 / 2.8	71.3 / 28.4
8000	M	17.5"	44.5 / 17.5	71.0"	73.0"	58.5 / 23.0	42.4 / 16.7	29.7 / 11.7	4.0 / 1.6	105.3 / 41.9	72 / 2.8	74.2 / 29.2
6700	L	19.5"	49.5 / 19.5	71.0"	73.0"	62.5 / 24.6	42.4 / 16.7	29.7 / 11.7	4.0 / 1.6	110.0 / 43.3	72 / 2.8	77.4 / 30.6
6500	XL	21.5"	54.6 / 21.5	71.0"	72.5"	64.1 / 25.2	42.4 / 16.7	30.0 / 11.8	4.0 / 1.6	111.5 / 43.8	72 / 2.8	81.1 / 31.9
6200	S	14"	35.0 / 13.0	70.0"	73.5"	51.8 / 20.4	42.4 / 16.7	28.9 / 11.3	4.0 / 1.6	102.0 / 40.2	79 / 3.1	69.2 / 27.2
6200 WSD	M	16"	40.5 / 16.0	70.0"	74.0"	53.2 / 20.9	42.4 / 16.7	28.9 / 11.4	4.0 / 1.6	104.4 / 40.3	79 / 3.1	71.7 / 28.2
6200 WSD	L	18"	45.7 / 18.0	70.0"	74.0"	56.3 / 22.2	42.4 / 16.7	29.3 / 11.5	4.0 / 1.6	108.3 / 41.4	79 / 3.1	75.0 / 29.5
4300 WSD	S	14"	35.0 / 13.0	70.0"	73.5"	51.8 / 20.4	42.4 / 16.7	28.9 / 11.4	4.0 / 1.6	102.0 / 40.2	79 / 3.1	69.2 / 27.2
4300 WSD	M	16"	40.5 / 16.0	70.0"	74.0"	53.2 / 20.9	42.4 / 16.7	28.9 / 11.4	4.0 / 1.6	104.4 / 40.3	79 / 3.1	71.7 / 28.2
4300 WSD	L	18"	45.7 / 18.0	70.0"	74.0"	56.3 / 22.2	42.4 / 16.7	29.3 / 11.5	4.0 / 1.6	108.3 / 41.4	79 / 3.1	75.0 / 29.5
4500	XL	21.5"	54.6 / 21.5	70.0"	73.5"	64.1 / 25.2	42.4 / 16.7	30.0 / 11.8	4.0 / 1.6	111.5 / 43.8	72 / 2.8	81.1 / 31.9
4500	S	14"	35.0 / 13.0	70.0"	74.0"	53.2 / 20.9	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	101.9 / 40.1	81 / 3.2	68.4 / 25.7
4300 Disc	S	16"	40.5 / 16.0	70.0"	74.0"	55.5 / 21.9	43.0 / 16.9	29.1 / 11.5	3.8 / 1.5	104.9 / 40.9	78 / 3.1	70.6 / 27.8
4300	M	18"	45.7 / 18.0	70.0"	74.0"	58.7 / 22.6	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	108.7 / 42.6	78 / 3.1	74.6 / 29.4
4000	L	19.5"	49.5 / 19.5	70.0"	74.0"	62.9 / 24.7	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	112.9 / 44.4	78 / 3.1	78.2 / 30.0
4300 Disc	XL	21.5"	53.7 / 18.0	70.0"	73.5"	64.5 / 25.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	114.9 / 45.2	78 / 3.1	78.9 / 31.1
4300	S	14"	35.0 / 13.0	70.0"	73.5"	51.8 / 20.4	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	101.9 / 40.1	81 / 3.2	68.4 / 25.7
4300	M	16"	40.5 / 16.0	70.0"	74.0"	53.2 / 20.9	43.0 / 16.9	29.1 / 11.5	3.8 / 1.5	104.9 / 40.9	78 / 3.1	70.6 / 27.8
4300	L	18"	45.7 / 18.0	70.0"	74.0"	56.3 / 22.2	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	108.3 / 41.4	78 / 3.1	75.0 / 29.5
4300	XL	21.5"	53.7 / 18.0	70.0"	73.5"	64.5 / 25.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	114.9 / 45.2	78 / 3.1	78.9 / 31.1
3700 WSD	S	13"	33.0 / 13.0	70.0"	74.0"	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	101.9 / 40.1	78 / 3.1	68.4 / 25.7
3700 WSD	M	15"	38.1 / 15.0	70.0"	74.0"	56.7 / 22.0	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	105.9 / 41.5	78 / 3.1	69.7 / 27.4
3700 WSD	L	17"	43.2 / 17.0	70.0"	74.0"	60.9 / 23.3	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	109.9 / 42.9	78 / 3.1	73.7 / 29.5
3700 WSD	XL	19"	48.3 / 19.5	70.0"	74.0"	65.1 / 24.5	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	113.9 / 44.3	78 / 3.1	77.7 / 30.5
3700	S	13"	33.0 / 13.0	70.0"	74.0"	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	101.9 / 40.1	81 / 3.2	68.4 / 25.7
3700	M	15"	38.1 / 15.0	70.0"	74.0"	56.7 / 22.0	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	105.9 / 41.5	78 / 3.1	69.7 / 27.4
3700	L	17"	43.2 / 17.0	70.0"	74.0"	60.9 / 23.3	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	109.9 / 42.9	78 / 3.1	73.7 / 29.5
3700	XL	19"	48.3 / 19.5	70.0"	74.0"	65.1 / 24.5	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	113.9 / 44.3	78 / 3.1	77.7 / 30.5
3700	S	13"	33.0 / 13.0	70.0"	74.0"	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	101.9 / 40.1	81 / 3.2	68.4 / 25.7
3700	M	15"	38.1 / 15.0	70.0"	74.0"	56.7 / 22.0	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	105.9 / 41.5	78 / 3.1	69.7 / 27.4
3700	L	17"	43.2 / 17.0	70.0"	74.0"	60.9 / 23.3						

TREK TRAVEL

DISCOVER THE WORLD, ONE PEDAL STROKE AT A TIME

For every person who desires travel that's a little out-of-the-ordinary, a little more-than-expected and a lot like nothing they've experienced before, there is Trek Travel. From days spent cycling rolling hills or shopping for local artisan crafts, to relaxing nights at luxurious resorts, savoring decadent meals, Trek Travel has your vacation of a lifetime.

Whether you choose to ride one mile or 100 miles, in the States or abroad, our trips get you on the roads or trails in the most beautiful places on earth. And because we're born from the Trek Bikes family, we put you on the best bikes in the industry and employ the best guides in the world to help you discover places that many travelers would never find on their own.

To plan your vacation of a lifetime, visit us today at www.trektravel.com or call 1-866-GO4-TREK.



TREK BICYCLE CORPORATION

USA: 801 WEST MADISON STREET, WATERLOO, WI 53594
\$6.99 PART NO. 281566 ©2006 Trek Bicycle Corporation